



Network-Appliance

Exam Questions NS0-162

NetApp Certified Data Administrator, ONTAP

NEW QUESTION 1

Which three protocols are supported by NetApp ONTAP Select? (Choose three.)

- A. NFS
- B. SCSI
- C. NVMe
- D. FCP
- E. CIFS

Answer: ABE

NEW QUESTION 2

You have an Internet of Things (IoT) application that will use SMB shares on a remote ONTAP Select Instance. There are no name services and only a local network is available at the remote IoT site.

In this scenario, which two features are supported by ONTAP software for the IoT application? (Choose two.)

- A. Active Directory users
- B. SMB Server in workgroup mode
- C. SMB3 Witness protocol
- D. CIFS local users


Answer: BD

Explanation:

https://kb.netapp.com/Advice_and_Troubleshooting/Data_Storage_Software/ONTAP_OS/Is_Workgroup_Mode

NEW QUESTION 3

Exhibit



You have a 4-node cluster.

How many iSCSI LIFs will be created from the SVM setup wizard, as shown in the exhibit?

- A. 8
- B. 6
- C. 16
- D. 2

Answer: A

NEW QUESTION 4

Auditing has been enabled and configured on your ONTAP storage system. You have also created audit policies to monitor files and folders. Auditing has been running for over six months. You want to ensure that there have been no improper file access attempts.

How would you accomplish this task?

- A. Import EVT files into Microsoft SQL.
- B. Import EVT files into Microsoft Event Viewer.
- C. Use Microsoft System Center to read EVT files.
- D. Use the Active IQ Web site to read EVT files.

Answer: D

NEW QUESTION 5

After attempting to perform an ONTAP upgrade. It fails during the pre-check. In this scenario, what would cause this problem?

- A. encrypted volumes

- B. offline volume
- C. Idle SnapMirrors
- D. offline data LIF

Answer: C

NEW QUESTION 6

You have a 50 TO FlexGroup volume that is serving NFSv3 on a FAS8300 HA pair that Is running ONTAP 9.8 software of files. A Linux du command runs for days to count files.
In this scenario, which native ONTAP feature will report real-time file counts?

- A. Quality of Service
- B. Logical Space Reporting
- C. volume autosize
- D. File System Analytics

Answer: C

NEW QUESTION 7

Exhibit.

Network Interfaces							
+ Create / Edit Delete Status ⌵ Migrate ⌵ Send to Home Refresh							
⌵	Interface Name	Storage Virtual Machine (SVM)	IP Address/WWN	Current P...	⌵	Home Port	Data Protocol Access
⊗	epic_2_n1_2a	epic_2	20:2b:00:a0:98:e2:27:ce	A800_1:2a	⏱	Yes	fc_nvme
⊗	epic_2_n2_2a	epic_2	20:2a:00:a0:98:e2:27:ce	A800_2:2a		Yes	fc_nvme
⊗	epic_fcp_n1_2a	epic_fcp	20:05:00:a0:98:e2:27:ce	A800_1:2a		Yes	fc_p
⊗	epic_fcp_n1_3a	epic_fcp	20:07:00:a0:98:e2:27:ce	A800_1:3a		Yes	fc_p
⊗	epic_fcp_n2_2a	epic_fcp	20:25:00:a0:98:e2:27:ce	A800_2:2a		Yes	fc_p
⊗	epic_fcp_n2_3a	epic_fcp	20:39:00:a0:98:e2:27:ce	A800_2:3a		Yes	fc_p
⊙	epic_1_n1_2a	epic_1	20:28:00:a0:98:e2:27:ce	A800_1:2a		Yes	fc_nvme
⊙	epic_1_n2_2a	epic_1	20:29:00:a0:98:e2:27:ce	A800_2:2a		Yes	fc_nvme
⊙	epic_2_n1_3a	epic_2	20:37:00:a0:98:e2:27:ce	A800_1:3a		Yes	fc_nvme
⊙	epic_2_n2_3a	epic_2	20:38:00:a0:98:e2:27:ce	A800_2:3a		Yes	fc_nvme
⊙	A800_1_fc_lif_1	storage_eff	20:14:00:a0:98:e2:27:ce	A800_1:2c		Yes	fc_p
⊙	A800_2_fc_lif_1	storage_eff	20:15:00:a0:98:e2:27:ce	A800_2:2c		Yes	fc_p

Referring to the exhibit, what would cause a customer to have an Issue with SVM epic_fcp when mapping a namespace to a host?

- A. FC has not been licensed on the cluster.
- B. NVMe Is not configured for the SVM.
- C. FC switch zoning has not been done correctly.
- D. NVMe is not licensed on the cluster.

Answer: B

NEW QUESTION 8

Which two statements are true about NVMe? (Choose two.)

- A. NQNs are added to namespaces.
- B. LUNs are mapped to Initiator groups.
- C. NQNs are added to subsystems.
- D. Namespaces are mapped to subsystems.

Answer: CD

NEW QUESTION 9

You are planning an installation of a new stack of shelves to an HA pair and need to locate empty SAS ports... In this scenario, which tool would you use to accomplish this task remotely?

- A. ONTAP System Manager
- B. Active IQ Web site
- C. Hardware Universe
- D. Interoperability Matrix Tool

Answer: D

NEW QUESTION 10

Exhibit.

```
cluster::> network interface show -vserver SVM_A -fields data-protocol
vserver      lif      data-protocol address
-----
SVM_A        lif-SVM-A  nfs,cifs    10.0.1.250

cluster::> volume show -fields vservers,volume,aggregate,policy,junction-path -vserver SVM_A
vserver volume      aggregate policy      junction-path
-----
SVM_A    SVM_A_root aggr1      policy-vol_a /
SVM_A    VOL_A      aggr2      policy-vol_a -
2 entries were displayed.

cluster::> export-policy rule show -vserver SVM_A -policyname policy-vol_a
Vserver      Policy      Rule      Access      Client      RO
Name          Index      Protocol Match
-----
SVM_A        policy-vol_a  1        any        10.0.1.0/24  any
```

A Linux host with the 10.0.1.24 IP address is unable to mount the VOL_A volume using NFSv3. Referring to the exhibit, what is the problem?

- A. The host IP address does not match the export policy rule.
- B. The volume is in read-only.
- C. The volume is not mounted in the namespace.
- D. The logical interface does not allow the NFSv3 protocol.

Answer: C

Explanation:

The volume is not mounted in the namespace.

<https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.cdottamg-nfs%2FGUID-8E400D78-B40>

Even if the volume was read only it could be mounted - also the client IP is in the desired range and LIF is configured for NFS.

NEW QUESTION 10

Which two storage efficiency features are enabled by default on AFF systems? (Choose two.)

- A. LUN-level compression
- B. aggregate-level compression
- C. aggregate-level inline deduplication
- D. volume-level inline deduplication

Answer: CD

NEW QUESTION 11


After creating an SVM in an ONTAP cluster, you are asked to delegate administration of the newly created SVM to an SVM administrator. In this scenario, which two tasks must you complete? (Choose two.)

- A. Create the vsadmin user account in the new SVM.
- B. Create a LIF for SVM management.
- C. Configure role-based access control (RBAC) for the vsadmin user account.
- D. Set a password for the vsadmin user account.

Answer: BD

NEW QUESTION 14

Exhibit.



You have an SVM-DR relationship as shown in the exhibit. You are given a new requirement to use SnapMirror Synchronous (SMS) for the data volumes in NFS-SVM-01.

In this scenario, which solution is supported to enable SMS in ONTAP 9.8 software?

- A. Set up new SM-S relationships from the AFF A220 to a new destination.
- B. Set up new SM-S relationships from the FAS2720 to a new destination.

- C. Set up NetApp Cloud Sync with a cloud broker in AWS to replicate to a new destination.
- D. Modify the existing SVM-DR policy to use sync mode.

Answer: C

NEW QUESTION 17

You have a remote FlexCache storage device that is running on ONTAP Select 9.8 software. The cache origin volume is on an FAS8700 that is running ONTAP 9.8 software. The WAN connection dropped, and the FlexCache volume is in disconnected mode. In this scenario, which LIFs would you ping to troubleshoot the disconnect?

- A. management
- B. Intercluster
- C. data
- D. cluster

Answer: D

Explanation:

<https://docs.netapp.com/ontap-9/topic/com.netapp.doc.pow-fc-mgmt/GUID-AE9CC59E-BE3B-4185-B018-E3F>

NEW QUESTION 19

Due to the increasing threat of ransomware, you must implement a secure and fast solution to recover files in your ONTAP cluster. The users should be able to recover their files from their Windows Desktop.

In this scenario, which two steps fulfill this requirement? (Choose two.)

- A. Ensure that there is a Snapshot copy schedule for every volume containing files.
- B. Ensure that the option to show previous versions on the SVM is activated.
- C. Ensure that the option to copy a FlexClone of each volume containing files is activated.
- D. Ensure that the option to show previous versions on each share is activated.

Answer: AC

NEW QUESTION 23

You want to enable the Internal ONTAP engine that quickly identifies the file and directory differences between two Snapshot copies. In this scenario, which feature would accomplish this task?

- A. SnapVault
- B. SnapCenter
- C. SnapDiff
- D. SnapLock

Answer: C

NEW QUESTION 26

You want to monitor system performance in real time.

In this scenario, which two tools would you use to accomplish this task? (Choose two.)

- A. ONTAP System Manager
- B. Active IQ Unified Manager
- C. ONTAP CLI
- D. Active IQ Digital Advisor

Answer: AC

NEW QUESTION 29

Which statement is correct about Temperature Sensitive Storage Efficiency (TSSE)?

- A. TSSE is enabled automatically on newly created thick provisioned volumes.
- B. TSSE operations on a AFF array are automatically throttled depending on whether data is hot or cold.
- C. TSSE operations on Cloud Volumes ONTAP are automatically throttled depending on whether data is hot or cold.
- D. TSSE operations on ONTAP Select are automatically throttled depending on whether data is hot or cold.

Answer: B

Explanation:

<https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-vsmg%2FGUID-65F2062F-DD7>

NEW QUESTION 33

Click the Exhibit button.

You have an AFF A400 HA pair serving SMB locally and a FAS8300 HA pair serving SMB over FlexCache. Both clusters are running ONTAP 9.8 software.

In this scenario, which two protocol features are supported at the remote cache? (Choose two.)

- A. multiprotocol NFSv4.1
- B. file locking
- C. multiprotocol NFSv3
- D. SMB3 continuously available (CA) shares

- A. You must have sufficient space for the root volume.
- B. You must have a non-root aggregate in the online state.
- C. You must have encryption enabled on the root volume.
- D. You must synchronize the cluster time.
- E. You must have configured the export policies.

Answer: ADE

NEW QUESTION 51

You are asked by your network engineering team to make sure that your NetApp cluster is configured to run LACP on its network ports. Which network component satisfies this request?

- A. VLAN
- B. Interface group
- C. broadcast domain
- D. failover group

Answer: B

NEW QUESTION 54

Click the Exhibit button.

A company has three servers that are using the iSCSI protocol to connect to a 2 node NetApp ONTAP cluster.

The server administrator notices that half of the paths are down. When you check the ONTAP cluster, you notice that the servers are logging into only the first controller.


Referring to the exhibit, which two steps do you take to troubleshoot the issue? (Choose two.)

- A. Verify that the UFs are up.
- B. Verify that the iSCSI data protocol has been enabled on the ports.
- C. Verify that each server has been rebooted.
- D. Verify that the controller has not been taken over.

Answer: AB

NEW QUESTION 58

Exhibit.



You are caching on-premises ONTAP volumes into the cloud with Cloud Volumes ONTAP as shown in the exhibit. In this scenario, which two protocols are supported? (Choose two.)

- A. SMB
- B. NVMe
- C. iSCSI
- D. NFS

Answer: CD

NEW QUESTION 59

Exhibit

```
::> volume autosize -vserver SVM1 -volume vol1 -shrink-threshold-percent 60 -mode grow_shrink

vol autosize: Flexible volume "SVM1:vol1" autosize settings UPDATED.
Volume modify successful on volume: vol1
```

Referring to the exhibit, when will NAS vol1 shrink in size?

- A. when the aggregate containing vol1 is 60% full
- B. when the volume is 60% full
- C. when the volume is 40% full
- D. when the aggregate containing vol1 is 40% full

Answer: A

NEW QUESTION 64

You are currently using SnapMirror Synchronous (SM-S) to protect a critical workload at your organization and you want to convert the SnapMirror policy from Sync to StrictSync.

In this scenario, which procedure allows you to achieve this task?

- A. Recreate the SnapMirror relationship, specifying the strictsync policy, then re-synchronize it.
- B. Modify the existing SnapMirror relationship specifying the strictsync policy, then re-synchronize It.
- C. Recreate the SnapMirror relationship, specifying the strictsync policy, then promote It.
- D. Modify the existing SnapMirror relationship specifying the strictsync policy, then promote It.

Answer: A

Explanation:

KB included in the reference also confirms C is the correct answer. Here is another KB also confirming;
<https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-dap%2FGUID-AE2302D3-E489-43>

NEW QUESTION 65

Exhibit.

```
cluster1::> volume show -vserver svm2_cluster1 -volume data -fields space-guarantee,fractional-reserve,autosize-mode,space-slo
vserver      volume autosize-mode space-slo space-guarantee fractional-reserve
-----
svm2_cluster1 data    grow          none          none          0%
```

```
cluster1::> lun show -vserver svm2_cluster1 -volume data -fields space-reserve,space-allocation
vserver      path          space-reserve space-allocation
-----
svm2_cluster1 /vol/data/lun disabled disabled
```

You have a 2-node NetApp FAS2750 ONTAP cluster. You create a new 20-GB LUN in a new 100-GB volume and write 10 GB of data to the LUN. No storage efficiencies are enabled for the volume or aggregate.

Referring to the exhibit, which two statements are true? (Choose two.)

- A. ONTAP reports that the volume is using 10 GB of its containing aggregate.
- B. ONTAP reports the volume as 20% full.
- C. ONTAP reports that the volume is using 100 GB of its containing aggregate.
- D. ONTAP reports the volume as 10% full.

Answer: AD

NEW QUESTION 66

Exhibit

```
ipp-na01::> net int show -vserver widgt_vml
(network interface show)
Vserver      Logical      Status      Network      Current      Current      Is
-----      -
widgt_vml    widgt_vml_lif up/up       192.168.106.11/24 ipp-na01-01  a0a-229  false
widgt_vml    widgt_vml_mgmt up/up       10.40.105.15/24 ipp-na01-01  a0a-228  true
2 entries were displayed.
```

```
ipp-na01::> broadcast-domain show -ports ipp-na01-01:a0a-229
(network port broadcast-domain show)
IFspace Broadcast
Name      Domain Name      MTU      Port List      Update
-----
widgt     widgt_192.168.106.0/24
          9000
          ipp-na01-04:a0a-229 complete
          ipp-na01-03:a0a-229 complete
          ipp-na01-01:a0a-229 complete
          ipp-na01-02:a0a-229 complete
```

```
ipp-na01::> net route show -vserver widgt_vml
(network route show)
There are no entries matching your query.
```

You need to provision a new NFS datastore for a vSphere cluster. You configure a new SVM and a new volume on your ONTAP cluster. You successfully mount the datastore to your vSphere cluster. You are able to upload and download a test 1 KB file to and from the datastore. You can also successfully ping the NFS LIF (192.168.106.11) from the vSphere hosts without any packet loss. However, you are unable to upload ISO Images or migrate VMs to the new datastore.

Referring to the exhibit, which action would correct the problem?

- A. Enable jumbo frames on the network switches.
- B. Add a default gateway to the SVM.
- C. Change the MTU of the VM kernel ports on the vSphere hosts to 9,000 bytes.
- D. Migrate the LIF to its home port.

Answer: A

NEW QUESTION 67

Exhibit

```
cluster1::> network interface create -vserver vs0 -lif datalif1 -role data -home-node node0 -home-port e0c -address 192.0.2.130 -netmask 255.255.255.0 -failover-policy broadcast-domain-wide -firewall-policy data
```

```
cluster1::> network route show
(network route show)
```

Server	Destination	Gateway	Metric
node1	0.0.0.0/0	10.61.208.1	20
node2	0.0.0.0/0	10.61.208.1	20
vs0	0.0.0.0/0	10.61.208.1	20

3 entries were displayed.

After creating a new LIF called datalif1 on SVM vs0, you notice connectivity issues to the newly created LIF, as shown in the exhibit. You have verified that the new LIF is online and the network team is able to see the MAC address on the switches.

Referring to the exhibit, what would cause connectivity issues?

- A. The home port needs to be modified to port e0d.
- B. The route metric needs to be modified to a metric of 30.
- C. The route needs to be modified to reflect the correct gateway.
- D. The netmask needs to be modified to a /16 network.

Answer: A

NEW QUESTION 70

A user wants existing data in a FlexVol created in ONTAP 9.1 to be placed into a FlexGroup volume with ONTAP 9.8. In this scenario, which two statements are true? (Choose two.)

- A. Use XCP to copy data from a FlexVol to a FlexGroup.
- B. Use SnapMirror to replicate data from FlexVol to FlexGroup.
- C. You can convert the FlexVol volume to a FlexGroup volume.
- D. A FlexVol to FlexGroup conversion is not supported.

Answer: BC

Explanation:

Starting with ONTAP 9.7, you can perform an in-place conversion of a FlexVol volume to a FlexGroup volume without requiring a data copy or additional disk space. Starting with ONTAP 9.7, you can convert standalone FlexVol volumes or FlexVol volumes that are in a SnapMirror relationship to FlexGroup volumes.

NEW QUESTION 75

You need to increase the number of files that can be created in a volume. Which two methods enable you to achieve this goal? (Choose two.)

- A. Increase the number of files permitted on the volume.
- B. Set the space guarantee to 'volume'.
- C. Set the fractional reserve to "0".
- D. Increase the size of the volume.

Answer: AD

NEW QUESTION 77

Which security method would be used to authenticate targets and initiators in an iSCSI environment?

- A. NIS
- B. LDAP
- C. /etc/hosts
- D. CHAP

Answer: D

NEW QUESTION 82

Exhibit.

IPspaces		Broadcast Domains		
Cluster	Broadcast Domains Cluster	Cluster	9000 MTU	IPspace: Cluster cluster1-01 e0a e0b cluster1-02 e0a e0b
Default	Storage VMs acmefs01,AcmeVM01, svm1_cluster1,svm2_cluster1	Default	1500 MTU	IPspace:Default cluster1-01 e0c e0d e0e e0f e0g cluster1-02 e0c e0d e0e e0f e0g

Network Interfaces						
Name	Status	Storage VM	IPspace	Address	Current Node	Current Port
lif_acmefs01_868		acmefs01	Default	192.168.0.200	cluster1-01	e0c

You have an ONTAP 9.8 cluster. After network maintenance, the LIF that is shown in the exhibit is not always on a correct port and is unreachable by users until the LIFs are moved to port e0c or e0d on either storage node.
In this scenario, which action should you take to ensure that the LIF only fails over to the correct ports?

- A. Create a DNS load balancing zone.
- B. Split the broadcast domain.
- C. Create an IPspace.
- D. Change the LIF’s failover policy to sfo-partner-only

Answer: B

NEW QUESTION 85

An application owner at your organization requests a solution for zero RTO In the event of a failure In your primary data center, where you are using NetApp ONTAP 9.8 software with ISCSI LUNs. The owner wants to avoid reconfiguring the application.
Which NetApp solution would you propose to fulfill these requirements?

- A. SyncMirror
- B. SnapMirror Business Continuity (SM-BC)
- C. SVM Disaster Recovery (SVM DR)
- D. SnapMirror Synchronous (SMS)

Answer: B

NEW QUESTION 87


You have deployed an ONTAP cluster and want to add protocol licenses. In this scenario, which management tool accomplishes this task?

- A. NetApp Cloud Manager
- B. ONTAP System Manager
- C. Active IQ Unified Manager
- D. Active IQ Config Advisor

Answer: B

NEW QUESTION 90

Exhibit.



You recently added a new ESXi host to your VMware vSphere cluster. However, you cannot mount any of the existing NFS datastores to the host. Referring to the exhibit, which action solves the problem?

- A. Add NFSv4 to the access protocols.
- B. Enable Kerberos in the export policy.
- C. Add SMB/CIFS to the access protocols.
- D. Add HOST 3's IP address to the NFS export policy.

Answer: D

NEW QUESTION 95

Which two types of capacity tiers are supported with FabricPool aggregates In ONTAP 9.8? (Choose two.)

- A. SWIFT Object Store
- B. NFS Export
- C. StorageGRID Object Storage
- D. S3 Object Store

Answer: CD

NEW QUESTION 100

Exhibit

```
na01::> network interface show -vserver dsml-san01 -data-protocol fcp
-----
Vserver      Logical      Status      Network      Current      Current      Is
Interface    Admin/Oper   Address/Mask Node          Port         Home
-----
dsml-san01
dsml-san01-01_fcA
                up/up      20:06:00:a0:98:69:97:ff
                                na01-01      1a          true
dsml-san01-01_fcB
                up/up      20:07:00:a0:98:69:97:ff
                                na01-01      1c          true
dsml-san01-02_fcA
                up/up      20:08:00:a0:98:69:97:ff
                                na01-02      1a          true
dsml-san01-02_fcB
                up/up      20:09:00:a0:98:69:97:ff
                                na01-02      1c          true
dsml-san01-03_fcA
                up/up      20:17:00:a0:98:69:97:ff
                                na01-03      0e          true
dsml-san01-03_fcB
                up/up      20:18:00:a0:98:69:97:ff
                                na01-03      0g          true
dsml-san01-04_fcA
                up/up      20:19:00:a0:98:69:97:ff
                                na01-04      0e          true
dsml-san01-04_fcB
                up/up      20:1a:00:a0:98:69:97:ff
                                na01-04      0g          true

na01::> lun mapping show -vserver dsml-san01 -volume sql01_sysdb -fields reporting-nodes
vserver      path          igroup          reporting-nodes
-----
dsml-san01   /vol/sql01_sysdb/lun fcp_infraex na01-01,na01-02,na01-03,na01-04
```

You have a 4-node ONTAP cluster and use FCP to access several LUNs. You perform a volume move to move a LUN (/vol/sql01_sysdb/lun) from node na01-01 to na01-03. After the move, you perform an HBA rescan from the host, but ALUA is now seeing twice the number of paths to the LUN. Referring to the exhibit, which action would solve the problem?

- A. Update the Selective LUN Map configuration for the LUN mapping.
- B. Change the MPIO policy on the host.
- C. Ensure that the fabric zoning is correct.
- D. Reboot the host.

Answer: A

NEW QUESTION 103

Your company has purchased two NetApp AFF A400 HA pairs. During deployment, how many root aggregates are created?

- A. 6
- B. 4
- C. 2
- D. 8

Answer: B

NEW QUESTION 104

Exhibit.

```
CLUSTER-01::> lun show -instance
Vserver Name: svm500
  LUN Path: /vol/LUN0/LUN0
  Volume Name: LUN0
  Qtree Name: ""
  LUN Name: LUN0
  LUN Size: 100GB
  OS Type: vmware
  Space Reservation: enabled
  Serial Number: 800Nc$QfenwV
  Serial Number (Hex): 3830304e63245166656e7756
  Comment: VMware Host
Space Reservations Honored: true
  Space Allocation: disabled
  State: online
  LUN UUID: daf3b456-cf79-4535-878b-4e43872836cc
  Mapped: mapped
Physical Size of Logical Block: 512B
  Device Legacy ID: -
  Device Binary ID: -
  Device Text ID: -
  Read Only: false
Fenced Due to Restore: false
  Used Size: 0
  Maximum Resize Size: 1023GB
  Creation Time: 2/9/2021 17:59:56
  Class: regular
Node Hosting the LUN: CLUSTER-01
  QoS Policy Group: -
QoS Adaptive Policy Group: -
  Caching Policy Name: -
  Clone: false
Clone Autodelete Enabled: false
  Inconsistent Import: false
  Application: -
CLUSTER-01::> igroup show
Vserver  Igroup      Protocol OS Type  Initiators
-----
svm500   ESX         iscsi   vmware   -
```

You create a storage virtual machine (SVM) called SVM500 that is provisioned for iSCSI. After creating a LUN in the SVM and mapping it to an igroup, the attached VMware hosts are unable to mount the LUN. Referring to the exhibit, what is the issue?

- A. The igroup contains the wrong protocol.
- B. The igroup contains multiple Initiators.
- C. The initiator is a member of igroups of different OS types.
- D. The igroup does not contain the appropriate initiators.

Answer: B

NEW QUESTION 109

When you perform an upgrade using ONTAP System Manager 9.8, which two statements are true? (Choose two.)

- A. The latest available Images will appear In the ONTAP System Manager interface.
- B. The images will be automatically uploaded to the cluster by using the ONTAP System Manager interface from the NetApp Support site.
- C. The update history is available within the ONTAP System Manager interface.
- D. The Images must be manually uploaded to the cluster by using the ONTAP System Manager interface.

Answer: CD

NEW QUESTION 112

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

NS0-162 Practice Exam Features:

- * NS0-162 Questions and Answers Updated Frequently
- * NS0-162 Practice Questions Verified by Expert Senior Certified Staff
- * NS0-162 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * NS0-162 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The NS0-162 Practice Test Here](#)