

## CRT-450 Dumps

### Salesforce Certified Platform Developer I (SU18)

<https://www.certleader.com/CRT-450-dumps.html>



**NEW QUESTION 1**

In a single record, a user selects multiple values from a multi-select picklist. How are the selected values represented in Apex?

- A. As a List<String> with each value as an element in the list
- B. As a String with each value separated by a comma
- C. As a String with each value separated by a semicolon
- D. As a Set<String> with each value as an element in the set

**Answer: C**

**NEW QUESTION 2**

A developer has the controller class below.

```
public with sharing class myFooController {
    public integer prop { get; private set; }
}
```

Which code block will run successfully in an execute anonymous window?

- A. myFooController m = new myFooController();System.assert(m.prop !=null);
- B. myFooController m = new myFooController();System.assert(m.prop ==0);
- C. myFooController m = new myFooController();System.assert(m.prop ==null);
- D. myFooController m = new myFooController();System.assert(m.prop ==1);

**Answer: C**

**NEW QUESTION 3**

Which statement results in an Apex compiler error?

- A. Map<Id,Leas> lmap = new Map<Id,Lead>([Select ID from Lead Limit 8]);
- B. Date d1 = Date.Today(), d2 = Date.ValueOf('2018-01-01');
- C. Integer a=5, b=6, c, d = 7;
- D. List<string> s = List<string>{'a','b','c'};

**Answer: D**

**NEW QUESTION 4**

Which three tools can deploy metadata to production? (Choose three.)

- A. Change Set from Developer Org
- B. Force.com IDE
- C. Data Loader
- D. Change Set from Sandbox
- E. Metadata API

**Answer: ADE**

**NEW QUESTION 5**

Which set of roll-up types are available when creating a roll-up summary field?

- A. COUNT, SUM, MIN, MAX
- B. AVERAGE, SUM, MIN, MAX
- C. SUM, MIN, MAX
- D. AVRAGE, COUNT, SUM, MIN, MAX

**Answer: A**

**NEW QUESTION 6**

A lead object has a custom field Prior\_Email c. The following trigger is intended to copy the current Email into the Prior\_Email c field any time the Email field is changed:

```
trigger test on Lead (before update) {
    for(Lead ld: trigger.new)
    {
        if(ld.Email != trigger.oldMap.get (ld.ld).email)
        {
            ld.Prior_Email__c = trigger.old,ap.get(ld.ld).email;
            update ld;
        }
    }
}
```

Which type of exception will this trigger cause?

- A. A null reference exception
- B. A compile time exception

- C. A DML exception
- D. A limit exception when doing a bulk update

**Answer:** C

#### NEW QUESTION 7

What is a capability of the <ltng:require> tag that is used for loading external Javascript libraries in Lightning Component? (Choose three.)

- A. Loading files from Documents.
- B. One-time loading for duplicate scripts.
- C. Specifying loading order.
- D. Loading scripts in parallel.
- E. Loading externally hosted script

**Answer:** BCD

#### NEW QUESTION 8

For which three items can a trace flag be configured? (Choose three.)

- A. Apex Trigger
- B. Apex Class
- C. Process Builder
- D. User
- E. Visualforce

**Answer:** ABD

#### NEW QUESTION 9

Which three options allow a developer to use custom styling in a Visualforce page? (Choose three.)

- A. <apex:stylesheet> tag
- B. Inline CSS
- C. <apex:style>tag
- D. <apex:stylesheets>tag
- E. A static resource

**Answer:** ABE

#### NEW QUESTION 10

Which approach should a developer take to automatically add a "Maintenance Plan" to each Opportunity that includes an "Annual Subscription" when an opportunity is closed?

- A. Build a OpportunityLineItem trigger that adds a PriceBookEntry record.
- B. Build an OpportunityLineItem trigger to add an OpportunityLineItem record.
- C. Build an Opportunity trigger that adds a PriceBookEntry record.
- D. Build an Opportunity trigger that adds an OpportunityLineItem recor

**Answer:** D

#### NEW QUESTION 10

An org has a single account named 'NoContacts' that has no related contacts. Given the query:

List<Account> accounts = [Select ID, (Select ID, Name from Contacts) from Account where Name='NoContacts']; What is the result of running this Apex?

- A. accounts[0].contacts is invalid Apex.
- B. accounts[0].contacts is an empty Apex.
- C. accounts[0].contacts is Null.
- D. A QueryException is throw

**Answer:** B

#### NEW QUESTION 13

A developer needs to display all of the available fields for an object.

In which two ways can the developer retrieve the available fields if the variable myObject represents the name of the object? (Choose two.)

- A. Use myObject.sObjectType.getDescribe().fieldSet() to return a set of fields.
- B. Use mySObject.myObject.fields.getMap() to return a map of fields.
- C. Use Schema.describeSObjects(new String[]{myObject})[0].fields.getMap() to return a map of fields.
- D. Use getGlobalDescribe().get(myObject).getDescribe().fields.getMap() to return a map of field

**Answer:** BC

#### NEW QUESTION 16

The operation manager at a construction company uses a custom object called Machinery to manage the usage and maintenance of its cranes and other machinery. The manager wants to be able to assign machinery to different constructions jobs, and track the dates and costs associated with each job. More than one piece of machinery can be assigned to one construction job.

What should a developer do to meet these requirements?

- A. Create a lookup field on the Construction Job object to the Machinery object.
- B. Create a lookup field on the Machinery object to the Construction Job object.
- C. Create a junction object with Master-Detail Relationship to both the Machinery object and the Construction Job object.
- D. Create a Master-Detail Lookup on the Machinery object to the Construction Job object.

**Answer:** A

#### NEW QUESTION 18

Which three declarative fields are correctly mapped to variable types in Apex? (Choose three.)

- A. Number maps to Decimal.
- B. Number maps to Integer.
- C. TextArea maps to List of type String.
- D. Date/Time maps to Dateline.
- E. Checkbox maps to Boolean.

**Answer:** ADE

#### NEW QUESTION 23

A developer encounters APEX heap limit errors in a trigger.

Which two methods should the developer use to avoid this error? (Choose two.)

- A. Use the transient keyword when declaring variables.
- B. Query and store fields from the related object in a collection when updating related objects.
- C. Remove or set collections to null after use.
- D. Use SOQL for loops instead of assigning large queries results to a single collection and looping through the collection.

**Answer:** AD

#### NEW QUESTION 27

A Visualforce page is required for displaying and editing Case records that includes both standard and custom functionality defined in an Apex class called myControllerExtension.

The Visualforce page should include which <apex:page> attribute(s) to correctly implement controller functionality?

- A. controller="Case" and extensions="myControllerExtension"
- B. extensions="myControllerExtension"
- C. controller="myControllerExtension"
- D. standardController="Case" and extensions="myControllerExtension"

**Answer:** D

#### NEW QUESTION 28

Which SOQL query successfully returns the Accounts grouped by name?

- A. SELECT Type, Max(CreatedDate) FROM Account GROUP BY Name
- B. SELECT Name, Max(CreatedDate) FROM Account GROUP BY Name
- C. SELECT Id, Type, Max(CreatedDate) FROM Account GROUP BY Name
- D. SELECT Type, Name, Max(CreatedDate) FROM Account GROUP BY Name LIMIT 5

**Answer:** B

#### NEW QUESTION 30

A platform developer at Universal Containers needs to create a custom button for the Account object that, when clicked, will perform a series of calculations and redirect the user to a custom Visualforce page.

Which three attributes need to be defined with values in the <apex:page> tag to accomplish this? (Choose three.)

- A. action
- B. renderAs
- C. standardController
- D. readOnly
- E. extensions

**Answer:** ABC

#### NEW QUESTION 35

A developer writes the following code:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];
Delete acc;
Database.emptyRecycleBin(acc);

System.Debug(Limits.getDMLStatements() + ', ' + Limits.getLimitDMLStatements());
```

What is the result of the debug statement? A. 1, 100

- A. 1, 150
- B. 2, 150
- C. 2, 200

**Answer: C**

**NEW QUESTION 39**

A developer is asked to set a picklist field to 'Monitor' on any new Leads owned by a subnet of Users. How should the developer implement this request?

- A. Create an after insert Lead trigger.
- B. Create a before insert Lead trigger.
- C. Create a Lead Workflow Rule Field Update.
- D. Create a Lead formula field

**Answer: C**

**NEW QUESTION 42**

What is a benefit of using an after insert trigger over using a before insert trigger?

- A. An after insert trigger allows a developer to bypass validation rules when updating fields on the new record.
- B. An after insert trigger allows a developer to insert other objects that reference the new record.
- C. An after insert trigger allows a developer to make a callout to an external service.
- D. An after insert trigger allows a developer to modify fields in the new record without a query.

**Answer: B**

**NEW QUESTION 45**

A newly hired developer discovers that there are multiple triggers on the case object. What should the developer consider when working with triggers?

- A. Developers must dictate the order of trigger execution.
- B. Trigger execution order is based on creation date and time.
- C. Unit tests must specify the trigger being tested.
- D. Trigger execution order is not guaranteed for the same sObject

**Answer: D**

**NEW QUESTION 50**

How should a developer avoid hitting the governor limits in test methods?

- A. Use @TestVisible on methods that create records.
- B. Use Test.loadData() to load data from a static resource.
- C. Use @IsTest (SeeAllData=true) to use existing data.
- D. Use Test.startTest() to reset governor limit

**Answer: D**

**NEW QUESTION 55**

An sObject named Application\_c has a lookup relationship to another sObject named Position\_c. Both Application\_c and Position\_c have a picklist field named Status\_c. When the Status\_c field on Position\_c is updated, the Status\_c field on Application\_c needs to be populated automatically with the same value, and execute a workflow rule on Application\_c. How can a developer accomplish this?

- A. By changing Application\_c.Status\_c into a roll-up summary field.
- B. By changing Application\_c.Status\_c into a formula field.
- C. By using an Apex trigger with a DML operation.
- D. By configuring a cross-object field update with a workflow

**Answer: C**

**NEW QUESTION 58**

Which trigger event allows a developer to update fields in the Trigger.new list without using an additional DML statement? Choose 2 answers

- A. Before insert
- B. Before update
- C. After update
- D. After insert

**Answer: AB**

**NEW QUESTION 63**

In an organization that has enabled multiple currencies, a developer needs to aggregate the sum of the Estimated\_value c currency field from the CampaignMember object using a roll-up summary field called Total\_estimated\_value c on Campaign.

- A. The values in Campaignmember.Estimated\_value c are converted into the currency of the Campaign record and the sum is displayed using the currency on the Campaign record.

- B. The values in CampaignMember.Estimated\_value c are converted into the currency on the majority of the CampaignMember records and the sum is displayed using that currency.
- C. The values in CampaignMember.Estimated\_value c are summed up and the resulting Total\_estimated\_value c field is displayed as a numeric field on the Campaign record.
- D. The values In CampaignMember.Estimated\_value c are converted into the currency of the current user, and the sum is displayed using the currency on the Campaign record.

**Answer:** A

**NEW QUESTION 67**

Before putting an app into production, which step should be taken?

- A. Run the production check feature via the web interface
- B. Switch to a production database
- C. Insure that you have installed a performance introspection add-on
- D. Scale your dynos

**Answer:** A

**NEW QUESTION 70**

A candidate may apply to multiple jobs at the company Universal Containers by submitting a single application per job posting, that application cannot be modified to be resubmitted to a different job posting. What can the administrator do to associate an application with each job posting in the schema for the organization?

- A. Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- B. Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
- C. Create a master-detail relationship in the Application custom object to the Job Postings custom object.
- D. Create a lookup relationship in the Applications custom object to the Job Postings custom objec

**Answer:** C

**NEW QUESTION 71**

What is the minimum log level needed to see user-generated debug statements?

- A. DEBUG
- B. FINE
- C. INFO
- D. WARN

**Answer:** A

**NEW QUESTION 73**

A Visual force page displays two fields named Phone Number and Email. User1 has access to Phone Number, but not to Email. User2 has access to Email, but not Phone Number. A developer needs to ensure that User1 can only see Phone Number, and User2 can only see Email. Which method can the developer use to achieve this?

- A. Schema isUpdateable() method.
- B. Schema isAccessible() method.
- C. Schema isReadable() method.
- D. Schema isCreateable() metho

**Answer:** B

**NEW QUESTION 75**

Which code block returns the ListView of an Account object using the following debug statement? `system.debug(controller.getListViewOptions() );`

- A. `ApexPages.StandardSetController controller = new ApexPages.StandardSetController( Database.getQueryLocator( 'SELECT Id FROM Account LIMIT 1' ));`
- B. `ApexPages.StandardController controller = new ApexPages.StandardController( [SELECT Id FROM Account LIMIT 1]);`
- C. `ApexPages.StandardController controller = new ApexPages.StandardController( Database.getQueryLocator( 'SELECT Id FROM Account LIMIT 1' ));`
- D. `ApexPages.StandardController controller = new ApexPages.StandardController( [SELECT Id FROM Account LIMIT 1]);`

**Answer:** A

**NEW QUESTION 79**

What is a characteristic of the Lightning Component Framework? Choose 2 answers:

- A. It has an event-driven architecture.
- B. It works with existing Visualforce pages.
- C. It includes responsive components.
- D. It uses XML as its data forma

**Answer:** AC

**NEW QUESTION 83**

In the code below, what type does Boolean inherit from? `Boolean b= true;`

- A. Enum
- B. Object
- C. String
- D. Class

**Answer: B**

**NEW QUESTION 87**

How would a developer determine if a CustomObject c record has been manually shared with the current user in Apex?

- A. By querying the role hierarchy.
- B. By calling the isShared() method for the record.
- C. By querying CustomObject Share.
- D. By calling the profile settings of the current use

**Answer: C**

**NEW QUESTION 90**

A company wants a recruiting app that models candidates and interviews; displays the total number of interviews on each candidate record; and defines security on interview records that is independent from the security on candidate records. What would a developer do to accomplish this task? Choose 2 answers

- A. Create a roll -up summary field on the Candidate object that counts Interview records.
- B. Create a master -detail relationship between the Candidate and Interview objects.
- C. Create a lookup relationship between the Candidate and Interview objects.
- D. Create a trigger on the Interview object that updates a field on the Candidate objec

**Answer: CD**

**NEW QUESTION 92**

What actions types should be configured to display a custom success message?

- A. Update a record.
- B. Post a feed item.
- C. Delete a record.
- D. Close a cas

**Answer: A**

**NEW QUESTION 97**

In a single record, a user selects multiple values from a multi-select picklist. How are the selected values represented in Apex?

- A. As a String with each value separated by a comma
- B. As a Set with each value as an element in the set
- C. As a String with each value separated by a semicolon
- D. As a List with each value as an element in the list Previous

**Answer: C**

**NEW QUESTION 99**

When loading data into an operation, what can a developer do to match records to update existing records? (Choose 2)

- A. Match an auto-generated Number field to a column in the imported file.
- B. Match an external Id Text field to a column in the imported file.
- C. Match the Name field to a column in the imported file.
- D. Match the Id field to a column in the imported fil

**Answer: BD**

**NEW QUESTION 102**

What is a capability of the Developer Console?

- A. Execute Anonymous Apex code, Create/Edit code, view Debug Logs.
- B. Execute Anonymous Apex code, Run REST API, create/Edit code.
- C. Execute Anonymous Apex code, Create/Edit code, Deploy code changes.
- D. Execute Anonymous Apex code, Run REST API, deploy code change

**Answer: A**

**NEW QUESTION 103**

A user selects a value from a multi-select picklist. How is this selected value represented in Apex?

- A. As a string ending with a comma
- B. As a string
- C. As a list< String > with one element
- D. As a set< string > with one element

**Answer:** B

**NEW QUESTION 106**

On a Visualforce page with a custom controller, how should a developer retrieve a record by using an ID that is passed on the URL?

- A. Use the constructor method for the controller.
- B. Use the `$Action.View` method in the Visualforce page.
- C. Create a new `PageReference` object with the Id.
- D. Use the tag in the Visualforce page

**Answer:** A

**NEW QUESTION 110**

Where would a developer build a managed package?

- A. Developer Sandbox
- B. Unlimited Edition
- C. Partial Copy Sandbox
- D. Developer Edition

**Answer:** D

**NEW QUESTION 111**

In which two org types can a developer create new Apex Classes? Choose 2 answers

- A. Developer Edition
- B. Sandbox
- C. Enterprise Edition
- D. Unlimited

**Answer:** AB

**NEW QUESTION 114**

A developer creates an Apex helper class to handle complex trigger logic. How can the helper class warn users when the trigger exceeds DML governor limits?

- A. By using `PageReference.setRedirect()` to redirect the user to a custom Visualforce page before the number of DML statements is exceeded.
- B. By using `Messaging.sendEmail()` to continue the transaction and send an alert to the user after the number of DML statements is exceeded.
- C. By using `ApexMessage.Messages()` to display an error message after the number of DML statements is exceeded.
- D. By using `Limits.getDMLRows()` and then displaying an error message before the number of DML statements is exceeded.

**Answer:** D

**NEW QUESTION 115**

What is a benefit of the lightning component framework?

- A. Better integration with Force.com sites
- B. Better performance for custom Salesforce1 Mobile Apps
- C. More Centralized control via server-side logic
- D. More pre-built components to replicate the Salesforce look and feel

**Answer:** D

**NEW QUESTION 118**

A developer needs to confirm that an Account trigger is working correctly without changing the organization's data. What would the developer do to test the Account trigger?

- A. Use the Test menu on the developer Console to run all test classes for the account trigger.
- B. Use the New button on the Salesforce Accounts Tab to create a new Account record.
- C. Use the Open Execute Anonymous feature on the Developer Console to run an 'insert Account' DML statement.
- D. Use Deploy from the Force.com IDE to deploy an 'insert Account' Apex class

**Answer:** A

**NEW QUESTION 123**

A developer wrote a workflow email alert on case creation so that an email is sent to the case owner manager when a case is created. When will the email be sent?

- A. After Committing to database.
- B. Before Trigger execution.
- C. After Trigger execution.
- D. Before Committing to database

**Answer:** A

**NEW QUESTION 125**

A company that uses a Custom object to track candidates would like to send candidate information automatically to a third-party human resource system when a candidate is hired. What can a developer do to accomplish this task?

- A. Create an escalation rule to the hiring manager.
- B. Create an auto response rule to the candidate.
- C. Create a Process Builder with an outbound message action.
- D. Create a workflow rule with an outbound message action.

**Answer: D**

**NEW QUESTION 129**

When the number of record in a recordset is unknown, which control statement should a developer use to implement a set of code that executes for every record in the recordset, without performing a .size() or .length() method call?

- A. For (init\_stmt, exit\_condition; increment\_stmt) { }
- B. Do { } While (Condition)
- C. For (variable : list\_or\_set) { }
- D. While (Condition) { ... }

**Answer: C**

**NEW QUESTION 134**

In which order does Salesforce execute events upon saving a record?

- A. Before Triggers; Validation Rules; After Triggers; Assignment Rules; Workflow Rules; Commit
- B. Validation Rules; Before Triggers; After Triggers; Workflow Rules; Assignment Rules; Commit
- C. Before Triggers; Validation Rules; After Triggers; Workflow Rules; Assignment Rules; Commit
- D. Validation Rules; Before Triggers; After Triggers; Assignment Rules; Workflow Rules; Commit

**Answer: A**

**NEW QUESTION 137**

What is a valid statement about Apex classes and interfaces? Choose 2 answers:

- A. The default modifier for a class is private.
- B. Exception classes must end with the word exception.
- C. A class can have multiple levels of inner classes.
- D. The default modifier for an interface is privat

**Answer: BD**

**NEW QUESTION 139**

What is the value of x after the code segment executes?

```
String x = 'A'; Integer i = 10; if ( i < 15 ) { i = 15; x = 'B'; } else if ( i < 20 ) { x = 'C'; } else { x = 'D'; }
```

- A. D
- B. A
- C. B
- D. C

**Answer: C**

**NEW QUESTION 142**

A developer is creating an application to track engines and their parts. An individual part can be used in different types of engines. What data model should be used to track the data and to prevent orphan records?

- A. Create a junction object to relate many engines to many parts through a master-detail relationship
- B. Create a lookup relationship to represent how each part relates to the parent engine object.
- C. Create a master-detail relationship to represent the one-to-many model of engines to parts.
- D. Create a junction object to relate many engines to many parts through a lookup relationship

**Answer: A**

**NEW QUESTION 147**

Which resource can be included in a Lightning Component bundle? Choose 2 answers

- A. Apex class
- B. Adobe Flash
- C. JavaScript
- D. Documentation

**Answer: CD**

**NEW QUESTION 149**

When creating a record with a Quick Action, what is the easiest way to post a feed item?

- A. By selecting create feed item on the quick action.
- B. By adding a trigger on the new record.
- C. By adding a workflow rule on the new record.
- D. By selecting create case feed on the new recor

**Answer:** A

**NEW QUESTION 150**

What must the Controller for a Visualforce page utilize to override the Standard Opportunity view button?

- A. The StandardSetController to support related lists for pagination.
- B. The Opportunity StandardController for pre -built functionality.
- C. A callback constructor to reference the StandardController.
- D. A constructor that initializes a private Opportunity variabl

**Answer:** B

**NEW QUESTION 151**

What should a developer working in a sandbox use to exercise a new test Class before the developer deploys that test production?Choose 2 answers

- A. The REST API and ApexTestRun method
- B. The Apex Test Execution page in Salesforce Setup.
- C. The Test menu in the Developer Console.
- D. The Run Tests page in Salesforce Setu

**Answer:** BC

**NEW QUESTION 153**

Which Apex collection is used to ensure that all values are unique?

- A. A Set
- B. An Enum
- C. A List
- D. An sObject

**Answer:** A

**NEW QUESTION 157**

How can a developer refer to, or instantiate a PageReference in Apex? Choose 2 answers

- A. By using a PageReference with a partial or full URL.
- B. By using the Page object and a Visualforce page name.
- C. By using the ApexPages.Page() method with a Visualforce page name.
- D. By using the PageReference.Page() method with a partial or full UR

**Answer:** AB

**NEW QUESTION 162**

What would a developer do to update a picklist field on related Opportunity records when a modification to the associated Account record is detected?

- A. Create a process with Process Builder.
- B. Create a workflow rule with a field update.
- C. Create a Lightning Component.
- D. Create a Visualforce pag

**Answer:** A

**NEW QUESTION 166**

A developer has a block of code that omits any statements that indicate whether the code block should execute with or without sharing. What will automatically obey the organization-wide defaults and sharing settings for the user who executes the code in the Salesforce organization?

- A. Apex Triggers
- B. HTTP Callouts
- C. Apex Controllers
- D. Anonymous Blocks

**Answer:** D

**NEW QUESTION 171**

A developer needs to create a Visualforce page that will override the standard Account edit button. The page will be used to validate the account's address using a SOQL query. The page will also allow the user to make edits to the address. Where would the developer write the Account address verification logic?

- A. In a Standard Extension.
- B. In a Standard Controller.
- C. In a Custom Controller.
- D. In a Controller Extensio

**Answer:** D

**NEW QUESTION 173**

Which actions can a developer perform using the Schema Builder? Choose 2 answers

- A. Create a custom field and automatically add it to an existing page layout.
- B. Create a view containing only standard and system objects.
- C. Create a custom object and define a lookup relationship on that object
- D. Create a view of objects and relationships without fields

**Answer:** BC

**NEW QUESTION 177**

Developer needs to automatically populate the Reports To field in a Contact record based on the values of the related Account and Department fields in the Contact record. Which type of trigger would the developer create? Choose 2 answers

- A. Before update
- B. After insert
- C. Before insert
- D. After update

**Answer:** AC

**NEW QUESTION 179**

What are two correct examples of the model in the salesforce MVC architecture? Choose 2 answers.

- A. Custom field on the custom wizard\_c object
- B. Standard lightning component
- C. Workflow rule on the contact object
- D. Standard account lookup on the contract object

**Answer:** BC

**NEW QUESTION 181**

A reviewer is required to enter a reason in the comments field only when a candidate is recommended to be hired. Which action can a developer take to enforce this requirement?

- A. Create a required Visualforce component.
- B. Create a formula field.
- C. Create a required comments field.
- D. Create a validation rul

**Answer:** D

**NEW QUESTION 182**

The Review\_c object have a lookup relationship to the job\_Application\_c object. The job\_Application\_c object has a master detail relationship up to the position\_c object. The relationship is based on the auto populated defaults?

What is the recommended way to display field data from the related Review \_C records a Visualforce page for a single Position\_c record? Select one of the following:

- A. Utilize the Standard Controller for Position\_c and cross-object Formula Fields on the Job\_Application\_c object to display Review\_c data.
- B. Utilize the Standard Controller for Position\_c and a Controller Extension to query for Review\_c data.
- C. Utilize the Standard Controller for Position\_c and expression syntax in the Page to display related Review\_c through the Job\_Application\_c inject.
- D. Utilize the Standard Controller for Position\_c and cross-object Formula Fields on the Review\_c object to display Review\_c data.

**Answer:** B

**NEW QUESTION 184**

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. @BeforeTest
- B. @isTest(SeeAllData=True)
- C. @TestSetup
- D. @PreTest

**Answer:** C

**NEW QUESTION 185**

How can a developer retrieve all Opportunity record type labels to populate a list collection? Choose 2 answers

- A. Obtain describe object results for the Opportunity object.
- B. Write a for loop that extracts values from the Opportunity.RecordType.Name field.
- C. Use the global variable \$RecordType and extract a list from the map.
- D. Write a SOQL for loop that iterates on the RecordType object.

**Answer:** AD

**NEW QUESTION 187**

Which resource can be included in a Lightning Component bundle? Choose 2 answers

- A. Apex class
- B. Adobe Flash
- C. JavaScript
- D. Documentation

**Answer:** CD

**NEW QUESTION 191**

A candidate may apply to multiple jobs at the company Universal Containers by submitting a single application per job posting. Once an application is submitted for a job posting, that application cannot be modified to be resubmitted to a different job posting. What can the administrator do to associate an application with each job posting in the schema for the organization?

- A. Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
- B. Create a master-detail relationship in the Application custom object to the Job Postings custom object.
- C. Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- D. Create a lookup relationship in the Applications custom object to the Job Postings custom object.

**Answer:** A

**NEW QUESTION 196**

Which code segment can be used to control when the doWork() method is called?

- A. 

```
For (Trigger.isRunning t: Trigger.new) { doWork(); }
```
- B. 

```
If(Trigger.isRunning) doWork();
```
- C. 

```
For (Trigger.isInsert t: Trigger.new) { doWork(); }
```
- D. 

```
If(Trigger.isInsert) doWork();
```

**Answer:** D

**NEW QUESTION 200**

A developer has the following query: `Contact c = [SELECT id, firstname, lastname, email FROM Contact WHERE lastname = 'Smith'];` What does the query return if there is no Contact with the last name 'Smith'?

- A. A contact initialized to null.
- B. An error that no rows are found.
- C. An empty List of Contacts.
- D. A Contact with empty value

**Answer:** B

**NEW QUESTION 204**

How can a developer avoid exceeding governor limits when using an Apex Trigger? Choose 2 answers

- A. By using a helper class that can be invoked from multiple triggers.
- B. By using the Database class to handle DML transactions.
- C. By using Maps to hold data from query results.
- D. By performing DML transactions on lists of SObject

**Answer:** CD

**NEW QUESTION 205**

What is a valid Apex statement?

- A. `Map conMap = (SELECT Name FROM Contact);`
- B. `Account[] acctList = new List{new Account()};`
- C. `Integer w, x, y = 123, z = 'abc';`
- D. `Private static constant Double rate = 775;`

**Answer:** B

**NEW QUESTION 206**

A Hierarchy Custom Setting stores a specific URL for each profile in Salesforce. Which statement can a developer use to retrieve the correct URL for the current user's profile and display this on a Visualforce Page?

- A. `{!$Setup.Url_Settings C.Instance[Profile.Id].URL c}`

- B. {!\$Setup.Url\_Settings C.URL c}
- C. {!\$Setup.Url\_Settings C.[Profile.Id].URL c}
- D. {!\$Setup.Url\_Settings C.[\$Profile.Id].URL c}

**Answer: B**

**NEW QUESTION 210**

A developer needs to write a method that searches for a phone number that could be on multiple object types. Which method should the developer use to accomplish this task?

- A. SOQL Query that includes ALL ROWS
- B. SOQL query on each object
- C. SOSL Query that includes ALL ROWS
- D. SOSL query on each object

**Answer: C**

**NEW QUESTION 212**

How would a developer change the field type of a custom field on the Account object from string to an integer?

- A. Make the changes in the developer console, and then the change will automatically be reflected in the Apex code.
- B. Make the change in the declarative UI, then update the field type to an integer field in the Apex code.
- C. Make the change in the declarative UI, and then the change will automatically be reflected in the Apex code.
- D. Remove all references in the code, make the change in the declarative UI, and restore the references with the new type

**Answer: D**

**NEW QUESTION 213**

What is the proper process for an Apex Unit Test

- A. Query for test data using SeeAllData = true
- B. Call the method being tested
- C. Verify that the results are correct.
- D. Query for test data using SeeAllData = true
- E. Execute runAllTests(). Verify that the results are correct.
- F. Create data for testin
- G. Execute runAllTests(). Verify that the results are correct.
- H. Create data for testin
- I. Call the method being tested
- J. Verify that the results are correct

**Answer: D**

**NEW QUESTION 214**

What can a Lightning Component contain in its resource bundle? Choose 2 answers

- A. Custom client side rendering behavior.
- B. Build scripts for minification
- C. Properties files with global settings
- D. CSS styles scoped to the component

**Answer: AD**

**NEW QUESTION 219**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your CRT-450 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/CRT-450-dumps.html>