



## Salesforce

### Exam Questions Tableau-CRM-and-Einstein-Discovery-Consultant

Salesforce Tableau CRM Einstein Discovery Consultant

#### NEW QUESTION 1

When Analytics runs a dataflow that accesses Salesforce objects, which user does it use?

- A. The current user
- B. The system administrator
- C. The Integration User
- D. The record owner

**Answer: C**

#### NEW QUESTION 2

Max number of dataflow definitions (with data sync enabled)

- A. 35
- B. 55
- C. 25
- D. 15

**Answer: A**

#### NEW QUESTION 3

An Einstein Analytics team wants to create a dashboard that displays values from an external, on-premise Oracle database. What are two options to load the data from the Oracle database into Einstein Analytics? Choose 2 answers

- A. Use theSalesforce SOAP interface.
- B. Use the Analytics External Data API.
- C. Use Oracle database connector.
- D. Load the data as a CSV file.

**Answer: BC**

#### NEW QUESTION 4

A Tableau CRM consultant has just completed deployment of an analytic app containing a recipe plus several datasets and dashboards. While conducting post deployment a smoke test, the new datasets don't seem to have migrated. What post migration step has likely been forgotten? What post migration step has likely been forgotten?

- A. Apply security predicates on datasets
- B. Run the recipe
- C. Provide read access on the datasets
- D. Go to Analytics Settings inSetup and approve the deployment

**Answer: B**

#### NEW QUESTION 5

What are predictive insights good for?

- A. Predicting outcomes that you don't actually have the right data for
- B. Exploring your existing data to see what already happened
- C. Drilling down into the underlying reasons behind a prediction
- D. Choosing between all possible outcomes for a single variable

**Answer: C**

#### NEW QUESTION 6

Which three things can be done with the tableau CRM Dashboard Inspector? Choose 3 answers

- A. Get a list of recommendations on how to improve the performance of the dashboard.
- B. View the total time required to run all queries.
- C. Automatically remove bottlenecks to make queries run faster.
- D. View all queries and the time it took to run eachone.
- E. See the final query for each query along with query results.

**Answer: ADE**

#### NEW QUESTION 7

Which two recommended techniques can be used to access tableau CRM data from a remote app orwebsite? Choose 2 answers

- A. Use an Iframe to embed the Salesforce page in a remote site.
- B. Use Lightning out to embed a dashboard component in the remote site.
- C. Use HTTPS to call the /wave/query API, supplying an encoded SAQL query as a parameter.
- D. Export the data to a CSV, copy it to a USB drive, and load it on the remote site.

**Answer: BC**

#### NEW QUESTION 8

Insights in a story show you how different variables and combinations of variables explain the variation of what kind of variable?

- A. Explanatory variable
- B. Outcome variable
- C. Global variable
- D. Local variable
- E. Tertiary variable

**Answer: B**

#### Explanation:

When you configure the story, you tell Einstein Discovery to maximize/minimize the variable. The variable is 'outcome variable' in your story

#### NEW QUESTION 9

What's the magic of faceting?

- A. It binds charts together so that selecting something in one chart filters other charts by that choice.
- B. It shifts the time period of the chart you're viewing.
- C. It turns the dataflow on and off.
- D. It creates a chart that shows all the faces of your data in a diamond chart.

**Answer: A**

#### NEW QUESTION 10

A story created has an AUC of .62.

What two things could be done to possibly improve this AUC score? Choose 2 answers

- A. Segment the training set.
- B. Change the order of the story insights to descending.
- C. Run detect sentiment on the dataflow before creating the story.
- D. Add more rows of relevant data.

**Answer: BC**

#### NEW QUESTION 10

In the context of Analytics, what is faceting?

- A. Representing the number of widgets on a dashboard
- B. Filtering all related widgets in a dashboard by your selection
- C. Something only programmers can access
- D. Measuring the number of significant digits of precision for a particular metric
- E. Choosing the color of the background in a graph

**Answer: B**

#### NEW QUESTION 13

In what order does Einstein Discovery present the insights that it uncovers?

- A. Alphabetical, in ascending order
- B. Alphabetical, in descending order
- C. Insights that explain the most variation in the outcome variable, in ascending order
- D. Insights that explain the most variation in the outcome variable, in descending order

**Answer: D**

#### NEW QUESTION 17

A client has two datasets that are used across seven different dashboards. Three of these dashboards are used by marketing and four are used by sales. The client requires that only marketing can access the marketing dashboards and only sales can access the sales dashboards.

What solution should be recommended?

- A. Create two custom apps: one for marketing dashboards with marketing as "viewer" and one for sales dashboards with sales as "viewer." Add the datasets as references to both custom apps.
- B. Create three custom apps: one for marketing dashboards with marketing as "viewer," one for sales dashboards with sales as "viewer," and one for datasets where marketing and sales are "viewer."
- C. Create one custom app for the datasets and share it with marketing and sales as "viewer."
- D. Duplicate the datasets and create two custom apps: one for marketing dashboards and datasets with marketing as "editor" and one for sales dashboards and datasets with sales as "editor."

**Answer: B**

#### Explanation:

[https://help.salesforce.com/articleView?id=bi\\_security\\_implementation\\_guide.htm&type=5](https://help.salesforce.com/articleView?id=bi_security_implementation_guide.htm&type=5)

#### NEW QUESTION 21

After the initial creation of a story, the first story insight explains 93% of the variation of the outcome variable. This is unusual high?

What is the most likely multiple for this?

- A. The dataset contains multiple dominant values.
- B. The dataset contains too many rows.
- C. The dataset used in the story suffers from too many outlier values.
- D. The outcome variable is causing data leakage.

**Answer:** A

#### NEW QUESTION 23

What are two main steps for creating a dataset?

- A. Run and monitor
- B. Plan and map
- C. Extract and prepare
- D. Build and explore

**Answer:** C

#### NEW QUESTION 28

Number of queries per user per day

- A. 10,000
- B. 50,000
- C. 1,000
- D. 20,000

**Answer:** A

#### NEW QUESTION 33

In an org, some of the Activity records do not have related Opportunity records. Additionally, there are Opportunity records that do not have related Activity records.

Which SAQL statement will fetch all Opportunities, even if they don't have associated Activities, and fetch related Activity data, if it exists?

- A. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId';
- B. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId' left;
- C. q = cogroup Opportunity by 'Id' right, Activities by 'OpportunityId';
- D. q = cogroup Opportunity by 'Id' left, Activities by 'OpportunityId';

**Answer:** D

#### Explanation:

[https://developer.salesforce.com/docs/atlas.en-us.bi\\_dev\\_guide\\_saql.meta/bi\\_dev\\_guide\\_saql/bi\\_saql\\_statement\\_cogroup.htm](https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_saql.meta/bi_dev_guide_saql/bi_saql_statement_cogroup.htm)

#### NEW QUESTION 36

What are Einstein Analytics prebuilt permission sets? Select 2:

- A. Einstein Analytics Platform Admin
- B. Einstein Analytics Platform User
- C. Einstein Analytics
- D. Einstein Analytics Superadmin

**Answer:** AB

#### NEW QUESTION 38

Is there a need for a separate Permission Set Licence for an Analytics app?

- A. Yes
- B. No

**Answer:** A

#### NEW QUESTION 40

An Einstein consultant created a dashboard that went through review. Some few charts were added and removed in the process. The dashboard is now approved for production.

Which best practice should be done before releasing the dashboard?

- A. Modify the XMD so all labels and values are user-friendly.
- B. Rename all the steps to correspond with the defined naming convention.
- C. Remove the redundant steps to ensure dashboard performance.
- D. Apply conditional formatting on the new charts.

**Answer:** C

#### Explanation:

[https://help.salesforce.com/articleView?id=bi\\_dashboards\\_inspector.htm&type=5](https://help.salesforce.com/articleView?id=bi_dashboards_inspector.htm&type=5)

#### NEW QUESTION 41

Which permission gives you view-only access to Analytics?

- A. Use Analytics
- B. Manage Analytics
- C. Create and Edit AnalyticsDashboard
- D. None of above

**Answer:** A

#### NEW QUESTION 44

A consultant is asked to configure a user to view a dashboard, within a designated app, without the ability to create and save lenses. After adding the user to the app, which action should the consultant take to implement this requirement?

- A. Assign the Editor role to the user.
- B. Assign the Viewer role to the user.
- C. Ensure the user has the Use Analytics permission.
- D. Assign the Manager role to the user.

**Answer:** C

#### NEW QUESTION 47

Benito has Viewer access to a new EinsteinAnalytics app. He wants to build and edit a dashboard using the Seed Bank dataset in this new app. What must an admin do for Benito to do this?

- A. Grant Benito access to all datasets in the org.
- B. Assign Benito a permission set that contains the permission: Create and Edit Analytics Dashboards.
- C. Grant Benito access to the app that contains the Seed Bank dataset and assign him a permission set that contains the Create and Edit Analytics Dashboards permission.
- D. Assign Benito a permission set that contains the permission: Create and Manage Analytics Apps.

**Answer:** C

#### NEW QUESTION 50

The Einstein Analytics Plus Platform license is enabled for a Salesforce org and assigned to each user. However, these users cannot see the Einstein Analytics Studio in the App Launcher. How can this issue be addressed?

- A. Share the app with the users in Einstein Analytics.
- B. Create user accounts for the users in Einstein Analytics.
- C. Assign the users to the permission set containing Use Analytics.
- D. Assign the users to the permission set containing Manage Analytics.

**Answer:** C

#### NEW QUESTION 51

Which widget property allows a consultant to restrict the view to a domain bounded by the values entered?

- A. Add Custom Domain
- B. Filter by Range
- C. Add Custom Range
- D. Add Filter

**Answer:** A

#### NEW QUESTION 53

What's the best way to describe the template-info.json file?

- A. It's a read-only file with all the user documentation for a template.
- B. It's the boss of the template with all the information needed to create the app.
- C. It makes sure that the app includes all the right Salesforce data.
- D. It's automatically populated every time you create an app from the template.

**Answer:** B

#### Explanation:

[https://trailhead.salesforce.com/en/content/learn/modules/wave\\_analytics\\_templates\\_intro/wave\\_analytics\\_templates\\_structure](https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure)

#### NEW QUESTION 55

To model customer value, a consultant decided to aggregate the amount (\$) individual customers spent over a 2-year span. With reference to the outcome variable, which action should the consultant take?

- A. Create five bins of revenues, ranging from Very High Value, high Value, average Value, Low Value, and very Low Value in dataflow.
- B. Select the option: Are you expecting a whole number greater than or equal to 0?
- C. Create five bins or revenue, ranging from very high Value, High Value, Average Value, Low Value, and Very Low Value in data prep.

D. Select to minimize the outcome variable.

**Answer: B**

**NEW QUESTION 60**

In the Insights list, insights are ranked in what order?

- A. Time
- B. Geospatial
- C. Statistical significance
- D. Alphabetical
- E. There is no order

**Answer: C**

**NEW QUESTION 64**


Concurrent queries per user?

- A. 20
- B. 50
- C. 10
- D. 25

**Answer: C**

**NEW QUESTION 68**

Exhibit:



A company wants to create a timeline chart to visualize the evolution of their Closed Won Opportunities. What are the required parameters to build a lens that displays output similar to the image shown?

- A. 2 measures, 0-2 groupings if trellis is disabled, or 0-4 groupings if trellis is enabled
- B. 1 measure, 1-2 groupings if trellis is disabled, or 1-4 groupings if trellis is enabled
- C. 1 measure, 1 grouping by a date field, and either 0-1 groupings by a dimension if trellis is disabled, or 0-2 groupings if trellis is enabled
- D. 1 measure, 0 groupings if trellis is disabled, or 0-2 groupings if trellis is enabled

**Answer: C**

**NEW QUESTION 72**

What kind of insight is "What Is The Difference"?

- A. Descriptive
- B. Diagnostic
- C. Predictive
- D. Prescriptive
- E. Selective

**Answer: B**

**Explanation:**

[https://trailhead.salesforce.com/content/learn/modules/understand\\_einstein\\_discovery\\_stories/understand-what-is-the-difference-insights](https://trailhead.salesforce.com/content/learn/modules/understand_einstein_discovery_stories/understand-what-is-the-difference-insights)

**NEW QUESTION 76**

An Einstein Analytics team wants to create a dashboard using two standard Salesforce objects. The dashboard should display data from the Case object, along with related data from the Account object. Which two processes can achieve this?

- A. Extract data from the case and account objects using "sfcdcDigest" transformation, Q use "append" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset
- B. Extract data from the case and account objects using an ETL tool, use the ETL tool to y/ Q join account and case data, and then upload the data to Einstein Analytic
- C. Build a dashboard using the ETL generated dataset
- D. Extract data from the case and account objects using "sfcdcDigest" transformation, y/ Q use "augment" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset
- E. Extract data from the case and account objects using "dataloader", create a CSV file Q with account and case data, and then upload the CSV as a dataset to Einstein Analytic
- F. Build a dashboard using that dataset

**Answer:** BC

#### NEW QUESTION 77

Yasmine told Danielle she's interested in using the artificial intelligence provided by Einstein Discovery to enhance analysis Mosaic probably wouldn't have considered through their own means. How can Danielle use Einstein Analytics to load data into Einstein Discovery?

- A. It's not possible
- B. Danielle will need to log into Einstein Discovery and import the data from there.
- C. Danielle needs a permission set containing the Download Analytics Data permission, then she can use the Export node to load data into Einstein Discovery.
- D. Danielle needs a permission set containing the Upload External Data to Analytics permission, then she can log into Einstein Discovery and import the data from there.
- E. Data loaded into Einstein Analytics as datasets can then be used in Einstein Discovery without a separate load process.

**Answer:** D

#### NEW QUESTION 80

Your sales team requests that datasets for their dashboards are refreshed every hour. You agree to investigate if this is possible and find that the dashboards use 2 datasets created from two recipes. The first recipe takes 43 min to run and the second recipe takes 25 min to run.

Is it possible to refresh data every hour?

- A. Yes, the number of recipe runs does not exceed the limit of 60 in a 24 hour rolling period.
- B. No, the number of recipe runs exceeds the limit of 40 in a 24 hour rolling period.
- C. No, the total duration of the recipe jobs exceeds one hour.
- D. Yes, with the concurrent recipe runs the duration is less than an hour.

**Answer:** B

#### NEW QUESTION 81

An Einstein Consultant is implementing encryption for a customer. Which two statements about Einstein Analytics Encryption are true? Choose 2 answers

- A. When Einstein Analytics Encryption is enabled, all newly registered datasets are encrypted at rest.
- B. By default, the same keys are used to encrypt data in Einstein Analytics as are used to encrypt data in Salesforce objects.
- C. The customer's org must have a Shield Platform Encryption tenant secret.
- D. Bring Your Own Key is not supported.

**Answer:** AC

#### Explanation:

[https://help.salesforce.com/articleView?id=bi\\_analytics\\_encryption.htm&type=5](https://help.salesforce.com/articleView?id=bi_analytics_encryption.htm&type=5)

#### NEW QUESTION 82

What can you do with the dataflow?

- A. Extract data from an external CSV file into Analytics
- B. Extract Salesforce object data into Analytics
- C. Build a dashboard
- D. Explore a dataset

**Answer:** B

#### NEW QUESTION 87

When creating a story in Einstein Discovery, do all potential collinear fields need to be removed before executing the build story?

- A. No
- B. Einstein Discovery is impervious to collinearity, so the story and subsequent model will be fine.
- C. No
- D. Although it is ideal to eliminate collinearity as soon as possible, Einstein will give a warning post-build and the ridge regression will prevent collinearity from overfitting.
- E. Yes
- F. If all collinear variables are not excluded, the model will over-fit and not make any sense.
- G. Yes
- H. If the collinear variables are not removed, the Einstein Discovery model build will fail.

**Answer:** B

#### NEW QUESTION 90

What does a configuration wizard do?

- A. Automatically creates multiple versions of the same app
- B. Lets you know the best way to set up your Salesforce data
- C. Asks you questions about how you store data in your org to help you create your app
- D. Customizes your template based on Salesforce settings

**Answer:** C

**Explanation:**

[https://trailhead.salesforce.com/en/content/learn/modules/wave\\_analytics\\_templates\\_intro/wave\\_analytics\\_templates\\_in\\_action](https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_in_action)

**NEW QUESTION 91**

The Event Monitoring Analytics app brings prebuilt insights and analytics to what type of existing data in your org?

- A. Field audit trail data
- B. Forensics data
- C. Sales Cloud data Login
- D. Event log file data

**Answer: D**

**NEW QUESTION 94**

The client is trying to create a SAQL step to predict sales in each sales region. They cannot get the query to return any results, but have identified that the error is in the time series statement. They have asked an Einstein Consultant to review the following query and fix any errors.

```
q = load 'sales';
q = group q by ('Date_Year', 'Date_Month', 'Region');
q = foreach q generate 'Date_Year', 'Date_Month', 'Region', sum('Sales') as 'sum_Sales';
q = timeseries q generate 'sum_Sales' as 'Forecasted_Sales' with (dateCols=('Date_Year', 'Date_Month', "Y-M"), partition='Region');
q = foreach q generate 'Date_Year' + "~~~" + 'Date_Month' as 'Date_Year~~~Date_Month', 'Region', coalesce('sum_Sales',
'Forecasted_Sales') as 'Sales';
q = order q by ('Date_Year~~~Date_Month' asc, 'type' asc);
q = limit q 2000;
```

Which timeseries statement will fix the query?

- A. q = timeseries q generate 'sum\_Sales' as 'Forecasted\_Sales' with (dateCols=('Date\_Year', 'Date\_Quarter', "Y-Q"), partition='Region', ignoreLast=true);
- B. q = timeseries q generate 'sum\_Sales' as 'Forecasted\_Sales' with (length = 12, dateCols=('Date\_Year', 'Date\_Month', "Y-M"), partition='Region');
- C. q = timeseries q generate 'sum\_Sales' as 'Forecasted\_Sales' with (dateCols=('Date\_Year', 'Date\_Quarter', "Y-Q"), partition='Region', seasonality=4);
- D. q = timeseries q generate 'sum\_Sales' as 'Forecasted\_Sales' with (dateCols=('Date\_Year', 'Date\_Quarter', "Y-Q"), partition='Region');

**Answer: B**

**NEW QUESTION 96**

What can you do in a dataset recipe?

- A. Extract external data into Analytics
- B. Build a dashboard
- C. Combine data from different datasets
- D. Make a data chili

**Answer: C**

**NEW QUESTION 101**

Why is it important to prepare the data in a CSV file before you bring it into Analytics?

- A. To remove column headers
- B. To make sure the content is interesting
- C. To add currency symbols to numeric fields
- D. To make sure Analytics can set the field type correctly

**Answer: D**

**NEW QUESTION 102**

A client has a dashboard for Sales Managers. They want to have a list filter that shows the name of the month. However, based on the "CloseDate\_Month" field, the list filter shows numbers instead of names.

How can an Einstein Consultant use the Dataflow nodes to generate the name of month as a new dimension in the dataset?

- A. flatten
- B. compute Relative
- C. compute Expression
- D. append

**Answer: C**

**NEW QUESTION 106**

A small Business Intelligence team is overwhelmed with multiple requests to create new dashboards. An option is to use layout templates to help with dashboard development.

What are two advantages of using layout templates? Choose 2 answers

- A. Layout templates are equipped with design best practice, such as optimally positioned KPIs and filters
- B. Layout templates are fast to create because they are fixed and read-only
- C. Layout templates offer a consistent end user experience
- D. Layout templates offer a universal layout thus reducing the hours spent on design

**Answer: CD**

**NEW QUESTION 109**

Which chart type is best suited to track progress of sales revenue that is realized versus the target?

- A. Bar chart
- B. Flat gauge
- C. Pivot table
- D. Pie chart

**Answer:** B

#### NEW QUESTION 111

An Einstein Consultant needs to add some data values to an existing dataflow: a text field, a number (via a case statement), and a date (via SAQL). In order to achieve this, which compute option should be used?

- A. computeExpression
- B. computeData
- C. computeValue
- D. computeField

**Answer:** A

#### NEW QUESTION 112

You can configure access to data at all of the following levels, except:

- A. Organization
- B. Records
- C. Page Layouts
- D. Objects

**Answer:** C

#### NEW QUESTION 114

Can you share data from a widget?

- A. No, you can't share data from a widget.
- B. Select the step of the widget and share data.
- C. Select "Share" icon, click on "Download", and select "Download in .png, .XLS, or CSV" format.
- D. Only with the proper Einstein Analytics Platform license.

**Answer:** C

#### NEW QUESTION 117

A Tableau CRM consultant has created three recipes that each produce a dataset. Recipe1 creates Dataset1.

Recipe2 created Dataset2. Recipe2 created Dataset3.

Recipe3 is dependent on Dataset1, while Recipe1 and Recipe2 have no dependencies. How should the consultant implement the recipe schedule?

- A. Make Recipe1 and Recipe2 time based, but make Recipe3 event based when Recipe1 has successfully completed.
- B. Make Recipe1 and Recipe2 time based, but make Recipe3 event based when Recipe1 and Recipe2 have successfully completed.
- C. Make Recipe1 and Recipe2 time based, but make Recipe3 event based when the local Salesforce connector has completed.
- D. Make all three recipe time based and schedule all of them at the same time, the data manage will automatically run them in the correct order.

**Answer:** A

#### NEW QUESTION 119

Salesforce Analytics is...

- A. An application built on top of Salesforce
- B. A tool for analyzing surf reports and forecasts
- C. A CRM alternative to Salesforce
- D. An online repository of infographics

**Answer:** A

#### NEW QUESTION 123

A Salesforce administrator wants to create a new dashboard that uses custom geoJSON to display data; however, the administrator is unable to upload the file via the UI.

What should be done?

- A. Add the system permission "Manage Analytics Custom Maps" to the permission set used.
- B. Enable "Custom maps with geoJSON" in the analytics settings.
- C. Upload the geoJSON via the API because it is not a function in the UI.
- D. Contact Salesforce support and request to get custom maps and geoJSON enabled for the org.

**Answer:** A

#### Explanation:

[https://help.salesforce.com/articleView?id=bi\\_chart\\_intro\\_custom\\_map.htm&type=5](https://help.salesforce.com/articleView?id=bi_chart_intro_custom_map.htm&type=5)

#### NEW QUESTION 128

Universal Containers (UC) is a multinational company that utilizes Salesforce and has a variety of internal systems. UC uses Einstein Analytics for their data analysis platform and they want to automate their weekly manual process to create a dataset from their on-premise data warehouse. Which solution should a consultant recommend to meet this requirement?

- A. Utilize a Salesforce weekly export feature
- B. Utilize Analytics Connector.
- C. Utilize middleware with Analytics External Data API
- D. Utilize a dataflow

**Answer:** C

#### NEW QUESTION 130

What's a good way to see which required questions in the configuration wizard don't have default values?

- A.

**Answer:** D

#### Explanation:

- B. Try each option in the dropdown one at a time
- C. Download the app and run a SAQL query on the JSON
- D. Click "Looks good, next" and look for questions highlighted in red

#### NEW QUESTION 132

What can you change in a Compare Tableformula column?

- A. The filters
- B. The measure
- C. The grouping
- D. The formula and the name

**Answer:** D

#### NEW QUESTION 135

A client has a dataset comprised of Opportunity data and Opportunity Line level data. The client wants to use this dataset with Einstein Discovery to understand the Opportunity win rate.

What must be done to the dataset to achieve this goal?

- A. Select the isWon = True outcome variable and generate the story.
- B. Filter to only look at isWon = True records to avoid skewing the results.
- C. Click Create Story and Einstein will take care of the rest.
- D. Change the grain by removing the line level detail as it will skew the win rate.

**Answer:** C

#### NEW QUESTION 139

Why are insights in the Unrelated category important?

- A. They explain everything about the outcome.
- B. They aren't important
- C. Hence the name, Unrelated.
- D. They explain how interaction terms affect the outcome.
- E. The outcome might not have much to do with related variable
- F. It might have more to do with global effects.

**Answer:** D

#### NEW QUESTION 141

You can get data into Einstein Discovery:

- A. By connecting a USB drive to your laptop
- B. By using an Einstein analytics dataset
- C. Only if your database administrator does it for you
- D. Only if Salesforce does it for you

**Answer:** B

#### Explanation:

[https://trailhead.salesforce.com/content/learn/modules/wave\\_exploration\\_smart\\_data\\_discovery\\_basics/wave\\_get\\_smart\\_data\\_discovery\\_and\\_data](https://trailhead.salesforce.com/content/learn/modules/wave_exploration_smart_data_discovery_basics/wave_get_smart_data_discovery_and_data)

#### NEW QUESTION 144

Before using bindings, you can try using facets to specify interactions between widgets.

- A. False
- B. True

**Answer:** B

**NEW QUESTION 149**

What can you do on the Edit Field Attributes page when uploading a CSV file to Analytics?

- A. Change a field's name
- B. Change a field's format
- C. Change a field's type
- D. All of the above

**Answer:** D

**NEW QUESTION 152**

A Tableau CRM consultant develops a dashboard called SalesPerformance\_1 in a sardbox environment. To deploy the recipe the consultant creates a package in workbench. What is the correct meta data reference in the xml file?

- A. SalesPeformance\_1
- B. SalesPerformance\_1 waveDashboard
- C. SalesPerformance\_1 EADashboard
- D. SalesPerformance\_1 EdgeOashboard

**Answer:** B

**NEW QUESTION 154**

When you assign any Analytics permission set to users in your org, Salesforce auto- assigns the Analytics Platform permission set license to that user.

- A. True
- B. False

**Answer:** A

**NEW QUESTION 159**

How do you open the Actions menu for a particular case shown in a dashboard?

- A. Click the Actions bar from a bubble chart
- B. Hover over the case number column of the values table widget and click the arrow that appears
- C. Double-click the case number in the Actions widget
- D. Simply @mention the case manager for thatsegment

**Answer:** B

**NEW QUESTION 163**

The model quality metrics of an Einstein Discovery story indicate that the GINI coefficient in the four folds are 0.82, 0.83, 0.84, and 0.75, respectively. Which two actions should a consultant take? Choose 2 answers

- A. Deploy the story, because the variation in the metrics is within the normal range.
- B. Confirm that the overall GINIcoefficient is good prior to deploying the story.
- C. Research and check the dataset for outliers in the target field and the main predictors that are shown on top of the story.
- D. Do not deploy the story immediately, and research why one fold is performingworse than the others.

**Answer:** BD

**NEW QUESTION 167**

A company asks a Tableau CRM consultant to review the performance of their local data sync. After removing unused objects and fields from connected data, what else can theconsultant do to improve performance of data sync?"

- A. Enable fast sync in analytics settings
- B. Contact Salesforce support to Increase sync speed
- C. Evaluate connection mode for each connected object
- D. Merge synced objects

**Answer:** C

**NEW QUESTION 169**

The client asks an Einstein Consultant to build a dashboard with a chart that shows revenue and quantity of units sold. Which type of Combo Chart can the consultant use?

- A. Line over ScatterPlot
- B. Grid over Bar
- C. Line over Bar
- D. Line over Stacked Bar

**Answer:** C

#### NEW QUESTION 170

A customer wants to change the default blue color on a bar chart. What is the easiest way to change blue to another color?

- A. Use conditional formatting under the bar chart widget properties by selecting the dimension.
- B. Use conditional formatting under the bar chart widget properties by selecting the measure.
- C. Use bindings to specify a color per bar.
- D. Create a compare table formula to specify a hidden metric for coloring purposes.

**Answer: B**

#### NEW QUESTION 175

An Einstein Consultant receives a new project from a client that wants to implement Einstein Analytics. They do not currently have Einstein Analytics, but want guidance around how to ensure that their users have correct access. They have 1000 users with a small team of three people who will build datasets and dashboards. An additional 15 people should be able to create dashboards. The remaining users should only be able to view dashboards. Which recommendation should the consultant give the client?

- A. Create and assign Salesforce permission sets according to the three types of roles defined.
- B. Assign the app permissions "viewer," "editor," and "manager" to the three types of roles defined.
- C. Create and assign three new Salesforce profiles according to the three types of roles defined.
- D. Assign "Einstein Analytics Explorer" licenses to users that should only view the dashboard, and assign "Einstein Analytics Developer" licenses to users that should be able to create datasets and dashboards.

**Answer: A**

#### NEW QUESTION 178

A consultant built a Tableau CRM dashboard for a shipping company. The consultant enabled data sync (replication) to increase the speed to datasets refreshing. How often will the data on the dashboard be refreshed?

- A. When the dashboard viewer clicks the Refresh button.
- B. When the Data Sync runs to completion, and then recipe runs to completion.
- C. When recipe runs to completion, and then DataSync runs to completion.
- D. Each time a user opens the dashboard

**Answer: C**

#### NEW QUESTION 181

A consultant has been brought in to help increase the adoption of Tableau CRM. It has been identified that account managers are struggling to get an overview of their accounts before meeting with them. Ideally they would like to have key details highlighted about active cases and opportunities, opportunity value and product whitespace. What can the consultant do to increase adoption?

- A. Create 4 analytics lenses and embed them onto the account record page
- B. Create datasets for account managers to explore
- C. Create a dashboard and embed it onto the account record page with a filter based on the viewed account
- D. Create a dashboard and embed onto the account record page

**Answer: C**

#### NEW QUESTION 183

How many external files can be uploaded to Einstein Analytics on a rolling 24-hour basis?

- A. 100 files per dataset
- B. 300 files per dataset
- C. 500 files per dataset
- D. 50 files per dataset

**Answer: D**

#### NEW QUESTION 186

Timeout for ETL jobs that have been scheduled but not executed

- A. 5 minutes
- B. 15 minutes
- C. 20 minutes
- D. 10 minutes

**Answer: A**

#### NEW QUESTION 188

You are asked to update and maintain your company's Einstein Analytics dashboards. A request comes in for one of the dashboards that contains steps from different datasets. The request is to make it possible for a table from one dataset to be filtered by the results of a chart from another dataset. Your solution is to create a results binding. Which three steps should you implement to create the binding?

- A. Look up the API name of the filtering field

- B. Look up the API name of the source field
- C. Find source and target step names
- D. Configure the results binding on the target step in the dashboard JSON.

**Answer:** ACD

**NEW QUESTION 189**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### Tableau-CRM-and-Einstein-Discovery-Consultant Practice Exam Features:

- \* Tableau-CRM-and-Einstein-Discovery-Consultant Questions and Answers Updated Frequently
- \* Tableau-CRM-and-Einstein-Discovery-Consultant Practice Questions Verified by Expert Senior Certified Staff
- \* Tableau-CRM-and-Einstein-Discovery-Consultant Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* Tableau-CRM-and-Einstein-Discovery-Consultant Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The Tableau-CRM-and-Einstein-Discovery-Consultant Practice Test Here](#)