

Microsoft

Exam Questions SC-401

Administering Information Security in Microsoft 365



NEW QUESTION 1

DRAG DROP - (Topic 1)

You need to meet the technical requirements for the Site1 documents.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a sensitivity label.
- Wait 24 hours and then turn on the policy.
- Create a sensitive info type.
- Create a retention label.
- Create an auto-labeling policy.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The goal is to automatically label documents in Site1 that contain credit card numbers. To achieve this, we need a sensitivity label with an auto-labeling policy based on a sensitive info type that detects credit card numbers.

Step 1: Create a Sensitive Info Type

A sensitive info type is needed to detect credit card numbers in documents.

Microsoft Purview includes built-in sensitive info types for credit card numbers, but we can also create a custom one if necessary.

Step 2: Create a Sensitivity Label

A sensitivity label is required to classify and protect documents containing sensitive information.

This label can apply encryption, watermarking, or access controls to credit card data.

Step 3: Create an Auto-Labeling Policy

An auto-labeling policy ensures that the sensitivity label is applied automatically when credit card numbers are detected in Site1.

This policy is configured to scan files and automatically apply the correct sensitivity label.

NEW QUESTION 2

- (Topic 1)

You need to meet the technical requirements for the creation of the sensitivity labels. To which user or users must you assign the Sensitivity Label Administrator role?

- A. Admin1 only
- B. Admin1 and Admin4 only
- C. Admin1 and Admin5 only
- D. Admin1, Admin2, and Admin3 only
- E. Admin1, Admin2, Admin4, and Admin5 only

Answer: D

Explanation:

To meet the requirement that all administrative users must be able to create Microsoft 365 sensitivity labels, we need to assign the Sensitivity Label Administrator role to the correct users.

Sensitivity Label Administrator Role Responsibilities

This role allows users to:

Create and manage sensitivity labels in Microsoft Purview. Publish and configure auto-labeling policies.

Modify label encryption and content marking settings.

Review of Admin Roles from the Table:

Admin	Role Assigned	Can Create Sensitivity Labels?
Admin1	Global Reader	<input type="checkbox"/> No, read-only permissions.
Admin2	Compliance Data Administrator	<input type="checkbox"/> Yes, can manage compliance data, including labels.
Admin3	Compliance Administrator	<input type="checkbox"/> Yes, has full compliance management, including labels.
Admin4	Security Operator	<input type="checkbox"/> No, this role is focused on security alerts and response.
Admin5	Security Administrator	<input type="checkbox"/> No, primarily focused on security policies and threat management.

Users that must be assigned the Sensitivity Label Administrator role: Admin2 (Compliance Data Administrator)
 Admin3 (Compliance Administrator)
 Admin1 (Global Reader) (should be assigned this role to fulfill the requirement that all admins can create labels).

NEW QUESTION 3

HOTSPOT - (Topic 1)

You are reviewing policies for the SharePoint Online environment.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023.	<input type="checkbox"/>	<input type="checkbox"/>
If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026.	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

AI-generated content may be incorrect. Understanding Site4's Retention Policies:

Site4RetentionPolicy1 deletes items older than 2 years from creation. If a file was created on January 1, 2021, it would be deleted after January 1, 2023.

Site4RetentionPolicy2 retains files for 4 years from creation. If a file was created on January 1, 2021, it will be kept until January 1, 2025, but not deleted after that (policy states "Do nothing").

Statement 1 - Yes, because Site4RetentionPolicy2 ensures files are retained for 4 years. Statement 2 - Yes, because Site4RetentionPolicy2 retains the file for 4 years (until January 1, 2025).

Statement 3 - No, because retention is only for 4 years (until January 1, 2025). After that, the policy does "nothing," meaning the file is no longer recoverable after that period.

NEW QUESTION 4

HOTSPOT - (Topic 2)

You have a Microsoft 365 E5 subscription that contains the device configurations shown in the following table.

Name	Platform
Config1	Windows 11
Config2	macOS
Config3	Android

Each configuration uses either Google Chrome or Firefox as a default browser.

You need to implement Microsoft Purview and deploy the Microsoft Purview browser extension to the configurations.

To which configuration can each extension be deployed? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Google Chrome:

▼

Config1 only

Config2 only

Config1 and Config2 only

Config2 and Config3 only

Config1, Config2, and Config3

Firefox:

▼

Config1 only

Config2 only

Config1 and Config2 only

Config2 and Config3 only

Config1, Config2, and Config3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Microsoft Purview browser extensions for Endpoint DLP are supported on: Windows 10/11 (Config1)

macOS (Config2)

Not supported on Android (Config3)

Since Microsoft Purview does not support browser extensions on Android, Config3 is excluded from both Google Chrome and Firefox.

NEW QUESTION 5

HOTSPOT - (Topic 2)

You have a Microsoft 365 E5 subscription that contains three DOCX files named File1, File2, and File3.

You create the sensitivity labels shown in the following table.

Name	Permission	Apply content marking
Label1	Any authenticated users: Viewer	Disabled
Label2	None	Enabled

You apply the labels to the files as shown in the following table.

File	Label
File1	None
File2	Label1
File3	Label2

You ask Microsoft 365 Copilot to summarize the files, and you receive the results shown in the following table.

Name	Based on content of
Summary1	File1, File3
Summary2	File2
Summary3	File1, File2, File3

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements

Summary1 has a sensitivity label applied.

Yes

No



Summary2 has a sensitivity label applied.



Summary3 has a sensitivity label applied.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

Summary1 has a sensitivity label applied.

Yes

No



Summary2 has a sensitivity label applied.



Summary3 has a sensitivity label applied.



NEW QUESTION 6

HOTSPOT - (Topic 2)


You have a new Microsoft 365 E5 tenant.

You need to create a custom trainable classifier that will detect product order forms. The solution must use the principle of least privilege.


What should you do first? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Action to perform:



To perform the action, assign the role of:



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To create a custom trainable classifier in Microsoft Purview (formerly Microsoft Compliance Center), you must first opt into the trainable classifier feature. Before using custom trainable classifiers, Microsoft requires manual opt-in through the Microsoft Purview compliance portal. Without this step, you cannot create a new classifier. The Compliance Administrator role has the necessary permissions to configure data classification, DLP policies, and trainable classifiers. Global Administrator has higher privileges but is not required for this task, violating the principle of least privilege. Security Administrator is focused on security-related settings but does not manage compliance features like classifiers.

NEW QUESTION 7

- (Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant and 500 computers that run Windows 11. The computers are onboarded to Microsoft Purview.

You discover that a third-party application named Tailspin_scanner.exe accessed protected sensitive information on multiple computers. Tailspin_scanner.exe is installed locally on the computers.

You need to block Tailspin_scanner.exe from accessing sensitive documents without preventing the application from accessing other documents.

Solution: From Microsoft Defender for Cloud Apps, you create an app discovery policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Creating an app discovery policy in Microsoft Defender for Cloud Apps is used for detecting and monitoring cloud application usage, but it does not prevent a locally installed application (Tailspin_scanner.exe) from accessing sensitive files on Windows 11 devices.

To block Tailspin_scanner.exe from accessing sensitive documents while allowing it to access other files, the correct solution is to use Microsoft Purview Endpoint Data Loss Prevention (Endpoint DLP) and add Tailspin_scanner.exe to the Restricted Apps list.

Endpoint DLP allows you to block specific applications from accessing sensitive files while keeping general access available. Restricted Apps List in Endpoint DLP ensures that Tailspin_scanner.exe cannot open, copy, or process protected documents, but it can still function normally for non-sensitive content.

NEW QUESTION 8

- (Topic 2)

You have a Microsoft 365 E5 subscription. The subscription contains 500 devices that are onboarded to Microsoft Purview.

You select Activate Microsoft Purview Audit.

You need to ensure that you can track interactions between users and generative AI websites.

What should you deploy to the devices?

- A. the Microsoft Purview extension
- B. the Microsoft Purview Information Protection client
- C. the Microsoft Defender Browser Protection extension
- D. Endpoint analytics

Answer: A

Explanation:

To track interactions between users and generative AI websites in Microsoft Purview Audit, you need to deploy the Microsoft Purview browser extension to the devices. This extension enables tracking of user activities on web-based applications, including AI-related tools like ChatGPT, Microsoft Copilot, and other generative AI platforms.

Microsoft Purview extension provides visibility into browser-based activities, including AI tool usage, ensuring compliance and risk management within Microsoft Purview. This extension works with Microsoft Edge and Google Chrome to track and log user interactions.

NEW QUESTION 9

- (Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in the Microsoft Purview portal to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. Solution: You run the Set-Mailbox -Identity "User1" -AuditEnabled \$true command. Does that meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

To track who accesses User1's mailbox, you need to enable mailbox auditing for User1. By default, Exchange mailbox auditing is not enabled per mailbox (even though it is enabled tenant-wide).

The Set-Mailbox -Identity "User1" -AuditEnabled \$true command enables audit logging for mailbox actions like:

Read emails Delete emails

Send emails as User1 Access by delegated users

Once enabled, you can search for future sign-ins and actions in the Microsoft Purview audit logs.

NEW QUESTION 10

DRAG DROP - (Topic 2)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps.

You plan to deploy a Defender for Cloud Apps file policy that will be triggered when the following conditions are met:

A file is shared externally.

A file is labeled as internal only.

Which filter should you use for each condition? To answer, drag the appropriate filters to the correct conditions. Each filter may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Filters	Answer Area	Filter
<input type="checkbox"/> Access level	When a file is shared externally.	<input type="text"/>
<input type="checkbox"/> Collaborators	When a file is labelled as Internal only.	<input type="text"/>
<input type="checkbox"/> Matched policy		
<input type="checkbox"/> Sensitivity label		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Filters	Answer Area	Filter
<input checked="" type="checkbox"/> Access level	When a file is shared externally.	<input checked="" type="text" value="Access level"/>
<input checked="" type="checkbox"/> Collaborators	When a file is labelled as Internal only.	<input checked="" type="text" value="Sensitivity label"/>
<input type="checkbox"/> Matched policy		
<input type="checkbox"/> Sensitivity label		

NEW QUESTION 10

- (Topic 2)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Description
User1	<ul style="list-style-type: none"> User 1 is a regional manager. User1 is assigned the Reader role. Three department managers report to User1.
User2	<ul style="list-style-type: none"> User2 is the human resources (HR) department manager. User2 has no Microsoft Entra roles assigned. Five HR department users report to User2.
User3	<ul style="list-style-type: none"> User3 is a developer. User3 reports to User2. User3 is the only user in the compliance department. User3 is assigned the Compliance Administrator role.
User4	<ul style="list-style-type: none"> User4 is the assistant of User1. User4 has no Microsoft Entra roles assigned. User4 handles a high volume of confidential data on behalf of User1.

Which users will Microsoft Purview insider risk management flag as potential high-impact users?

- A. User1 and User2 only
- B. User2 and User3 only
- C. User1, User2, and User3 only
- D. User1, User2, User3, and User4

Answer: D

Explanation:

Microsoft Purview Insider Risk Management flags high-impact users based on various risk factors, including role, access to confidential data, and influence within an organization. Let's analyze each user:

User1 (Regional Manager, assigned Reader role, manages department managers) Risk Factors:

Holds a managerial position (regional manager).

Manages multiple department managers, indicating organizational influence. Access to critical business information.

Flagged? -Yes (Managerial role and access to confidential data).

User2 (HR department manager, no Microsoft Entra roles, manages HR department users) Risk Factors:

Manages HR department users, meaning they likely handle sensitive employee data. HR roles are often considered high-risk due to access to personal and payroll data.

Flagged? -Yes (HR role and access to sensitive employee data).

User3 (Developer, reports to User2, only user in compliance, assigned Compliance Administrator role)

Risk Factors:

Compliance Administrator role grants access to sensitive security and regulatory data. Only person in the compliance department, meaning they hold a critical role.

Potentially high impact on compliance and security settings.

Flagged? -Yes (Privileged Compliance Administrator role).

User4 (Assistant to User1, no Entra roles, handles confidential data on behalf of User1)

Risk Factors:

Handles a high volume of confidential data on behalf of a regional manager. Assistants with access to sensitive data are considered insider risk candidates.

Flagged? -Yes (High access to sensitive information).

Since all four users fit high-impact criteria (managerial roles, privileged compliance access, handling sensitive data), Microsoft Purview Insider Risk Management will flag all of them.

NEW QUESTION 14

- (Topic 2)

You have a Microsoft 365 E5 subscription.

You need to review a Microsoft 365 Copilot usage report. From where should you review the report?

- A. Information Protection in the Microsoft Purview portal
- B. the Microsoft 365 admin center
- C. DSPM for AI in the Microsoft Purview portal
- D. the Microsoft Defender portal

Answer: C

Explanation:

To review a Microsoft 365 Copilot usage report, you need to use Data Security Posture Management for AI (DSPM for AI) in the Microsoft Purview portal. DSPM for AI provides insights into AI-related activities, including Copilot usage, risk assessments, and data security posture related to AI interactions within Microsoft 365.

NEW QUESTION 16

DRAG DROP - (Topic 2)

You have a Microsoft 365 subscription that contains 20 data loss prevention (DLP) policies. You need to identify the following:

Rules that are applied without triggering a policy alert The top 10 files that have matched DLP policies Alerts that are miscategorized

Which report should you use for each requirement? To answer, drag the appropriate reports to the correct requirements. Each report may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Reports	Answer Area	Report
DLP policy matches	Rules that are applied without triggering a policy alert:	<input type="text"/>
False positive and override	The top 10 files that have matched DLP policies:	<input type="text"/>
Incident reports	Alerts that are miscategorized:	<input type="text"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The False positive and override report helps identify rules that were applied but did not generate an actual policy alert, which means they were overridden or deemed false positives.

The DLP policy matches report provides details on files that matched DLP policies, including the top 10 files.

The Incident reports report helps analyze and review alerts, including those that may have been miscategorized.

NEW QUESTION 19

- (Topic 2)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1.

You need to implement Microsoft Purview data lifecycle management. What should you create first?

- A. a sensitivity label policy
- B. a data loss prevention (DLP) policy
- C. an auto-labeling policy
- D. a retention label

Answer: D

Explanation:

To implement Microsoft Purview Data Lifecycle Management for SharePoint Online (Site1), you need to create a retention label first. Retention labels define how long content should be retained or deleted based on compliance requirements. Once a retention label is created, it can be manually or automatically applied to content in SharePoint Online, Exchange, OneDrive, and Teams. After creating a retention label, you can configure label policies to apply them to Site1 and other locations.

NEW QUESTION 24

HOTSPOT - (Topic 2)

You have a Microsoft 365 sensitivity label that is published to all the users in your Microsoft Entra tenant as shown in the following exhibit.

Label name Rebranding	Edit
Tooltip Used for all documents containing information about the rebranding effort	Edit
Description	Edit
Encryption Advanced protection for content with this label	Edit
Content marking Watermark: INTERNAL	Edit
Endpoint data loss prevention	Edit
Auto labeling	Edit

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Answer Area

Statements	Yes	No
All the documents stored on each user's computer will include a watermark automatically.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If the sensitivity label is applied to a document, the document will have a header that contains the word "INTERNAL".	<input type="checkbox"/>	<input type="checkbox"/>
The sensitivity label can be applied only to documents that contain the word rebranding.	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statement 1 - No. The sensitivity label includes content marking (watermark: INTERNAL), but it only applies to documents where the label is manually or automatically applied, not to all documents by default.
 Statement 2 - No. The sensitivity label only specifies a watermark, not a header. If a header marking was configured, it would explicitly appear in the label settings.
 Statement 3 - No. There is no indication that auto-labeling is configured to apply the label only to documents with the word "rebranding". Auto-labeling is an optional setting that needs explicit configuration.

NEW QUESTION 26

- (Topic 2)

You have a Microsoft 365 subscription.

You need to customize encrypted email for the subscription. The solution must meet the following requirements.

Ensure that when an encrypted email is sent, the email includes the company logo. Minimize administrative effort.

Which PowerShell cmdlet should you run?

- A. Set-IRMConfiguration
- B. Set-OMEConfiguration
- C. Set-RMSTemplate
- D. New-OMEConfiguration

Answer: B

Explanation:

To customize encrypted email in Microsoft 365, including adding a company logo, you need to modify the Office Message Encryption (OME) branding settings. The Set- OMEConfiguration PowerShell cmdlet allows you to configure branding elements such as: Company logo

Custom text Background color

This cmdlet is used to update existing OME branding settings, ensuring that encrypted emails sent from your organization include the required customizations.

NEW QUESTION 27

HOTSPOT - (Topic 2)

You have a Microsoft 365 E5 subscription.

You need to identify documents that contain patent application numbers containing the letters PA followed by eight digits, for example, PA 12345678. The solution must minimize administrative effort.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To identify the documents, use a data classification of:

Exact data match (EDM)

Sensitive info type

Trainable classifier

Configure data classifications by using a:

Keyword dictionary

Regular expression

Function

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Since you are looking for a specific pattern (PA followed by eight digits, e.g., PA 12345678), the best classification method is Sensitive Info Type. Sensitive Info Types allow pattern-based matching to identify structured data. Exact Data Match (EDM) is not needed because you're not comparing against a fixed dataset. Trainable classifier is not appropriate because this is a structured pattern, not an unstructured document classification.

Box 2: Since PA 12345678 follows a structured pattern, the most effective method is Regular Expression (Regex). A Regular Expression (Regex) can be written to match "PA" followed by exactly eight digits (e.g., PA\s\d{8}). Keyword dictionary is not ideal because it works for predefined words, not number patterns. Function is unnecessary because there is no need for checksum validation or predefined validation rules.

NEW QUESTION 28

- (Topic 2)

You have a Microsoft 365 E5 subscription that contains a retention policy named RP1 as shown in the following table.

Setting	Value
Location	<ul style="list-style-type: none"> • Exchange email (All recipients) • SharePoint sites (All sites)
Retain items for a specific period	5 years (When items were created)
At the end of the retention period	Delete items automatically

You place a preservation lock on RP1. You need to modify RP1.

Which two modifications can you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add locations to the policy.
- B. Delete the policy.
- C. Remove locations from the policy.
- D. Decrease the retention period of the policy.
- E. Disable the policy.
- F. Increase the retention period of the policy.

Answer: AF

Explanation:

A Preservation Lock in Microsoft Purview Retention Policies enforces strict compliance and prevents certain modifications to ensure data is retained according to compliance requirements.

When a Preservation Lock is applied:

- * 1. You cannot disable or delete the policy.
- * 2. You cannot remove locations from the policy.
- * 3. You cannot decrease the retention period.
- * 4. You can add locations to the policy.
- * 5. You can increase the retention period.

You can expand the retention policy to cover additional locations (e.g., more Exchange mailboxes, SharePoint sites). You can extend the retention duration (e.g., increase from 5 years to 10 years) since this aligns with stricter compliance.

NEW QUESTION 30

HOTSPOT - (Topic 2)


You have a Microsoft 365 E5 subscription that has data loss prevention (DLP) implemented.

You plan to export DLP activity by using Activity explorer.

The exported file needs to display the sensitive info type detected for each DLP rule match. What should you do in Activity explorer before exporting the data, and in which file format is the file exported? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.


Answer Area

In Activity explorer:



A screenshot of a dropdown menu in Activity Explorer. The menu is open, showing three options: "Add a custom column", "Apply a built-in filter", and "Customize the default filter". The options are listed vertically, with "Add a custom column" at the top, "Apply a built-in filter" in the middle, and "Customize the default filter" at the bottom. The menu is outlined with a red border.

File type:



A screenshot of a dropdown menu for file types. The menu is open, showing four options: "CSV", "JSON", "TXT", and "XML". The options are listed vertically, with "CSV" at the top, "JSON" in the middle, "TXT" in the middle, and "XML" at the bottom. The menu is outlined with a red border.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: To include the sensitive info type detected for each DLP rule match, you need to add a custom column in Activity Explorer. This ensures that the exported file contains specific details about the detected sensitive information types.

Box 2: DLP activity exports from Activity Explorer are always in CSV (Comma-Separated Values) format. This format allows for easy data analysis and reporting in Excel or other data-processing tools.

NEW QUESTION 32

- (Topic 2)

You have a Microsoft 365 E5 subscription that uses Microsoft Purview. You are creating an exact data match (EDM) classifier named EDM1. For EDM1, you upload a schema file that contains the fields shown in the following table.

Column name	Match mode
PP	EU Passport Number
Name	All Full Names
DateOfBirth	Single-token
AccountNumber	Multi-token

What is the maximum number of primary elements that EDM1 can have?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

Explanation:

In Microsoft Purview Exact Data Match (EDM) classifiers, a primary element is a unique, identifying field used for data matching. EDM allows up to two primary elements per schema.

From the provided table, the Match mode indicates how data is analyzed: PP (EU Passport Number) Likely a primary element because it's unique.

Name (All Full Names) Typically not a primary element as names are common.

DateOfBirth (Single-token) Usually a secondary element, not unique. AccountNumber (Multi-token) Can be a primary element, as it's a unique identifier.

Since EDM supports a maximum of two primary elements, the correct answer is 2.

NEW QUESTION 35

HOTSPOT - (Topic 2)

You have a Microsoft 365 E5 subscription.

You have a file named Customer.csv that contains a list of 1,000 customer names. You plan to use Customer.csv to classify documents stored in a Microsoft SharePoint

Online library.

What should you create in the Microsoft Purview portal, and which type of element should you select? To answer, select the appropriate options in the answer

area.
NOTE: Each correct selection is worth one point.

Answer Area

Create:

- A sensitive info type
- A trainable classifier
- An adaptive scope

Element:

- Functions
- Keyword dictionary
- Regular expression

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Create:

- A sensitive info type
- A trainable classifier
- An adaptive scope

Element:

- Functions
- Keyword dictionary
- Regular expression

NEW QUESTION 36

- (Topic 2)

You have a Microsoft 365 E5 subscription that contains a Microsoft Teams channel named Channel1. Channel1 contains research and development documents. You plan to implement Microsoft 365 Copilot for the subscription.

You need to prevent the contents of files stored in Channel1 from being included in answers generated by Copilot and shown to unauthorized users. What should you use?

- A. data loss prevention (DLP)
- B. Microsoft Purview insider risk management
- C. Microsoft Purview Information Barriers

D. sensitivity labels

Answer: D

Explanation:

To prevent the contents of files stored in Channel1 from being included in Microsoft 365 Copilot responses and ensure unauthorized users cannot access them, you should use Microsoft Purview Sensitivity Labels. Sensitivity labels allow you to classify, protect, and restrict access to sensitive files. You can configure label-based encryption and access control policies to ensure that only authorized users can access or interact with the files in Channel1. Microsoft 365 Copilot respects sensitivity labels, meaning if a file is labeled with restricted permissions, Copilot will not use it in generated responses for unauthorized users.

NEW QUESTION 41

- (Topic 2)

You have a Microsoft 365 E5 subscription.

You need to create a sensitivity label named Label1. The solution must ensure that users can use Microsoft 365 Copilot to summarize files that have Label1 applied.

Which permission should you select for Label1?

- A. Export content(EXPORT)
- B. Copy and extract content(EXTRACT)
- C. Edit content(DOCEDIT)
- D. View rights(VIEW)

Answer: B

Explanation:

To allow Microsoft 365 Copilot to summarize files that have Label1 applied, the label must grant permission to extract content from the document. The correct permission for this is Copy and extract content (EXTRACT).

Microsoft 365 Copilot requires access to read and process content in documents to generate summaries. The EXTRACT permission allows users (and AI tools like Copilot) to copy and extract content for processing while still maintaining the protection applied by the sensitivity label.

NEW QUESTION 44

HOTSPOT - (Topic 2)

You have a Microsoft 365 E5 subscription. The subscription contains devices that are onboarded to Microsoft Purview and configured as shown in the following table.

Name	Operating system	Microsoft Purview browser extension
Device1	Windows 11	Installed
Device2	Windows 11	Not installed
Deivce3	macOS	Installed

The subscription contains the users shown in the following table.

Name	Activity performed during the last seven days	On device
User1	Used a generative AI website to generate an image	Device1
User2	Asked Microsoft 365 Copilot to summarize a document	Device2
User3	Browsed sample content on a generative AI website	Device3

You need to review the activities.

What should you use for each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1: Activity explorer in Data Security Posture Management for AI (DSPM for AI)
 Audit log search
 Insider risk audit log
 Unified Catalog

User2: Activity explorer in Data Security Posture Management for AI (DSPM for AI)
 Audit log search
 Insider risk audit log
 Unified Catalog

User3: Activity explorer in Data Security Posture Management for AI (DSPM for AI)
 Audit log search
 Insider risk audit log
 Unified Catalog

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1: Since the Microsoft Purview browser extension is installed on Device1, AI-related activity performed by User1 (generating an image using a generative AI website) can be reviewed in Activity explorer in DSPM for AI.
 User2: Since Device2 does not have the Microsoft Purview browser extension installed, AI-related activity cannot be tracked in DSPM for AI. Instead, Audit log search should be used to review activity such as using Microsoft 365 Copilot.
 User3: Since Device3 has the Microsoft Purview browser extension installed, AI-related activity (browsing sample content on a generative AI website) can be reviewed using Activity explorer in DSPM for AI.

NEW QUESTION 45

HOTSPOT - (Topic 2)

You have a Microsoft SharePoint Online site that contains the following files.

Name	Modified by	Data loss prevention (DLP) action
File1.docx	Manager1	None
File2.docx	Manager1	Matched by DLP
File3.docx	Manager1	Blocked by DLP

Users are assigned roles for the site as shown in the following table.

Name	Role
User1	Site owner
User2	Site member

Which files can User1 and User2 open? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

User1:

- File1.docx only
- File1.docx and File2.docx only
- File1.docx, File2.docx, and File3.docx

User2:

- File1.docx only
- File1.docx and File2.docx only
- File1.docx, File2.docx, and File3.docx

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

User1:

- File1.docx only
- File1.docx and File2.docx only
- File1.docx, File2.docx, and File3.docx

User2:

- File1.docx only
- File1.docx and File2.docx only
- File1.docx, File2.docx, and File3.docx

NEW QUESTION 50

HOTSPOT - (Topic 2)

You have a Microsoft 365 E5 subscription that contains two users named User1 and User2. You create the audit retention policies shown in the following table.

Priority	Policy name	Record type	Activities	Users	Duration
10	AuditRetention1	Exchangeltem	MailboxLogin	None	90 Days
20	AuditRetention2	Exchangeltem	Send, MailltemsAccesssed	User1	9 Months
30	AuditRetention3	Sharepoint	None	User1	6 Months
40	AuditRetention4	Sharepoint	SiteRenamed	User1	9 Months
50	AuditRetention5	Sharepoint	SiteRenamed	None	10 Years

The users perform the following actions:

User1 renames a Microsoft SharePoint Online site. User2 sends an email message.

How long will the audit log records be retained for each action? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1 renames a SharePoint site:

▼

90 days

6 months

9 months

1 year

10 years

User2 sends an email message:

▼

90 days

6 months

9 months

1 year

10 years

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The action "SiteRenamed" for SharePoint is covered under the AuditRetention4 policy, which applies to User1 and retains logs for 9 months.

The action "Send" for Exchangeltem is covered under the AuditRetention2 policy, but this policy applies only to User1. Since User2 is not covered under a specific policy, the default retention period for audit logs in Microsoft Purview is 90 days.

NEW QUESTION 54

- (Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage Account keys in plain text to third parties.

You need to ensure that when Azure Storage Account keys are emailed, the emails are encrypted.

Solution: You create a data loss prevention (DLP) policy that has only the Exchange email location selected.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

To ensure Azure Storage Account keys are encrypted when sent via email, you need a Data Loss Prevention (DLP) policy that detects Azure Storage Account keys using a sensitive information type and automatically encrypts emails containing these keys.

A DLP policy with Exchange email as the only location meets this requirement because it identifies sensitive data in email messages and it applies protection actions, such as encryption, blocking, or alerts.

NEW QUESTION 55

- (Topic 2)

You have a Microsoft SharePoint Online site named Site1 that contains a document library. The library contains more than 1,000 documents. Some of the documents are job applicant resumes. All the documents are in the English language.

You plan to apply a sensitivity label automatically to any document identified as a resume. Only documents that contain work experience, education, and accomplishments must be labeled automatically.

You need to identify and categorize the resumes. The solution must minimize administrative effort. What should you include in the solution?

- A. a trainable classifier
- B. a keyword dictionary
- C. a function
- D. an exact data match (EDM) classifier

Answer: A

Explanation:

Since you need to automatically apply a sensitivity label to resumes based on their content and structure (work experience, education, accomplishments), a trainable classifier is the best choice.

Trainable classifiers use machine learning to identify unstructured data, such as resumes, contracts, or legal documents. Instead of relying on predefined patterns (like keywords or regular expressions), a trainable classifier learns from sample documents and can accurately identify resumes even if they are formatted differently.

Final Approach:

Train a trainable classifier using sample resumes. Deploy the classifier in Microsoft Purview.

Configure a sensitivity label to be automatically applied when a document matches the classifier.

NEW QUESTION 57

- (Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage Account keys in plain text to third parties.

You need to ensure that when Azure Storage Account keys are emailed, the emails are encrypted.

Solution: You configure a mail flow rule that matches a sensitive info type. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

To ensure Azure Storage Account keys are encrypted when sent via email, you need a Data Loss Prevention (DLP) policy that detects Azure Storage Account keys using a sensitive information type and automatically encrypts emails containing these keys.

Mail flow rules (transport rules) can detect sensitive info, but they are limited in encryption capabilities.

DLP policies provide more advanced protection and integration with Microsoft Purview for sensitive info detection.

NEW QUESTION 59

- (Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant and 500 computers that run Windows 11. The computers are onboarded to Microsoft Purview.

You discover that a third-party application named Tailspin_scanner.exe accessed protected sensitive information on multiple computers. Tailspin_scanner.exe is installed locally on the computers.

You need to block Tailspin_scanner.exe from accessing sensitive documents without preventing the application from accessing other documents.

Solution: From the Microsoft Defender for Cloud Apps, you mark the application as Unsanctioned.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Marking Tailspin_scanner.exe as "Unsanctioned" in Microsoft Defender for Cloud Apps only blocks its usage in cloud-based activities (such as accessing SharePoint, OneDrive, or Exchange Online). However, it does not prevent a locally installed application on Windows 11 devices from accessing sensitive files.

To block Tailspin_scanner.exe from accessing sensitive documents while allowing it to access other files, the correct solution is to use Microsoft Purview Endpoint Data Loss Prevention (Endpoint DLP) and add Tailspin_scanner.exe to the Restricted Apps list.

Endpoint DLP allows you to block specific applications from accessing sensitive files while keeping general access available. Restricted Apps List in Endpoint DLP ensures that Tailspin_scanner.exe cannot open, copy, or process protected documents, but it can still function normally for non-sensitive content.

NEW QUESTION 63

- (Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in the Microsoft Purview portal to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. Solution: You run the Set-AdminAuditLogConfig -AdminAuditLogEnabled \$true -AdminAuditLogCmdlets *Mailbox* command. Does that meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Set-AdminAuditLogConfig -AdminAuditLogEnabled \$true -AdminAuditLogCmdlets

Mailbox command is incorrect. This enables admin audit logging, which tracks changes to mailbox configurations (e.g., mailbox settings updates), not user activity inside the mailbox.

NEW QUESTION 68

- (Topic 2)

You have a Microsoft 365 E5 tenant.

You need to add a new keyword dictionary. What should you create?

- A. a trainable classifier
- B. a retention policy
- C. a sensitivity label
- D. a sensitive info type

Answer: D

Explanation:

To add a new keyword dictionary in Microsoft Purview Data Loss Prevention (DLP), you must create a Sensitive Information Type (SIT).

Sensitive Info Types (SITs) allow you to define custom detection rules, including keyword dictionaries, regular expressions, and functions for identifying sensitive content in emails, documents, and other Microsoft 365 locations. A keyword dictionary is a list of predefined words/phrases that Microsoft Purview can use to identify and classify content for DLP policies.

Steps to add a keyword dictionary:

- * 1. Go to Microsoft Purview compliance portal
- * 2. Navigate to Data classification > Sensitive info types
- * 3. Create a new sensitive info type
- * 4. Add a keyword dictionary
- * 5. Save and use it in a DLP policy

NEW QUESTION 70

- (Topic 2)

You have a Microsoft 365 subscription.

You need to ensure that users can apply retention labels to individual documents in their Microsoft SharePoint libraries.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From Microsoft Defender for Cloud Apps, create a file policy.
- B. From the SharePoint admin center, modify the Site Settings.
- C. From the SharePoint admin center, modify the records management settings.
- D. From the Microsoft Purview portal, publish a label.
- E. From the Microsoft Purview portal, create a label.

Answer: DE

Explanation:

To allow users to apply retention labels to individual documents in Microsoft SharePoint libraries, you need to create a retention label and publish the label.

In Microsoft Purview, retention labels define how long content should be retained or deleted. You must first create a label that specifies the retention rules. After creating the label, you must publish it so that it becomes available for users in SharePoint document libraries. Once published, users can manually apply the retention label to individual documents.

NEW QUESTION 75

HOTSPOT - (Topic 2)

You have a Microsoft 365 E5 subscription.

You receive the data loss prevention (DLP) alert shown in the following exhibit.

Sensitive info in email with subject 'Message1'

Details Sensitive info types Metadata

Event details

ID	Location
173fe9ac-3a65-41b0-9914-1db451bba639	Exchange

Time of activity
 Jun 6, 2022 8:22 PM

Impacted entities

User	Email recipients
 Megan Bowen	 victoria@fabrikam.com

Email subject
 Message1

Policy details

DLP policy matched	Rule matched
Policy1	Rule1
Sensitive info types detected	Actions taken
Credit Card Number (19, 85%)	GenerateAlert
User overrode policy	Override justification text
Yes	Manager approved
Sensitive info detected in	
Document1.docx	

Actions | 

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

The email was [answer choice].

delivered immediately
quarantined and undelivered
sent to a manager for approval

The sender's manager [answer choice].

approved the email by using a workflow
overrode Rule1
was uninvolved in the override process

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The email was [answer choice].

delivered immediately
quarantined and undelivered
sent to a manager for approval

The sender's manager [answer choice].

approved the email by using a workflow
overrode Rule1
was uninvolved in the override process

NEW QUESTION 76

- (Topic 2)

You need to be alerted when users share sensitive documents from Microsoft OneDrive to any users outside your company. What should you do?

- A. From the Microsoft Purview portal create an insider risk policy
- B. From the Microsoft Defender portal create a file policy
- C. From the Microsoft Defender portal, create an activity policy.
- D. From the Microsoft Purview portal, start a data investigation.

Answer: B

Explanation:

An activity policy in Microsoft Defender for Cloud Apps (Microsoft Defender portal) allows you to track and alert on specific user actions, such as sharing sensitive documents externally from OneDrive. This policy can detect file-sharing activities and send alerts when files are shared with external users, which meets the requirement.

NEW QUESTION 80

HOTSPOT - (Topic 2)

You plan to create a custom sensitive information type that will use Exact Data Match (EDM).

You need to identify what to upload to Microsoft 365, and which tool to use for the upload. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Upload:

Data hashes
Data in the XML format
Digitally signed data

Use:

Azure Storage Explorer
EDM upload agent
Microsoft Purview portal
The Set-DlpKeywordDictionary cmdlet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

EDM does not store raw data; instead, it requires hashed versions of sensitive data for privacy and security. To upload the hashed data, Microsoft provides the EDM upload agent. This ensures that the data is securely processed and recognized by the EDM service in Microsoft 365.

NEW QUESTION 83

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

SC-401 Practice Exam Features:

- * SC-401 Questions and Answers Updated Frequently
- * SC-401 Practice Questions Verified by Expert Senior Certified Staff
- * SC-401 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SC-401 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The SC-401 Practice Test Here](#)