

Microsoft

Exam Questions GH-300

GitHub Copilot Exam



NEW QUESTION 1

How long does GitHub retain Copilot data for Business and Enterprise? (Each correct answer presents part of the solution. Choose two.)

- A. Prompts and Suggestions: Not retained
- B. Prompts and Suggestions: Retained for 28 days
- C. User Engagement Data: Kept for Two Years
- D. User Engagement Data: Kept for One Year

Answer: BC

NEW QUESTION 2

What is the best way to share feedback about GitHub Copilot Chat when using it on GitHub Mobile?

- A. Use the emojis in the Copilot Chat interface.
- B. The feedback section on the GitHub website.
- C. By tweeting at GitHub's official X (Twitter) account.
- D. The Settings menu in the GitHub Mobile app.

Answer: A

NEW QUESTION 3

Which of the following scenarios best describes the intended use of GitHub Copilot Chat as a tool?

- A. A complete replacement for developers generating code.
- B. A productivity tool that provides suggestions, but relying on human judgment.
- C. A solution for software development, requiring no additional input or oversight.
- D. A tool solely designed for debugging and error correction.

Answer: B

NEW QUESTION 4

How can GitHub Copilot assist developers during the requirements analysis phase of the Software Development Life Cycle (SDLC)?

- A. By automatically generating detailed requirements documents.
- B. By providing templates and code snippets that help in documenting requirements.
- C. By identifying and fixing potential requirement conflicts when using /help.
- D. By managing stakeholder communication and meetings.

Answer: B

NEW QUESTION 5

How does GitHub Copilot assist developers in reducing the amount of manual boilerplate code they write?

- A. By engaging in real-time collaboration with multiple developers to write boilerplate code.
- B. By predicting future coding requirements and pre-emptively generating boilerplate code.
- C. By refactoring the entire codebase to eliminate boilerplate code without developer input.
- D. By suggesting code snippets that can be reused across different parts of the project.

Answer: D

NEW QUESTION 6

If you are working on open source projects, GitHub Copilot Individual can be paid:

- A. Based on the payment method in your user profile
- B. N/A – Copilot Individual is a free service for all open source projects
- C. Through an invoice or a credit card
- D. Through an Azure Subscription

Answer: A

NEW QUESTION 7

What are the effects of content exclusions? (Each correct answer presents part of the solution. Choose two.)

- A. The excluded content is not directly available to GitHub Copilot to use as context.
- B. GitHub Copilot suggestions are no longer available in the excluded files.
- C. The excluded content is no longer used while debugging the code.
- D. The IDE will not count coding suggestions in the excluded content.

Answer: AB

NEW QUESTION 8

What types of prompts or code snippets might be flagged by the GitHub Copilot toxicity filter? (Each correct answer presents part of the solution. Choose two.)

- A. Hate speech or discriminatory language (e.g., racial slurs, offensive stereotypes)
- B. Sexually suggestive or explicit content
- C. Code that contains logical errors or produces unexpected results
- D. Code comments containing strong opinions or criticisms

Answer: AB

NEW QUESTION 9

What is the impact of the "Fill-In-the-Middle" (FIM) technique on GitHub Copilot's code suggestions?

- A. Restricts Copilot to use only external databases for generating code suggestions.
- B. Allows Copilot to generate suggestions based only on the prefix of the code.
- C. Ignores both the prefix and suffix of the code, focusing only on user comments for context.
- D. Improves suggestions by considering both the prefix and suffix of the code, filling in the middle part more accurately.

Answer: D

NEW QUESTION 10

What role does the pre-processing of user input play in the data flow of GitHub Copilot Chat?

- A. It filters out irrelevant information from the user's input prompt.
- B. It enriches the input prompt with additional context before passing it to the language model.
- C. It directly generates a response based on the user's input prompt.
- D. It formats the output response before presenting it to the user.

Answer: B

NEW QUESTION 10

How do you generate code suggestions with GitHub Copilot in the CLI?

- A. Type out the code snippet Use the copilot refine command to enhance it Review the suggested command.
- B. Write code comments Press the suggestion shortcut Select the best suggestion from the list.
- C. Use gh copilot suggest Write the command you want Select the best suggestion from the list.
- D. Describe the project's architecture Use the copilot generate command Accept the generated suggestion.

Answer: C

NEW QUESTION 12

A company is currently storing code in Bitbucket and would like to use GitHub Copilot. Which GitHub Copilot plan will be most cost effective to allow them to manage users with their Identity Provider (e.g. Okta)?

- A. GitHub Copilot Business for non-GHE customers
- B. GitHub Copilot Individual
- C. GitHub Copilot Enterprise
- D. GitHub Copilot Teams

Answer: C

NEW QUESTION 14

How can you get multiple suggestions from GitHub Copilot?

- A. By asking for multiple suggestions using comments in your code
- B. By opening the completions panel in your editor
- C. By using the inline chat functionality with the command 'multiple'
- D. By using @workspace in the chat window

Answer: B

NEW QUESTION 18

Which REST API endpoint is used to modify details about a GitHub Copilot Business subscription? (Each correct answer presents part of the solution. Choose two.)

- A. Add teams to the Copilot subscription for an organization
- B. Upgrade or downgrade the subscription tier
- C. Migrate Copilot seat assignments between GitHub organizations
- D. Reassign Copilot seats based on GitHub repository size
- E. Remove teams from the Copilot subscription for an organization

Answer: AE

NEW QUESTION 21

How do you generate code suggestions with GitHub Copilot in the CLI?

- A. Write code comments -> Press the suggestion shortcut -> Select the best suggestion from the list.
- B. Use copilot suggest -> Write the command you want -> Select the best suggestion from the list.

- C. Type out the code snippet -> Use the copilot refine command to enhance it -> Review the suggested command.
- D. Describe the project's architecture -> Use the copilot generate command -> Accept the generated suggestion.

Answer: A

NEW QUESTION 23

Where is the proxy service hosted?

- A. Self hosted
- B. Amazon Web Service
- C. Microsoft Azure
- D. Google Cloud Platform

Answer: C

NEW QUESTION 28

How does GitHub Copilot identify matching code and ensure that public code is appropriately handled or blocked? (Each correct answer presents part of the solution. Choose two.)

- A. Using machine learning models trained only on private repositories
- B. Reviewing and storing user-specific private repository data for future suggestions
- C. Filtering out suggestions that match code from public repositories
- D. Implementing safeguards to detect and avoid suggesting verbatim snippets from public code

Answer: CD

NEW QUESTION 33

Which of the following does GitHub Copilot's LLM derive context from when producing a response?

- A. Frequency of commits to the repository
- B. Syntax highlighting scheme of the code in the IDE
- C. Neighboring or related files within a project
- D. Version control system integrated with the IDE

Answer: C

NEW QUESTION 34

How does GitHub Copilot Chat ensure that a function works correctly?

- A. By suggesting assertions based on the code's context and semantics.
- B. By automatically writing all the tests for the function.
- C. By writing the implementation code for the function.
- D. By executing the test cases to validate the correctness of the code.

Answer: A

NEW QUESTION 38

Which of the following steps correctly demonstrates how to establish an organization-wide policy for GitHub Copilot Business to restrict its use to certain repositories?

- A. Apply policies through the GitHub Actions configuration
- B. Create a copilot.policy file in each repository
- C. Configure the policies in the organization settings
- D. Create a copilot.policy in the .github repository

Answer: C

NEW QUESTION 40

What method can be used to interact with GitHub Copilot?

- A. By using a properly configured GitHub CLI
- B. By using chat capabilities in NeoVim
- C. From a watch window in an IDE debug session
- D. From a web browser at <https://github.copilot.com>

Answer: B

NEW QUESTION 41

Which GitHub Copilot plan could an Azure DevOps organization use without requiring a GitHub Enterprise license?

- A. GitHub Copilot Individual
- B. GitHub Copilot Enterprise
- C. GitHub Copilot for Azure DevOps
- D. Copilot Teams

Answer: C

NEW QUESTION 46

Select a strategy to increase the performance of GitHub Copilot Chat.

- A. Optimize the usage of memory-intensive operations within generated code
- B. Apply prompt engineering techniques to be more specific
- C. Use a single GitHub Copilot Chat query to find resolutions for the collection of technical requirements
- D. Limit the number of concurrent users accessing GitHub Copilot Chat

Answer: B

NEW QUESTION 48

What is a limitation of content exclusions?

- A. Repository administrators and organization owners cannot manage content exclusion settings.
- B. Content exclusions can be worked around as it is only available for Git repositories.
- C. Content exclusions can only be configured by an enterprise administrator.
- D. Content exclusions are only available in the GitHub Copilot Individual plan.

Answer: C

NEW QUESTION 51

What role does chat history play in GitHub Copilot's code suggestions?

- A. Chat history is used to train the GitHub Copilot model in real-time.
- B. Chat history provides context to GitHub Copilot, improving the relevance and accuracy of its code suggestions.
- C. Chat history is stored and shared with other users to enhance collaboration.
- D. Chat history is irrelevant to GitHub Copilot and does not affect its functionality.

Answer: B

NEW QUESTION 56

When using GitHub Copilot Chat to generate unit tests, which slash command would you use?

- A. /init-tests
- B. /create-tests
- C. /generate-tests
- D. /tests

Answer: D

NEW QUESTION 57

When crafting prompts for GitHub Copilot, what is a recommended strategy to enhance the relevance of the generated code?

- A. Keep the prompt as short as possible, using single words or brief phrases.
- B. Write the prompt in natural language without any programming language.
- C. Avoid mentioning the programming language to allow for more flexible suggestions.
- D. Provide examples of expected input and output within the prompt.

Answer: D

NEW QUESTION 62

An independent contractor develops applications for a variety of different customers. Assuming no concerns from their customers, which GitHub Copilot plan is best suited?

- A. GitHub Copilot Individual
- B. GitHub Copilot Business
- C. GitHub Copilot Business for non-GHE Customers
- D. GitHub Copilot Enterprise
- E. GitHub Copilot Teams

Answer: A

NEW QUESTION 67

What is a key consideration when relying on GitHub Copilot Chat's explanations of code functionality and proposed improvements?

- A. The explanations are dynamically updated based on user feedback.
- B. Reviewing and validating the generated output for accuracy and completeness.
- C. GitHub Copilot Chat uses a static database for generating explanations.
- D. The explanations are primarily derived from user-provided documentation.

Answer: B

NEW QUESTION 72

What GitHub Copilot pricing plan gives you access to your company's knowledge bases?

- A. GitHub Copilot Individual
- B. GitHub Copilot Business
- C. GitHub Copilot Enterprise
- D. GitHub Copilot Professional

Answer: C

NEW QUESTION 77

In what ways can GitHub Copilot support a developer during the code refactoring process? (Each correct answer presents part of the solution. Choose two.)

- A. By offering code transformation examples that enhance performance and reduce complexity.
- B. By independently ensuring compliance with regulatory standards across industries.
- C. By providing suggestions for improving code readability and maintainability based on best practices.
- D. By autonomously refactoring entire codebases to the latest programming language.

Answer: AC

NEW QUESTION 81

Identify the right use cases where GitHub Copilot Chat is most effective. (Each correct answer presents part of the solution. Choose two.)

- A. Create a technical requirement specification from the business requirement documentation
- B. Explain a legacy COBOL code and translate the code to another language like Python.
- C. Creation of a unit test scenario for newly developed Python code
- D. Creation of end-to-end performance testing scenarios for a web application

Answer: BC

NEW QUESTION 86

What is the process behind identifying public code matches when using a public code filter enabled in GitHub Copilot?

- A. Running code suggestions through filters designed to detect public code
- B. Comparing suggestions against public code using machine learning.
- C. Analyzing the context and structure of the code being written
- D. Reviewing the user's browsing history to identify public repositories

Answer: A

NEW QUESTION 91

What are the different ways to give context to GitHub Copilot to get more precise responses? (Each correct answer presents part of the solution. Choose two.)

- A. Utilize to interpret developer's thoughts and intentions without any code or comments.
- B. Engage with chat participants such as @workspace to incorporate collaborative context into the responses.
- C. Access developer's previous projects and code repositories to understand their coding style without explicit permission.
- D. Utilize chat variables like *file to anchor the conversation within the specific context of the files or editors in use.

Answer: BD

NEW QUESTION 96

What are the potential limitations of GitHub Copilot Chat? (Each correct answer presents part of the solution. Choose two.)

- A. Limited training data
- B. No biases in code suggestions
- C. Ability to handle complex code structures
- D. Extensive support for all programming languages

Answer: AC

NEW QUESTION 97

When can GitHub Copilot still use content that was excluded using content exclusion?

- A. When the user prompts with @workspace.
- B. When the repository-level settings allow overrides by the user.
- C. If the contents of an excluded file are referenced in code that is not excluded, for example function calls.
- D. If the content exclusion was configured at the enterprise level, and is overwritten at the organization level.

Answer: C

NEW QUESTION 100

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

GH-300 Practice Exam Features:

- * GH-300 Questions and Answers Updated Frequently
- * GH-300 Practice Questions Verified by Expert Senior Certified Staff
- * GH-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * GH-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The GH-300 Practice Test Here](#)