

Paloalto-Networks

Exam Questions SSE-Engineer

Palo Alto Networks Security Service Edge Engineer



NEW QUESTION 1

Which feature can help address a customer concern about the length of time it takes to update their SaaS-allowed IP addresses while onboarding to Prisma Access?

- A. Dynamic IP pooling
- B. DNS-based load balancing
- C. Traffic steering
- D. Dedicated IP addresses

Answer: C

NEW QUESTION 2


When using the traffic replication feature in Prisma Access, where is the mirrored traffic directed for analysis?

- A. Specified internal security appliance
- B. Dedicated cloud storage location
- C. Panorama
- D. Strata Cloud Manager (SCM)

Answer: A

NEW QUESTION 3

An intern is tasked with changing the Anti-Spyware Profile used for security rules defined in the GlobalProtect folder. All security rules are using the Default Prisma Profile. The intern reports that the options are greyed out and cannot be modified when selecting the Default Prisma Profile. Based on the image below, which action will allow the intern to make the required modifications?



- A. Request edit access for the GlobalProtect scope.
- B. Change the configuration scope to Prisma Access and modify the profile group.
- C. Create a new profile, because default profile groups cannot be modified.
- D. Modify the existing anti-spyware profile, because best-practice profiles cannot be removed from a group.

Answer: C

NEW QUESTION 4

A company has four branch offices between Canada Central and Canada East which use the same IPSec termination node and have QoS configured with customized bandwidth per site. An engineer wants to onboard a new branch office on the same IPSec termination node. What is the QoS behavior for the new branch office?

- A. Automatically distributed to 25% for each site
- B. Unallocated until manually assigned
- C. Automatically distributed to 20% for each site
- D. Cannot be added to existing QoS configuration

Answer: B

NEW QUESTION 5

Strata Logging Service is configured to forward logs to an external syslog server; however, a month later, there is a disruption on the syslog server. Which action will send the missing logs to the external syslog server?

- A. Configure a replay profile with the affected time range and associate it with the affected syslog server profile.
- B. Delete the affected syslog server profile and create a new one.
- C. Export the logs from Strata Logging Service, and then manually import them to the syslog server.
- D. Configure a log filter under the syslog server profile with the affected time range.

Answer: A

NEW QUESTION 6

In an Explicit Proxy deployment where no agent can be used on the endpoint, which authentication method is supported with mobile users?

- A. LDAP
- B. Kerberos
- C. SAML
- D. SSO

Answer: C

NEW QUESTION 7

What will cause a connector to fail to establish a connection with the cloud gateway during the deployment of a new ZTNA Connector in a data center?

- A. There is a misconfiguration in the DNS settings on the connector.
- B. The connector is deployed behind a double NAT.
- C. The connector is using a dynamic IP address.
- D. There is a high latency in the network connection.

Answer: B

NEW QUESTION 8

How can an engineer use risk score customization in SaaS Security Inline to limit the use of unsanctioned SaaS applications by employees within a Security policy?

- A. Lower the risk score of sanctioned applications and increase the risk score for unsanctioned applications.
- B. Increase the risk score for all SaaS applications to automatically block unwanted applications.
- C. Build an application filter using unsanctioned SaaS as the category.
- D. Build an application filter using unsanctioned SaaS as the characteristic.

Answer: A

NEW QUESTION 9

When a review of devices discovered by IoT Security reveals network routers appearing multiple times with different IP addresses, which configuration will address the issue by showing only unique devices?

- A. Add the duplicate entries to the ignore list in IoT Security.
- B. Merge individual devices into a single device with multiple interfaces.
- C. Create a custom role to merge devices with the same hostname and operating system.
- D. Delete all duplicate devices, keeping only those discovered using their management IP addresses.

Answer: B

NEW QUESTION 10

A large retailer has deployed all of its stores with the same IP address subnet. An engineer is onboarding these stores as Remote Networks in Prisma Access. While onboarding each store, the engineer selects the ??Overlapping Subnets?? checkbox. Which Remote Network flow is supported after onboarding in this scenario?

- A. To private applications
- B. To the internet
- C. To remote network
- D. To mobile users

Answer: A

NEW QUESTION 10

Which feature within Strata Cloud Manager (SCM) allows an operations team to view applications, threats, and user insights for branch locations for both NGFW and Prisma Access simultaneously?

- A. Command Center
- B. Log Viewer
- C. Branch Site Monitor
- D. SASE Health Dashboard

Answer: A

NEW QUESTION 13

Which two statements apply when a customer has a large branch office with employees who all arrive and log in within a five-minute time period? (Choose two.)

- A. DNS results are only cached for frequently used hostnames.
- B. Maximum pending TCP DNS requests is 64.
- C. Maximum number of TCP DNS retries is 3.
- D. DNS results are cached for 300 seconds.

Answer: BC

NEW QUESTION 15

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

SSE-Engineer Practice Exam Features:

- * SSE-Engineer Questions and Answers Updated Frequently
- * SSE-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * SSE-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SSE-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The SSE-Engineer Practice Test Here](#)