



Salesforce

Exam Questions Identity-and-Access-Management-Designer

Salesforce Certified Identity and Access Management Designer (SP19)

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Universal Container's (UC) is using Salesforce Experience Cloud site for its container wholesale business. The identity architect wants to an authentication provider for the new site.

Which two options should be utilized in creating an authentication provider? Choose 2 answers

- A. A custom registration handler can be set.
- B. A custom error URL can be set.
- C. The default login user can be set.
- D. The default authentication provider certificate can be set.

Answer: AB

NEW QUESTION 2

A farming enterprise offers smart farming technology to rts farmer customers, which includes a variety of sensors for livestock tracking, pest monitoring, climate monitoring etc. They plan to store all the data in Salesforce. They would also like to ensure timely maintenance of the Installed sensors. They have engaged a salesforce Architect to propose an appropnate way to generate sensor Information In Salesforce.

Which OAuth flow should the architect recommend?

- A. OAuth 2.0 Asset Token Flow
- B. OAuth 2.0 Device Authentication Row
- C. OAuth 2.0 JWT Bearer Token Flow
- D. OAuth 2.0 SAML Bearer Assertion Flow

Answer: A

NEW QUESTION 3

Universal Containers (UC) is both a Salesforce and Google Apps customer. The UC IT team would like to manage the users for both systems in a single place to reduce administrative burden. Which two optimal ways can the IT team provision users and allow Single Sign-on between Salesforce and Google Apps ? Choose 2 answers

- A. Build a custom app running on Heroku as the Identity Provider that can sync user information between Salesforce and Google Apps.
- B. Use a third-party product as the Identity Provider for both Salesforce and Google Apps and manage the provisioning from there.
- C. Use Identity Connect as the Identity Provider for both Salesforce and Google Apps and manage the provisioning from there.
- D. Use Salesforce as the Identity Provider and Google Apps as a Service Provider and configure User Provisioning for Connected Apps.

Answer: BD

NEW QUESTION 4

Northern Trail Outfitters (NTO) is planning to roll out a partner portal for its distributors using Experience Cloud. NTO would like to use an external identity provider (IdP) and for partners to register for access to the portal. Each partner should be allowed to register only once to avoid duplicate accounts with Salesforce.

What should a identity architect recommend to create partners?

- A. On successful creation of Partners using Self Registration page in Experience Cloud, create identity in Ping.
- B. Create a custom page m Experience Cloud to self register partner with Experience Cloud and Ping identity store.
- C. Create a custom web page in the Portal and create users in the IdP and Experience Cloud using published APIs.
- D. Allow partners to register through the IdP and create partner users in Salesforce through an API.

Answer: B

NEW QUESTION 5

Universal containers (UC) wants to implement Delegated Authentication for a certain subset of Salesforce users. Which three items should UC take into consideration while building the Web service to handle the Delegated Authentication request? Choose 3 answers

- A. The web service needs to include Source IP as a method parameter.
- B. UC should whitelist all salesforce ip ranges on their corporate firewall.
- C. The web service can be written using either the soap or rest protocol.
- D. Delegated Authentication is enabled for the system administrator profile.
- E. The return type of the Web service method should be a Boolean value

Answer: ABE

NEW QUESTION 6

Universal Containers (UC) is setting up delegated authentication to allow employees to log in using their corporate credentials. UC's security team is concerned about the risks of exposing the corporate login service on the internet and has asked that a reliable trust mechanism be put in place between the login service and Salesforce.

What mechanism should an Architect put in place to enable a trusted connection between the login service and Salesforce?

- A. Require the use of Salesforce security tokens on passwords.
- B. Enforce mutual authentication between systems using SSL.
- C. Include Client Id and Client Secret in the login header callout.
- D. Set up a proxy service for the login service in the DMZ.

Answer: A

NEW QUESTION 7

An Architect needs to advise the team that manages the Identity Provider how to differentiate Salesforce from other Service Providers. What SAML SSO setting in Salesforce provides this capability?

- A. Identity Provider Login URL.
- B. Issuer.
- C. Entity Id
- D. SAML Identity Location.

Answer: C

NEW QUESTION 8

Northern Trail Outfitters is implementing a business-to-business (B2B) collaboration site using Salesforce Experience Cloud. The partners will authenticate with an existing identity provider and the solution will utilize Security Assertion Markup Language (SAML) to provide single sign-on to Salesforce. Delegated administration will be used in the Experience Cloud site to allow the partners to administer their users' access.

How should a partner identity be provisioned in Salesforce for this solution?

- A. Create only a contact.
- B. Create a contactless user.
- C. Create a user and a related contact.
- D. Create a person account.

Answer: C

NEW QUESTION 9

Universal Containers wants to implement SAML SSO for their internal Salesforce users using a third-party IdP. After some evaluation, UC decides not to set up My Domain for their Salesforce org. How does that decision impact their SSO implementation?

- A. SP-initiated SSO will not work.
- B. Neither SP- nor IdP-initiated SSO will work.
- C. Either SP- or IdP-initiated SSO will work.
- D. IdP-initiated SSO will not work.

Answer: B

NEW QUESTION 10

Sales users at Universal Containers use Salesforce for Opportunity management. Marketing uses a third-party application called Nest for Lead nurturing that is accessed using username/password. The VP of sales wants to open up access to Nest for all sales users to provide them access to lead history and would like SSO for better adoption. Salesforce is already setup for SSO and uses Delegated Authentication. Nest can accept username/Password or SAML-based Authentication. IT teams have received multiple password-related issues for Nest and have decided to set up SSO access for Nest for Marketing users as well. The CIO does not want to invest in a new IDP solution and is considering using Salesforce for this purpose. Which are appropriate license type choices for sales and marketing users, given Salesforce is using Delegated Authentication? Choose 2 answers

- A. Salesforce license for sales users and Identity license for Marketing users
- B. Salesforce license for sales users and External Identity license for Marketing users
- C. Identity license for sales users and Identity connect license for Marketing users
- D. Salesforce license for sales users and platform license for Marketing users.

Answer: AD

NEW QUESTION 10

Northern Trail Outfitters (NTO) uses Salesforce Experience Cloud sites (previously known as Customer Community) to provide a digital portal where customers can login using their Google account.

NTO would like to automatically create a case record for first time users logging into Salesforce Experience Cloud.

What should an Identity architect do to fulfill the requirement?

- A. Configure an authentication provider for Social Login using Google and a custom registration handler.
- B. Implement a Just-in-Time handler class that has logic to create cases upon first login.
- C. Create an authentication provider for Social Login using Google and leverage standard registration handler.
- D. Implement a login flow with a record create component for Case.

Answer: D

NEW QUESTION 13

Universal Containers (UC) has decided to use Identity Connect as its identity provider. UC uses Active Directory (AD) and has a team that is very familiar and comfortable with managing AD groups. UC would like to use AD groups to help configure Salesforce users. Which three actions can AD groups control through Identity Connect? Choose 3 answers

- A. Public Group Assignment
- B. Granting report folder access
- C. Role Assignment
- D. Custom permission assignment
- E. Permission sets assignment

Answer: ACE

NEW QUESTION 18

Which two things should be done to ensure end users can only use single sign-on (SSO) to login in to Salesforce?

Choose 2 answers

- A. Enable My Domain and select "Prevent login from <https://login.salesforce.com>".
- B. Request Salesforce Support to enable delegated authentication.
- C. Once SSO is enabled, users are only able to login using Salesforce credentials.
- D. Assign user "is Single Sign-on Enabled" permission via profile or permission set.

Answer: AD

NEW QUESTION 23

Users logging into Salesforce are frequently prompted to verify their identity.

The identity architect is required to provide recommendations so that frequency of prompt verification can be reduced.

What should the identity architect recommend to meet the requirement?

- A. Implement 2FA authentication for the Salesforce org.
- B. Set trusted IP ranges for the organization.
- C. Implement an single sign-on for Salesforce using an external identity provider.
- D. Implement multi-factor authentication for the Salesforce org.

Answer: B

NEW QUESTION 25

Universal Containers (UC) is building a custom Innovation platform on their Salesforce instance. The Innovation platform will be written completely in Apex and Visualforce and will use custom objects to store the Data. UC would like all users to be able to access the system without having to log in with Salesforce credentials. UC will utilize a third-party idp using SAML SSO. What is the optimal Salesforce licence type for all of the UC employees?

- A. Identity Licence.
- B. Salesforce Licence.
- C. External Identity Licence.
- D. Salesforce Platform Licence.

Answer: D

NEW QUESTION 30

An Identity and Access Management (IAM) architect is tasked with unifying multiple B2C Commerce sites and an Experience Cloud community with a single identity. The solution needs to support more than 1,000 logins per minute.

What should the IAM do to fulfill this requirement?

- A. Configure both the community and the commerce sites as OAuth2 RPs (relying party) with an external identity provider.
- B. Configure community as a Security Assertion Markup Language (SAML) identity provider and enable Just-in-Time Provisioning to B2C Commerce.
- C. Create a default account for capturing all ecommerce contacts registered on the community because personAccount is not supported for this case.
- D. Confirm performance considerations with Salesforce Customer Support due to high peaks.

Answer: D

NEW QUESTION 32

The executive sponsor for an organization has asked if Salesforce supports the ability to embed a login widget into its service providers in order to create a more seamless user experience.

What should be used and considered before recommending it as a solution on the Salesforce Platform?

- A. OpenID Connect Web Server Flow
- B. Determine if the service provider is secure enough to store the client secret on.
- C. Embedded Logi
- D. Identify what level of UI customization will be required to make it match the service providers look and feel.
- E. Salesforce REST api
- F. Ensure that Secure Sockets Layer (SSL) connection for the integration is used.
- G. Embedded Logi
- H. Consider whether or not it relies on third party cookies which can cause browser compatibility issues.

Answer: C

NEW QUESTION 36

Universal Containers wants to set up SSO for a selected group of users to access external applications from Salesforce through App launcher. Which three steps must be completed in Salesforce to accomplish the goal?

- A. Associate user profiles with the connected Apps.
- B. Complete my domain and Identity provider setup.
- C. Create connected apps for the external applications.
- D. Complete single Sign-on settings in security controls.
- E. Create named credentials for each external system.

Answer: ABC

NEW QUESTION 39

Which two are valid choices for digital certificates when setting up two-way SSL between Salesforce and an external system. Choose 2 answers

- A. Use a trusted CA-signed certificate for Salesforce and a trusted CA-signed cert for the external system

- B. Use a trusted CA-signed certificate for salesforce and a self-signed cert for the external system
- C. Use a self-signed certificate for salesforce and a self-signed cert for the external system
- D. Use a self-signed certificate for salesforce and a trusted CA-signed cert for the external system

Answer: CD

NEW QUESTION 41

In a typical SSL setup involving a trusted party and trusting party, what consideration should an Architect take into account when using digital certificates?

- A. Use of self-signed certificate leads to lower maintenance for trusted party because multiple self-signed certs need to be maintained.
- B. Use of self-signed certificate leads to higher maintenance for trusted party because they have to act as the trusted CA
- C. Use of self-signed certificate leads to lower maintenance for trusting party because there is no trusted CA cert to maintain.
- D. Use of self-signed certificate leads to higher maintenance for trusting party because the cert needs to be added to their truststore.

Answer: C

NEW QUESTION 46

Which two security risks can be mitigated by enabling Two-Factor Authentication (2FA) in Salesforce? Choose 2 answers

- A. Users leaving laptops unattended and not logging out of Salesforce.
- B. Users accessing Salesforce from a public Wi-Fi access point.
- C. Users choosing passwords that are the same as their Facebook password.
- D. Users creating simple-to-guess password reset questions.

Answer: BC

NEW QUESTION 49

Universal containers (UC) has an e-commerce website while customers can buy products, make payments, and manage their accounts. UC decides to build a customer Community on Salesforce and wants to allow the customers to access the community for their accounts without logging in again. UC decides to implement ansp-Initiated SSO using a SAML-BASED complaint IDP. In this scenario where salesforce is the service provider, which two activities must be performed in salesforce to make sp-Initiated SSO work? Choose 2 answers

- A. Configure SAML SSO settings.
- B. Configure Delegated Authentication
- C. Create a connected App
- D. Set up my domain

Answer: AD

NEW QUESTION 52

Which two capabilities does My Domain enable in the context of a SAML SSO configuration? Choose 2 answers

- A. App Launcher
- B. Resource deep linking
- C. SSO from Salesforce Mobile App
- D. Login Forensics

Answer: BC

NEW QUESTION 54

Universal containers (UC) is setting up their customer Community self-registration process. They are uncomfortable with the idea of assigning new users to a default account record. What will happen when customers self-register in the community?

- A. The self-registration process will produce an error to the user.
- B. The self-registration page will ask user to select an account.
- C. The self-registration process will create a person Account record.
- D. The self-registration page will create a new account record.

Answer: A

NEW QUESTION 57

An Identity architect works for a multinational, multi-brand organization. As they work with the organization to understand their Customer Identity and Access Management requirements, the identity architect learns that the brand experience is different for each of the customer's sub-brands and each of these branded experiences must be carried through the login experience depending on which sub-brand the user is logging into.


Which solution should the architect recommend to support scalability and reduce maintenance costs, if the organization has more than 150 sub-brands?

- A. Assign each sub-brand a unique Experience ID and use the Experience ID to dynamically brand the login experience.
- B. Use Audiences to customize the login experience for each sub-brand and pass an audience ID to the community during the OAuth and Security Assertion Markup Language (SAML) flows.
- C. Create a community subdomain for each sub-brand and customize the look and feel of the Login page for each community subdomain to match the brand.
- D. Create a separate Salesforce org for each sub-brand so that each sub-brand has complete control over the user experience.

Answer: A

NEW QUESTION 62

A multinational company is looking to rollout Salesforce globally. The company has a Microsoft Active Directory Federation Services (ADFS) implementation for the Americas, Europe and APAC. The company plans to have a single org and they would like to have all of its users access Salesforce using the ADFS. The company would like to limit its investments and prefer not to procure additional applications to satisfy the requirements.



What is recommended to ensure these requirements are met ?

- A. Use connected apps for each ADFS implementation and implement Salesforce site to authenticate users across the ADFS system applicable to their geo.
- B. Implement Identity Connect to provide single sign-on to Salesforce and federated across multiple ADFS systems.
- C. Add a central identity system that federates between the ADFS systems and integrate with Salesforce for single sign-on.
- D. Configure Each ADFS system under single sign-on settings and allow users to choose the system to authenticate during sign on to Salesforce

Answer: B

NEW QUESTION 65

Northern Trail Outfitters (NTO) has an existing custom business-to-consumer (B2C) website that does NOT support single sign-on standards, such as Security Assertion Markup Language (SAML) or OAuth. NTO wants to use Salesforce Identity to register and authenticate new customers on the website. Which two Salesforce features should an identity architect use in order to provide username/password authentication for the website? Choose 2 answers

- A. Identity Connect
- B. Delegated Authentication
- C. Connected Apps
- D. Embedded Login

Answer: BD

NEW QUESTION 70

Northern Trail Outfitters (NTO) uses a Security Assertion Markup Language (SAML)-based Identity Provider (IdP) to authenticate employees to all systems. The IdP authenticates users against a Lightweight Directory Access Protocol (LDAP) directory and has access to user information. NTO wants to minimize Salesforce license usage since only a small percentage of users need Salesforce.

What is recommended to ensure new employees have immediate access to Salesforce using their current IdP?

- A. Install Salesforce Identity Connect to automatically provision new users in Salesforce the first time they attempt to login.
- B. Build an integration that queries LDAP periodically and creates new active users in Salesforce.
- C. Configure Just-in-Time provisioning using SAML attributes to create new Salesforce users as necessary when a new user attempts to login to Salesforce.
- D. Build an integration that queries LDAP and creates new inactive users in Salesforce and use a login flow to activate the user at first login.

Answer: C

NEW QUESTION 72

What are three capabilities of Delegated Authentication? Choose 3 answers

- A. It can be assigned by Custom Permissions.
- B. It can connect to SOAP services.
- C. It can be assigned by Permission Sets.
- D. It can be assigned by Profiles.
- E. It can connect to REST services.

Answer: BCE

NEW QUESTION 75

Universal Containers (UC) wants to implement SAML SSO for their internal of Salesforce users using a third-party IdP. After some evaluation, UC decides NOT to set up My Domain for their Salesforce org. How does that decision impact their SSO implementation?

- A. IdP-initiated SSO will NOT work.
- B. Neither SP- nor IdP-initiated SSO will work.
- C. Either SP- or IdP-initiated SSO will work.
- D. SP-initiated SSO will NOT work

Answer: B

NEW QUESTION 76

Universal Containers is implementing a new Experience Cloud site and the identity architect wants to use dynamic branding features as of the login process. Which two options should the identity architect recommend to support dynamic branding for the site? Choose 2 answers

- A. To use dynamic branding, the community must be built with the Visuaiforce + Salesforce Tabs template.
- B. To use dynamic branding, the community must be built with the Customer Account Portal template.
- C. An experience ID (expid) or placeholder parameter must be used in the URL to represent the brand.
- D. An external content management system (CMS) must be used for dynamic branding on Experience Cloud sites.

Answer: BC

NEW QUESTION 78

Universal Containers (UC) has built a custom token-based Two-factor authentication (2FA) system for their existing on-premise applications. They are now implementing Salesforce and would like to enable a Two-factor login process for it, as well. What is the recommended solution as Architect should consider?

- A. Use the custom 2FA system for on-premise applications and native 2FA for Salesforce.
- B. Replace the custom 2FA system with an AppExchange App that supports on premise application and salesforce.
- C. Use Custom Login Flows to connect to the existing custom 2FA system for use in Salesforce.
- D. Replace the custom 2FA system with Salesforce 2FA for on-premise applications and Salesforce.

Answer: D

NEW QUESTION 82

In an SP-Initiated SAML SSO setup where the user tries to access a resource on the Service Provider, What HTTP param should be used when submitting a SAML Request to the Idp to ensure the user is returned to the intended resource after authentication?

- A. RedirectURL
- B. RelayState
- C. DisplayState
- D. StartURL

Answer: B

NEW QUESTION 86

Universal containers (UC) has built a custom based Two-factor Authentication (2fa) system for their existing on-premise applications. Thru are now implementing salesforce and would like to enable a Two-factor login process for it, as well. What is the recommended solution an architect should consider?

- A. Replace the custom 2fa system with salesforce 2fa for on-premise application and salesforce.
- B. Use the custom 2fa system for on-premise applications and native 2fa for salesforce.
- C. Replace the custom 2fa system with an app exchange app that supports on-premise applications and salesforce.
- D. Use custom login flows to connect to the existing custom 2fa system for use in salesforce.

Answer: D

NEW QUESTION 90

Universal containers (UC) has a mobile application that it wants to deploy to all of its salesforce users, including customer Community users. UC would like to minimize the administration overhead, which two items should an architect recommend? Choose 2 answers

- A. Enable the "Refresh Tokens is valid until revoked " setting in the Connected App.
- B. Enable the "Enforce Ip restrictions" settings in the connected App.
- C. Enable the "All users may self-authorize" setting in the Connected App.
- D. Enable the "High Assurance session required" setting in the Connected App.

Answer: AC

NEW QUESTION 92

Universal containers (UC) would like to enable SAML-BASED SSO for a salesforce partner community. UC has an existing ldap identity store and a third-party portal. They would like to use the existing portal as the primary site these users access, but also want to allow seamless access to the partner community. What SSO flow should an architect recommend?

- A. User-Agent
- B. IDP-initiated
- C. Sp-Initiated
- D. Web server

Answer: B

NEW QUESTION 95

Universal Containers is considering using Delegated Authentication as the sole means of Authenticating of Salesforce users. A Salesforce Architect has been brought in to assist with the implementation. What two risks Should the Architect point out? Choose 2 answers

- A. Delegated Authentication is enabled or disabled for the entire Salesforce org.
- B. UC will be required to develop and support a custom SOAP web service.
- C. Salesforce users will be locked out of Salesforce if the web service goes down.
- D. The web service must reside on a public cloud service, such as Heroku.

Answer: BC

NEW QUESTION 99

A large consumer company is planning to create a community and will require login through the customers social identity. The following requirements must be met:

- * 1. The customer should be able to login with any of their social identities, however salesforce should only have one user per customer.
- * 2. Once the customer has been identified with a social identity, they should not be required to authorize Salesforce.
- * 3. The customers personal details from the social sign on need to be captured when the customer logs into Salesforce using their social Identity.
- * 3. If the customer modifies their personal details in the social site, the changes should be updated in Salesforce.

Which two options allow the Identity Architect to fulfill the requirements? Choose 2 answers

- A. Use Login Flows to call an authentication registration handler to provision the user before logging the user into the community.
- B. Use authentication providers for social sign-on and use the custom registration handler to insert or update personal details.
- C. Redirect the user to a custom page that allows the user to select an existing social identity for login.
- D. Use the custom registration handler to link social identities to Salesforce identities.

Answer: BD

NEW QUESTION 103

Universal Containers (UC) wants to build a custom mobile app for their field reps to create orders in salesforce. After the first time the users log in, they must be able to access salesforce upon opening the mobile app without being prompted to log in again. What OAuth flows should be considered to support this requirement?

- A. Web Server flow with a Refresh Token.
- B. Mobile Agent flow with a Bearer Token.
- C. User Agent flow with a Refresh Token.
- D. SAML Assertion flow with a Bearer Token.

Answer: C

NEW QUESTION 105

How should an identity architect automate provisioning and deprovisioning of users into Salesforce from an external system?

- A. Call SOAP API upsertQ on user object.
- B. Use Security Assertion Markup Language Just-in-Time (SAML JIT) on incoming SAML assertions.
- C. Run registration handler on incoming OAuth responses.
- D. Call OpenID Connect (OIDC)-userinfo endpoint with a valid access token.

Answer: C

NEW QUESTION 106

Northern Trail Outfitters (NTO) is setting up Salesforce to authenticate users with an external identity provider. The NTO Salesforce Administrator is having trouble getting things setup.

What should an identity architect use to show which part of the login assertion is failing?

- A. SAML Metadata file importer
- B. Identity Provider Metadata download
- C. Connected App Manager
- D. Security Assertion Markup Language Validator

Answer: D

NEW QUESTION 109

Containers (UC) uses an internal system for recruiting and would like to have the candidates' info available in the Salesforce automatically when they are selected.

UC decides to use OAuth to connect to Salesforce from the recruiting system and would like to do the authentication using digital certificates. Which two OAuth flows should be considered to meet the requirement? Choose 2 answers

- A. JWT Bearer Token flow
- B. Refresh Token flow
- C. SAML Bearer Assertion flow
- D. Web Service flow

Answer: AC

NEW QUESTION 110

The security team at Universal containers(UC) has identified exporting reports as a high-risk action and would like to require users to be logged into salesforce with their active directory (AD) credentials when doing so. For all other uses of Salesforce, Users should be allowed to use AD credentials or salesforce credentials. What solution should be recommended to prevent exporting reports except when logged in using AD credentials while maintaining the ability to view reports when logged in with salesforce credentials?

- A. Use SAML Federated Authentication and Custom SAML jit provisioning to dynamically add or remove a permission set that grants the Export Reports permission.
- B. Use SAML Federated Authentication, treat SAML sessions as high assurance, and raise the session level required for exporting reports.
- C. Use SAML Federated Authentication and block access to reports when accesses through a standard assurance session.
- D. Use SAML Federated Authentication with a login flow to dynamically add or remove a permission set that grants the export reports permission.

Answer: C

NEW QUESTION 113

Universal Containers (UC) has implemented a multi-org architecture in their company. Many users have licences across multiple orgs, and they are complaining about remembering which org and credentials are tied to which business process. Which two recommendations should the Architect make to address the Complaints? Choose 2 answers

- A. Activate My Domain to Brand each org to the specific business use case.
- B. Implement SP-Initiated Single Sign-on flows to allow deep linking.
- C. Implement IdP-Initiated Single Sign-on flows to allow deep linking.
- D. Implement Delegated Authentication from each org to the LDAP provider.

Answer: AB

NEW QUESTION 114

Universal containers (UC) has multiple salesforce orgs and would like to use a single identity provider to access all of their orgs. How should UC'S architect enable this behavior?

- A. Ensure that users have the same email value in their user records in all of UC's salesforce orgs.
- B. Ensure the same username is allowed in multiple orgs by contacting salesforce support.
- C. Ensure that users have the same Federation ID value in their user records in all of UC's salesforce orgs.
- D. Ensure that users have the same alias value in their user records in all of UC's salesforce orgs.

Answer: C

NEW QUESTION 115

Universal Containers (UC) plans to use a SAML-based third-party IdP serving both of the Salesforce Partner Community and the corporate portal. UC partners will log in 65* to the corporate portal to access protected resources, including links to Salesforce resources. What would be the recommended way to configure the IdP so that seamless access can be achieved in this scenario?

- A. Set up the corporate portal as a Connected App in Salesforce and use the Web server OAuth flow.
- B. Configure SP-initiated SSO that passes the SAML token upon Salesforce resource access request.
- C. Set up the corporate portal as a Connected App in Salesforce and use the User Agent OAuth flow.
- D. Configure IdP-initiated SSO that passes the SAML token upon Salesforce resource access request.

Answer: D

NEW QUESTION 118

Universal Containers is creating a mobile application that will be secured by Salesforce Identity using the OAuth 2.0 user-agent flow (this flow uses the OAuth 2.0 implicit grant type).

Which three OAuth concepts apply to this flow? Choose 3 answers

- A. Client ID
- B. Refresh Token
- C. Authorization Code
- D. Verification Code
- E. Scopes

Answer: ABE

NEW QUESTION 123

Universal Containers (UC) has Active Directory (AD) as their enterprise identity store and would like to use it for Salesforce user authentication. UC expects to synchronize user data between Salesforce and AD and Assign the appropriate Profile and Permission Sets based on AD group membership. What would be the optimal way to implement SSO?

- A. Use Active Directory with Reverse Proxy as the Identity Provider.
- B. Use Microsoft Access control Service as the Authentication provider.
- C. Use Active Directory Federation Service (ADFS) as the Identity Provider.
- D. Use Salesforce Identity Connect as the Identity Provider.

Answer: D

NEW QUESTION 128

Universal containers(UC) wants to integrate a third-party reward calculation system with salesforce to calculate rewards. Rewards will be calculated on a schedule basis and update back into salesforce. The integration between Salesforce and the reward calculation system needs to be secure. Which are the recommended best practices for using Oauth flows in this scenario? Choose 2 answers

- A. Oauth refresh token flow
- B. Oauth SAML bearer assertion flow
- C. Oauthjwt bearer token flow
- D. Oauth Username-password flow

Answer: BC

NEW QUESTION 132

A division of a Northern Trail Outfitters (NTO) purchased Salesforce. NTO uses a third party identity provider (IdP) to validate user credentials against its corporate Lightweight Directory Access Protocol (LDAP) directory. NTO wants to help employees remember as passwords as possible. What should an identity architect recommend?

- A. Setup Salesforce as a Service Provider to the existing IdP.
- B. Setup Salesforce as an IdP to authenticate against the LDAP directory.
- C. Use Salesforce connect to synchronize LDAP passwords to Salesforce.
- D. Setup Salesforce as an Authentication Provider to the existing IdP.

Answer: A

NEW QUESTION 135

Universal Containers (UC) uses Salesforce for its customer service agents. UC has a proprietary system for order tracking which supports Security Assertion Markup Language (SAML) based single sign-on. The VP of customer service wants to ensure only active Salesforce users should be able to access the order tracking system which is only visible within Salesforce.

What should be done to fulfill the requirement? Choose 2 answers

- A. Setup Salesforce as an identity provider (IdP) for order Tracking.
- B. Set up the Corporate Identity store as an identity provider (IdP) for Order Tracking,
- C. Customize Order Tracking to initiate a REST call to validate users in Salesforce after login.
- D. Setup Order Tracking as a Canvas app in Salesforce to POST IdP initiated SAML assertion.

Answer: AB

NEW QUESTION 139

Universal Containers (UC) has implemented SAML-based SSO solution for use with their multi-org Salesforce implementation, utilizing one of the the orgs as the Identity Provider. One user is reporting that they can log in to the Identity Provider org but get a generic SAML error message when accessing the other orgs.

Which two considerations should the architect review to troubleshoot the issue? Choose 2 answers

- A. The Federation ID must be a valid Salesforce Username
- B. The Federation ID must be case sensitive
- C. The Federation ID must be in the form of an email address.
- D. The Federation ID must be populated on the user record.

Answer: BD

NEW QUESTION 142

Universal Containers (UC) has a mobile application for its employees that uses data from Salesforce as well as uses Salesforce for Authentication purposes. UC wants its mobile users to only enter their credentials the first time they run the app. The application has been live for a little over 6 months, and all of the users who were part of the initial launch are complaining that they have to re-authenticate. UC has also recently changed the URI Scheme associated with the mobile app. What should the Architect at UC first investigate? Universal Containers (UC) has a mobile application for its employees that uses data from Salesforce as well as uses Salesforce for Authentication purposes. UC wants its mobile users to only enter their credentials the first time they run the app. The application has been live for a little over 6 months, and all of the users who were part of the initial launch are complaining that they have to re-authenticate. UC has also recently changed the URI Scheme associated with the mobile app. What should the Architect at UC first investigate?

- A. Check the Refresh Token policy defined in the Salesforce Connected App.
- B. Validate that the users are checking the box to remember their passwords.
- C. Verify that the Callback URL is correctly pointing to the new URI Scheme.
- D. Confirm that the access Token's Time-To-Live policy has been set appropriately.

Answer: A

NEW QUESTION 146

Universal Containers (UC) wants to use Salesforce for sales orders and a legacy system for order fulfillment. The legacy system must update the status of orders in Salesforce in real time as they are fulfilled. UC decides to use OAuth for connecting the legacy system to Salesforce. What OAuth flow should be considered that doesn't require storing credentials, client secret or refresh tokens?

- A. Web Server flow
- B. JWT Bearer Token flow
- C. Username-Password flow
- D. User Agent flow

Answer: B

NEW QUESTION 149

Universal Containers (UC) has an existing web application that it would like to access from Salesforce without requiring users to re-authenticate. The web application is owned by UC and the UC team that is responsible for it is willing to add new javascript code and/or libraries to the application. What implementation should an Architect recommend to UC?

- A. Create a Canvas app and use Signed Requests to authenticate the users.
- B. Rewrite the web application as a set of Visualforce pages and Apex code.
- C. Configure the web application as an item in the Salesforce App Launcher.
- D. Add the web application as a ConnectedApp using OAuth User-Agent flow.

Answer: A

NEW QUESTION 150

Universal Containers (UC) has implemented an SP-Initiated SAML flow between an external IDP and Salesforce. A user at UC is attempting to login to Salesforce for the first time and is being prompted for Salesforce credentials instead of being shown the IDP login page. What is the likely cause of the issue?

- A. The "Redirect to Identity Provider" option has been selected in the my domain configuration.
- B. The user has not configured the Salesforce1 mobile app to use my domain for login
- C. The "Redirect to identity provider" option has not been selected in the SAML configuration.
- D. The user has not been granted the "Enable single Sign-on" permission

Answer: B

NEW QUESTION 152

The security team at Universal Containers (UC) has identified exporting reports as a high-risk action and would like to require users to be logged into Salesforce with their Active Directory (AD) credentials when doing so. For all other users of Salesforce, users should be allowed to use AD Credentials or Salesforce credentials. What solution should be recommended to prevent exporting reports except when logged in using AD credentials while maintaining the ability to view reports when logged in with Salesforce credentials?

- A. Use SAML Federated Authentication and block access to reports when accessed through a Standard Assurance session.
- B. Use SAML Federated Authentication and Custom SAML JIT Provisioning to dynamically add or remove a permission set that grants the Export Reports Permission.
- C. Use SAML federated Authentication, treat SAML Sessions as High Assurance, and raise the session level required for exporting reports.
- D. Use SAML federated Authentication with a Login Flow to dynamically add or remove a Permission Set that grants the Export Reports Permission.

Answer: C

NEW QUESTION 153

Universal Containers (UC) wants to build a mobile application that will be making calls to the Salesforce REST API. UC's Salesforce implementation relies heavily on custom objects and custom Apex code. UC does not want its users to have to enter credentials every time they use the app. Which two scope values should an Architect recommend to UC? Choose 2 answers.

- A. Custom_permissions
- B. Api
- C. Refresh_token
- D. Full

Answer: BC

NEW QUESTION 158

Universal Containers built a custom mobile app for their field reps to create orders in Salesforce. OAuth is used for authenticating mobile users. The app is built in such a way that when a user session expires after initial login, a new access token is obtained automatically without forcing the user to log in again. While that improved the field reps' productivity, UC realized that they need a "logout" feature.

What should the logout function perform in this scenario, where user sessions are refreshed automatically?

- A. Invoke the revocation URL and pass the refresh token.
- B. Clear out the client ID to stop auto session refresh.
- C. Invoke the revocation URL and pass the access token.
- D. Clear out all the tokens to stop auto session refresh.

Answer: A

NEW QUESTION 161

How should an Architect automatically redirect users to the login page of the external Identity provider when using an SP-Initiated SAML flow with Salesforce as a Service Provider?

- A. Use Visualforce as the landing page for My Domain to redirect users to the Identity Provider login page.
- B. Enable the Redirect to the Identity Provider setting under Authentication Services on the My Domain Configuration.
- C. Remove the Login page from the list of Authentication Services on the My Domain configuration.
- D. Set the Identity Provider as default and enable the Redirect to the Identity Provider setting on the SAML Configuration.

Answer: C

NEW QUESTION 163

Universal Containers (UC) is using a custom application that will act as the Identity Provider and will generate SAML assertions used to log in to Salesforce. UC is considering including custom parameters in the SAML assertion. These attributes contain sensitive data and are needed to authenticate the users. The assertions are submitted to Salesforce via a browser form post. The majority of the users will only be able to access Salesforce via UC's corporate network, but a subset of admins and executives would be allowed access from outside the corporate network on their mobile devices. Which two methods should an Architect consider to ensure that the sensitive data cannot be tampered with, nor accessible to anyone while in transit?

- A. Use the Identity Provider's certificate to digitally sign and Salesforce's Certificate to encrypt the payload.
- B. Use Salesforce's Certificate to digitally sign the SAML Assertion and a Mobile Device Management client on the users' mobile devices.
- C. Use the Identity provider's certificate to digitally sign and the Identity provider's certificate to encrypt the payload.
- D. Use a custom login flow to retrieve sensitive data using an Apex callout without including the attributes in the assertion.

Answer: AC

NEW QUESTION 167

Northern Trail Outfitters (NTO) wants to give customers the ability to submit and manage issues with their purchases. It is important for to give its customers the ability to login with their Facebook and Twitter credentials.

Which two actions should an identity architect recommend to meet these requirements? Choose 2 answers

- A. Create a custom external authentication provider for Facebook.
- B. Configure a predefined authentication provider for Facebook.
- C. Create a custom external authentication provider for Twitter.
- D. Configure a predefined authentication provider for Twitter.

Answer: BD

NEW QUESTION 172

A web service is developed that allows secure access to customer order status on the Salesforce Platform, The service connects to Salesforce through a connected app with the web server flow. The following are the required actions for the authorization flow:

- * 1. User Authenticates and Authorizes Access
- * 2. Request an Access Token
- * 3. Salesforce Grants an Access Token
- * 4. Request an Authorization Code
- * 5. Salesforce Grants Authorization Code

What is the correct sequence for the authorization flow?

- A. 1, 4, 5, 2, 3
- B. 4, 1, 5, 2, 3
- C. 2, 1, 3, 4, 5
- D. 4,5,2, 3, 1

Answer: D

NEW QUESTION 175

Universal containers (UC) has a custom, internal-only, mobile billing application for users who are commonly out of the office. The app is configured as a connected App in salesforce. Due to the nature of this app, UC would like to take the appropriate measures to properly secure access to the app. Which two are recommendations to make the UC? Choose 2 answers

- A. Disallow the use of single Sign-on for any users of the mobile app.
- B. Require high assurance sessions in order to use the connected App
- C. Use Google Authenticator as an additional part of the logical processes.
- D. Set login IP ranges to the internal network for all of the app users profiles.

Answer: BC

NEW QUESTION 180

Which two considerations should be made when implementing Delegated Authentication? Choose 2 answers

- A. The authentication web service can include custom attributes.
- B. It can be used to authenticate API clients and mobile apps.
- C. It requires trusted IP ranges at the User Profile level.
- D. Salesforce servers receive but do not validate a user's credentials.
- E. Just-in-time Provisioning can be configured for new users.

Answer: BE

NEW QUESTION 185

A Salesforce customer is implementing Sales Cloud and a custom pricing application for its call center agents. An Enterprise single sign-on solution is used to authenticate and sign-in users to all applications. The customer has the following requirements:

- * 1. The development team has decided to use a Canvas app to expose the pricing application to agents.
- * 2. Agents should be able to access the Canvas app without needing to log in to the pricing application.

Which two options should the identity architect consider to provide support for the Canvas app to initiate login for users?

Choose 2 answers

- A. Select "Enable as a Canvas Personal App" in the connected app settings.
- B. Enable OAuth settings in the connected app with required OAuth scopes for the pricing application.
- C. Configure the Canvas app as a connected app and set Admin-approved users as pre-authorized.
- D. Enable SAML in the connected app and Security Assertion Markup Language (SAML) Initiation Method as Service Provider Initiated.

Answer: CD

NEW QUESTION 189

architect is troubleshooting some SAML-based SSO errors during testing. The Architect confirmed that all of the Salesforce SSO settings are correct. Which two issues outside of the Salesforce SSO settings are most likely contributing to the SSO errors the Architect is encountering? Choose 2 Answers

- A. The Identity Provider is also used to SSO into five other applications.
- B. The clock on the Identity Provider server is twenty minutes behind Salesforce.
- C. The Issuer Certificate from the Identity Provider expired two weeks ago.
- D. The default language for the Identity Provider and Salesforce are Different.

Answer: BC

NEW QUESTION 193

Universal containers (UC) wants to integrate a Web application with salesforce. The UC team has implemented the Oauth web-server Authentication flow for authentication process. Which two considerations should an architect point out to UC? Choose 2 answers

- A. The web application should be hosted on a secure server.
- B. The web server must be able to protect consumer privacy
- C. The flow involves passing the user credentials back and forth.
- D. The flow will not provide an Oauth refresh token back to the server.

Answer: AB

NEW QUESTION 198

Which three are capabilities of SAML-based Federated authentication? Choose 3 answers

- A. Trust relationships between Identity Provider and Service Provider are required.
- B. SAML tokens can be in XML or JSON format and can be used interchangeably.
- C. Web applications with no passwords are more secure and stronger against attacks.
- D. Access tokens are used to access resources on the server once the user is authenticated.
- E. Centralized federation provides single point of access, control and auditing.

Answer: ADE

NEW QUESTION 200

Universal Containers (UC) built an integration for their employees to post, view, and vote for ideas in Salesforce from an internal Company portal. When ideas are posted in Salesforce, links to the ideas are created in the company portal pages as part of the integration process. The Company portal connects to Salesforce using OAuth. Everything is working fine, except when users click on links to existing ideas, they are always taken to the Ideas home page rather than the specific idea, after authorization. Which OAuth URL parameter can be used to retain the original requested page so that a user can be redirected correctly after OAuth authorization?

- A. Redirect_uri
- B. State
- C. Scope
- D. Callback_uri

Answer: A

NEW QUESTION 204

After a recent audit, universal containers was advised to implement Two-factor Authentication for all of their critical systems, including salesforce. Which two actions should UC consider to meet this requirement? Choose 2 answers

- A. Require users to provide their RSA token along with their credentials.
- B. Require users to supply their email and phone number, which gets validated.
- C. Require users to enter a second password after the first Authentication
- D. Require users to use a biometric reader as well as their password

Answer: AD

NEW QUESTION 206

Universal containers (UC) has implemented SAML -based single Sign-on for their salesforce application. UC is using pingfederate as the Identity provider. To access salesforce, Users usually navigate to a bookmarked link to my domain URL. What type of single Sign-on is this?

- A. Sp-Initiated
- B. IDP-initiated with deep linking
- C. IDP-initiated
- D. Web server flow.

Answer: A

NEW QUESTION 210

Northern Trail Outfitters would like to automatically create new employee users in Salesforce with an appropriate profile that maps to its Active Directory Department.

How should an identity architect implement this requirement?

- A. Use the createUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- B. Use the updateUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- C. Use a login flow to collect Security Assertion Markup Language attributes and assign the appropriate profile during Just-In-Time (JIT) provisioning.
- D. Make a callout during the login flow to query department from Active Directory to assign the appropriate profile.

Answer: B

NEW QUESTION 212

A client is planning to rollout multi-factor authentication (MFA) to its internal employees and wants to understand which authentication and verification methods meet the Salesforce criteria for secure authentication.

Which three functions meet the Salesforce criteria for secure mfa? Choose 3 answers

- A. username and password + SMS passcode
- B. Username and password + security key

- C. Third-party single sign-on with Mobile Authenticator app
- D. Certificate-based Authentication
- E. Lightning Login

Answer: BCE

NEW QUESTION 213

Universal Containers is implementing Salesforce Identity to broker authentication from its enterprise single sign-on (SSO) solution through Salesforce to third party applications using SAML.

What role does Salesforce Identity play in its relationship with the enterprise SSO system?

- A. Identity Provider (IdP)
- B. Resource Server
- C. Service Provider (SP)
- D. Client Application

Answer: C

NEW QUESTION 215

Universal Containers uses an Employee portal for their employees to collaborate. Employees access the portal from their company's internal website via SSO. It is set up to work with Active Directory. What is the role of Active Directory in this scenario?

- A. Identity store
- B. Authentication store
- C. Identity provider
- D. Service provider

Answer: C

NEW QUESTION 219

A group of users try to access one of Universal Containers' Connected Apps and receive the following error message: "Failed: Not approved for access." What is the most likely cause of this issue?

- A. The Connected App settings "All users may self-authorize" is enabled.
- B. The Salesforce Administrators have revoked the OAuth authorization.
- C. The Users do not have the correct permission set assigned to them.
- D. The User of High Assurance sessions are required for the Connected App.

Answer: C

NEW QUESTION 220

Universal Containers (UC) is successfully using Delegated Authentication for their Salesforce users. The service supporting Delegated Authentication is written in Java. UC has a new CIO that is requiring all company Web services be RESTful and written in .NET. Which two considerations should the UC Architect provide to the new CIO? Choose 2 answers

- A. Delegated Authentication will not work with a .NET service.
- B. Delegated Authentication will continue to work with REST services.
- C. Delegated Authentication will continue to work with a .NET service.
- D. Delegated Authentication will not work with REST services.

Answer: CD

NEW QUESTION 222

Universal Containers (UC) does not have a domain enabled in the context of a SAML SSO configuration? Choose 2 answers

- A. Resource deep linking
- B. App launcher
- C. SSO from Salesforce1 mobile app.
- D. Login forensics

Answer: AC

NEW QUESTION 227

Northern Trail Outfitters (NTO) is planning to build a new customer service portal and wants to use passwordless login, allowing customers to login with a one-time passcode sent to them via email or SMS.

How should the quantity of required Identity Verification Credits be estimated?

- A. Each community comes with 10,000 Identity Verification Credits per month and only customers with more than 10,000 logins a month should estimate additional SMS verifications needed.
- B. Identity Verification Credits are consumed with each SMS (text message) sent and should be estimated based on the number of login verification challenges for SMS verification users.
- C. Identity Verification Credits are consumed with each verification sent and should be estimated based on the number of logins that will incur a verification challenge.
- D. Identity Verification Credits are a direct add-on license based on the number of existing member-based or login-based Community licenses.

Answer: B

NEW QUESTION 232

A company with 15,000 employees is using Salesforce and would like to take the necessary steps to highlight or curb fraudulent activity.

Which tool should be used to track login data, such as the average number of logins, who logged in more than the average number of times and who logged in during non-business hours?

- A. Login Forensics
- B. Login Report
- C. Login Inspector
- D. Login History

Answer: A

NEW QUESTION 236

Containers (UC) has an existing Customer Community. UC wants to expand the self-registration capabilities such that customers receive a different community experience based on the data they provide during the registration process. What is the recommended approach an Architect Should recommend to UC?

- A. Create an After Insert Apex trigger on the user object to assign specific custom permissions.
- B. Create separate login flows corresponding to the different community user personas.
- C. Modify the Community pages to utilize specific fields on the User and Contact records.
- D. Modify the existing Communities registration controller to assign different profiles.

Answer: C

NEW QUESTION 241

.....

Relate Links

100% Pass Your Identity-and-Access-Management-Designer Exam with ExamBible Prep Materials

<https://www.exambible.com/Identity-and-Access-Management-Designer-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>