



**HP**

## **Exam Questions HPE2-T37**

Using HPE OneView

#### NEW QUESTION 1

You Just downloaded a logical enclosure support dump, but you cannot extract files from the downloaded support dump. What is a likely cause of the issue?

- A. The support dump for Logical Enclosure can be analyzed only using special tool.
- B. The support dump is encrypted and cannot be unpacked
- C. The support dump does not have a valid HPE OneView certificate
- D. The backup user role must be used to extract the support dump

**Answer:** A

#### NEW QUESTION 2

Which statement about M-LAG setup is true?

- A. When combined with IRF, M-LAG will allow you to aggregate ports coming from clustered HPE Synergy Virtual Connect modules.
- B. M-LAG for HPE Synergy can be either single-homed or multi-homed, while for HPE BladeSystem only single-homed.
- C. sFLOW cannot be enabled if M-LAG is configured between HPE Synergy Virtual Connect modules in the same frame.
- D. M-LAG has to be defined manually for HPE BladeSystem, but it is automatically configured for HPE Synergy.

**Answer:** A

#### NEW QUESTION 3

After replacing a failed Compute Module, you notice the server profile is not automatically assigned to the replaced server hardware. What can cause this issue?

- A. iLO firmware of the replacement server is different than firmware in broken server.
- B. Server profile affinity is configured to Device Day + server hardware.
- C. The enclosure group has to be updated to match the original enclosure group.
- D. The replacement server has more memory or CPUs than broken machine.

**Answer:** A

#### NEW QUESTION 4

Which parameters can be defined in a server profile template for HPE Synergy Compute Modules? (Select two.)

- A. partition layout for servers running Linux.
- B. iLO IPv4 or IPv6 address.
- C. local storage and BIOS settings.
- D. NIC teaming setup at OS level.
- E. network and storage connectivity.

**Answer:** CE

#### NEW QUESTION 5

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?

- A. Logical Enclosure
- B. Logical Interconnect Group
- C. Logical Interconnect
- D. Server Profile

**Answer:** A

#### NEW QUESTION 6

Your customer runs VMware ESXi on an HPE Synergy platform. The ESXi systems must have access to 50 VLANs initially. However, this is a dynamic environment, and more VLANs will be added in the future.

They want to add more networks for virtual machines, but they do not want to modify the HPE Virtual Connect configuration.

Which type of the network should the customer define?

- A. Untagged
- B. Internal
- C. Tunnel
- D. Tagged

**Answer:** D







#### Explanation:

Virtual Connect will pass through all tagged packets without modification, and it will be the responsibility of the teaming software to strip/add tags.

#### NEW QUESTION 7

Refer to the exhibit.

## Connections

| ID | Name                        | Network                     | Port            | Boot         |   |   |
|----|-----------------------------|-----------------------------|-----------------|--------------|---|---|
| 1  | e1                          | Eth-1 Untagged              | Mezzanine 3:1-a | Not bootable |  |  |
|    | Type                        | Ethernet                    |                 |              |   |   |
|    | MAC address                 | 94:40:C9:6C:24:24 (p)       |                 |              |   |   |
|    | Requested virtual functions | None                        |                 |              |   |   |
|    | Requested bandwidth         | 2.5 Gb/s                    |                 |              |   |   |
|    | Link Aggregation group      | None                        |                 |              |   |   |
| 2  | f1                          | FC-A Fabric Attach          | Mezzanine 3:1-b | Not bootable |  |  |
|    | Type                        | Fibre Channel               |                 |              |   |   |
|    | WWPN                        | 20:00:94:40:c9:6c:24:26 (p) |                 |              |   |   |
|    | WWNN                        | 10:00:94:40:c9:6c:24:26 (p) |                 |              |   |   |
|    | MAC address                 | 94:40:C9:6C:24:26 (p)       |                 |              |   |   |
|    | Requested bandwidth         | 2.5 Gb/s                    |                 |              |   |   |
| 3  | f2                          | FC-B Fabric Attach          | Mezzanine 3:2-b | Not bootable |  |  |
|    | Type                        | Fibre Channel               |                 |              |   |   |
|    | WWPN                        | 20:00:94:40:c9:6c:24:27 (p) |                 |              |   |   |
|    | WWNN                        | 10:00:94:40:c9:6c:24:27 (p) |                 |              |   |   |
|    | MAC address                 | 94:40:C9:6C:24:27 (p)       |                 |              |   |   |
|    | Requested bandwidth         | 2.5 Gb/s                    |                 |              |   |   |

[Add connection](#)

Which statement about server connections is true?

- A. LACP on downlinks is configured for Ethernet connection
- B. All connections within the server profile are using physical IDs
- C. Ethernet connection is configured to boot from PXE
- D. Storage array is connected directly to an HPE Synergy frame

**Answer:** C

### NEW QUESTION 8

Your customer plans to use HPE OneView to manage a small environment based on HPE ProLiant servers that includes G7 and Gen 10 systems. What should you explain to this customer?

- A. HPE Management Agent must be installed for HPE ProLiant Gen 10 servers.
- B. HPE ProLiant G7 and Gen10 cannot be managed using the same appliance.
- C. Not all of the features will be available for HPE ProLiant G7 systems.
- D. HPE ProLiant Gen 10 servers do not need an HPE OneView license.

**Answer:** C

### NEW QUESTION 9

Which statement about logical JBODs configured using HPE OneView and D3940 Storage Modules is true?

- A. A logical JBOD lifecycle can be associated with a server profile lifecycle and drives can be securely erased.
- B. A logical JBOD cannot be created during server profile creation and must be prepared in advance
- C. Different types of the drives can be used within a logical JBOD as long as they have the same capacity
- D. Logical JBOD functionality must be enabled on the Enclosure Group level by a storage administrator

**Answer:** B

### NEW QUESTION 10

You are creating a Logical Interconnect Group for a three-frame HPE Synergy solution with HPE Virtual Connect SE100Gb F32 Modules for Synergy. In which scenario should you set redundancy for master modules to be highly available?

- A. When storm control or loop protection will be enabled for Virtual Connect modules
- B. When each of the frames has two Virtual Connect modules installed
- C. When each Virtual Connect module is installed in different frame
- D. When each Virtual Connect module is installed in different fabric

**Answer:** A

### NEW QUESTION 10

Your customer wants to use HPE OneView for VMware vCenter Server to simplify management of their VMware cluster running on HPE Synergy. The customer is concerned with the cost of additional licenses. How will you explain licensing rules for this product?

- A. As long as the customer has HPE OneView Global Dashboard deployed, HPE OneView for VMware vCenter Server does not require any additional licenses.
- B. One HPE OneView for VMware vCenter Server license is required per HPE Synergy frame if more than 10 Compute Modules are installed in the frame.
- C. If the number of the HPE Synergy Compute Modules installed in HPE Synergy frame is less than 10, no license is required to use HPE OneView for VMware vCenter Server.

- D. As long as the server is managed using HPE OneView
- E. the customer can use HPE OneView for VMware vCenter Server without additional licenses.

**Answer:** B

#### NEW QUESTION 13

How can your customer implement HPE OneView so that it can be used to manage an HPE ProLiant server and HPE BladeSystem?

- A. As an application running on the server with Windows system.
- B. As a physical appliance based on HPE ProLiant 360 Gen 10.
- C. As an application running on the server with CentOS Linux system
- D. As a virtual appliance running on the supported hypervisor.

**Answer:** D

#### NEW QUESTION 17

You originally configured boot mode for HPE ProLiant Gen10 server to 'Legacy BIOS' in an HPE OneView server profile and deployed an operating system. A few weeks later, you change the boot mode to the 'UEFI optimized' to leverage some features provided by this mode. What must you do next?

- A. reset an iLO management processor to activate the new boot mode for the server
- B. reinstall an operating system, as UEFI is using different drive format than Legacy BIOS
- C. reset BIOS settings to the defaults so UEFI settings can be applied
- D. reset BIOS settings to the defaults through the server profile after changing the boot mode

**Answer:** A

#### NEW QUESTION 18

What is a network set?

- A. It is a collection of all internal networks defined for a specific type of traffic like vSAN or vMotion.
- B. It is a collection of untagged Ethernet networks that form a named group to simplify server profile creation.
- C. It is a collection of tagged Ethernet networks that form a named group to simplify server profile creation.
- D. It is a collection of all networks configured within HPE OneView regardless of network type.

**Answer:** C

#### NEW QUESTION 21

What is the best practice when deploying an HPE OneView appliance?

- A. Enable VMware Fault Tolerance if the appliance is deployed to a VMware hypervisor.
- B. deploy the appliance in a hypervisor cluster that is not managed by OneView.
- C. Use thin-provisioning for the HPE OneView appliance to save storage capacity.
- D. Deploy two HPE OneView appliances and configure them in HA mode.

**Answer:** B

#### NEW QUESTION 26


What is required to add a remote frame to the primary management ring?

- A. UUID of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

**Answer:** D

#### NEW QUESTION 30

Refer to the exhibit.



You discovered that one of the profiles is not compliant with the server profile template. What could cause this profile to be inconsistent with the server profile template?

- A. The server was powered off or rebooted recently and IL0 did not reconnect to HPE OneView.
- B. HPE OneView was restored from a backup that created inconsistency with the server profile template.
- C. Network connectivity for HPE Synergy Compute Module was changed outside HPE OneView.
- D. Changes to the server profile were implemented directly on the server profile.

**Answer:** D

### NEW QUESTION 33

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

**Answer:** B

### Explanation:

Licenses were not purchased in the original order for the modules and were ordered separately.

### NEW QUESTION 34

Which action is allowed on storage pools managed by HPE OneView?

- A. Volume provisioning
- B. Setting storage pool replication
- C. Changing storage pool RAID level
- D. Changing storage pool capacity

**Answer:** A

### NEW QUESTION 38

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView Which license is required to accomplish this task?

- A. HPE One View Global Dashboard license
- B. HPE OneView Advanced license
- C. HPE composer 2 license
- D. HPE OneView standard license

**Answer:** D

### NEW QUESTION 43

Your customer asks you if it is possible to perform HPE Synergy initial setup remotely. How should you respond?

- A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network.
- B. Remote HPE Synergy Installation can be done only if an additional set of the services was purchased together with hardware platform.
- C. HPE Synergy cannot be deployed remotely, as Initial setup must be performed using a local console connection.
- D. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory.

**Answer:** D

### Explanation:

HPE Synergy 4-port Frame Link Modules have SFP+ ports which enable connections to distant frames and remote subnets.

### NEW QUESTION 44

Your customer wants to manage their HPE Superdome Flex using HPE OneView. Which component must be added to HPE OneView to accomplish this task?



- A. Baseboard Management Controller (BMC)
- B. Rack Management Controller (RMC)
- C. all nPARs created within the complex
- D. only the base chassis from the complex

**Answer:** A

#### NEW QUESTION 49

As a part of troubleshooting, you have to reinstall the same version of the firmware on an HPE Synergy Compute Module. Click the area within the Firmware section of the server profile that will allow you to install the same firmware version.

#### Firmware

Firmware baseline Service Pack for Synergy version SY-2021.02.01 ▾

☐ Force installation

Installation Method

☐ Firmware and OS Drivers using Smart Update Tools

☐ Firmware only using Smart Update Tools

☒ Firmware only

For the least disruptive option, select a Smart Update option. Without Smart Update, the server hardware must be powered off. [Learn more](#)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation: Firmware

Firmware baseline Service Pack for Synergy version SY-2021.02.01 ▾

☐ Force installation

Installation Method

☐ Firmware and OS Drivers using Smart Update Tools

☐ Firmware only using Smart Update Tools

☒ Firmware only

For the least disruptive option, select a Smart Update option. Without Smart Update, the server hardware must be powered off. [Learn more](#)

#### NEW QUESTION 52

Which statement about managing an HPE BioaaS server is true?

- A. A multi-enclosure Virtual Connect domain can be imported to HPE OneView without disrupting servers
- B. An HPE server blade can be removed from HPE OneView by deleting the server from the Server Hardware section
- C. An HPE server blade cannot be deleted from HPE OneView. It must be physically removed from the enclosure
- D. Both c3000 and C7000 HPE BladeSystem enclosures can be imported to HPE OneView for monitoring

**Answer:** B

#### NEW QUESTION 55

Refer to the exhibit.

OneView

Search

Networks 13

+ Create network

| Name       | VLAN     | Type     |
|------------|----------|----------|
| Eth-1      | Untagged | Ethernet |
| FC-A       |          | FC       |
| FC-B       |          | FC       |
| FT-01      | Untagged | Ethernet |
| FT-02      | Untagged | Ethernet |
| FT-03      | Untagged | Ethernet |
| FT-04      | Untagged | Ethernet |
| FT-05      | Untagged | Ethernet |
| vMotion-01 | Untagged | Ethernet |
| vMotion-02 | Untagged | Ethernet |
| vMotion-03 | Untagged | Ethernet |
| vMotion-04 | Untagged | Ethernet |
| vMotion-05 | Untagged | Ethernet |

Eth-1

Overview

General

Type

Ethernet

VLAN

Untagged

Associated with IPv4 subnet ID

none

Associated with IPv6 subnet ID

none

Purpose

Management

Preferred bandwidth

2.5 Gb/s

Maximum bandwidth

20 Gb/s

Smart link

Yes

Private network

No

Uplink set

ETH-Uplink

Used by

2 server profiles  
3 server profile templates

Member of

no network sets

exhibit 39.18.1.2

Your customer created multiple networks in HPE OneView, but only Eth-1 is available to be used within a server profile. What is a likely cause of this situation?

- A. The other networks are not configured with the required Smart Link parameter.
- B. The other networks are not added to the Logical Interconnect Group configuration.
- C. The other networks have Private Network' selected, which hides them from Compute Modules.
- D. The other networks are configured with a purpose other than General or Management.

Answer: B

NEW QUESTION 56

Refer to the exhibit.

Create Logical Interconnect Group

General

?

General

Name

LIG-Ethernet

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 100Gb F32 Module for Synergy

Enclosure count

1

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 100Gb F32 Module for Synergy

Enclosure count

1

Interconnect bay set

3

Redundancy

Redundant

Non-redundant (A-side only)

Non-redundant (B-side only)

Downlink speed

Select interconnects

Your customer wants to define a Logical Interconnect Group (UG) and set the redundancy of the master modules to highly available, but this option is not available. What is a possible reason?

- A. There are not sufficient frames for highly available setup.
- B. Some master modules only support a redundant setup.
- C. Firmware on the master modules is too low to support highly available setup.
- D. A dedicated license must be added to HPE OneView to enable this feature.

Answer: B

NEW QUESTION 60

Which components require an HPE OneView license for management?

- A. HPE Virtual Connect modules
- B. HPE Apollo XL 170r

- C. Brocade and Cisco SAN Manager
- D. HPE Primera and HPE 3PAR

**Answer:** A

#### NEW QUESTION 61

You plan to update HPE OneView to the latest version What Should you do Mora starting HPE OneView update?

- A. Disable HPE Remote Support at toe HPE OneView appliance level
- B. Put all servers managed through HPE OneView to maintenance state
- C. Run the Update Readiness checker tool to evaluate HPE OneView health status
- D. Create a support dump for the appliance and for all managed logical interconnects

**Answer:** C

#### NEW QUESTION 64

Which statement about a server profile for an Apollo system is true?

- A. Fibre Channel connections can be defined
- B. UEFI optimized is the only available boot mode
- C. Virtual WWNs and MAC addresses can be defined
- D. Enclosure Group Is automatically selected

**Answer:** A

#### NEW QUESTION 67

Where is the association between an HPE OneView network and uplink port defined?

- A. Within an Enclosure Group definition
- B. Within an HPE OneView network definition
- C. At the network set level
- D. At the Logical Interconnect Group level

**Answer:** D

#### NEW QUESTION 68


Your customer added HPE Primera to HPE OneView and enabled volume provisioning on all storage pools. For security reasons, the customer wants to disable volume provisioning using HPE OneView on a specific storage pool. How can this task be completed?

- A. The storage pool should be removed from HPE OneView using a PowerShell script.
- B. The storage pool should be disabled using the array management tool.
- C. The storage pool state should be changed to discovered using HPE OneView.
- D. The storage pool should be marked as read-only using HPE OneView.

**Answer:** B

#### NEW QUESTION 71

Which statement about the presented storage pools is true?



The screenshot shows the HPE OneView interface. On the left, a table lists storage pools. On the right, the details for 'Cluster-1' are shown.

| Name                  | Storage System                  | State      |
|-----------------------|---------------------------------|------------|
| Cluster-1             | Cluster-1                       | Managed    |
| Cluster-2             | Cluster-2                       | Managed    |
| cpg-growth-limit-1TiB | ThreePAR-1                      | Managed    |
| CPG-SSD               | ThreePAR-1                      | Managed    |
| CPG-SSD-AO            | ThreePAR-1                      | Managed    |
| CPG_FC-AO             | ThreePAR-1                      | Managed    |
| default               | Nimble-HasCacheCapacityAllFlash | Discovered |
| default               | Nimble-HasCacheCapacityAllFlash | Managed    |
| FST_CPG1              | ThreePAR-1                      | Managed    |
| FST_CPG2              | ThreePAR-1                      | Managed    |

**Cluster-1 Details:**

- General:**
  - State: Managed
  - Storage system: Cluster-1
  - Used by: no volumes, no volume templates
- Capacity:**
  - Allocated: 0 GiB
  - Progress bar: 0 GiB / 20480 GiB

- A. Storage pools in discovered state can be removed from HPE OneView.
- B. HPE OneView can be used to configure replication only between managed storage pools




- C. All storage pools from the system named ThreePAR-1 can be used for volume provisioning
- D. All storage pools in managed state have a valid HPE OneView license applied

Answer: C

NEW QUESTION 74

Refer to the exhibit.

Logical Interconnect [Edit](#)



Which statement about the logical interconnect shown is true?

- A. For FC uplink sets, an additional uplink from second module should be added for redundancy.
- B. The maximum supported number of the internal networks for logical interconnect is configured.
- C. Additional uplink ports can be added to ETH-Uplink to increase available bandwidth.
- D. FC uplinks are not supported and will be converted to FCoE or RoCE uplinks.

Answer: C

NEW QUESTION 78

Your customer has an environment with five HPE Synergy Composers and 15 HPE OneView appliances managing servers that run VMware. The customer is having a hard time managing their servers.

What can the customer do to simplify management of this complex environment?

- A. deploy HPE OneView for VMware vCenter Server
- B. deploy HPE OneView Global Dashboard
- C. use an Ansible playbook
- D. integrate all HPE OneView appliances and HPE Composers with Active Directory

Answer: A

NEW QUESTION 79

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### HPE2-T37 Practice Exam Features:

- \* HPE2-T37 Questions and Answers Updated Frequently
- \* HPE2-T37 Practice Questions Verified by Expert Senior Certified Staff
- \* HPE2-T37 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* HPE2-T37 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The HPE2-T37 Practice Test Here](#)**