

Salesforce

Exam Questions Sharing-and-Visibility-Designer

Salesforce Certified Sharing and Visibility Designer (SP19)



NEW QUESTION 1

What is the best practice for testing sharing and visibility changes?

- A. Use Administrative and User reports to view the Active Users.
- B. Use the Login As feature for a sample user in each role and profile.
- C. Use Field Audit Trail to audit the field meta-data and visibility.
- D. Use the Sharing button to test Profile and Permission set changes.

Answer: B

NEW QUESTION 2

The Architect at Universal Containers has created a List View to show all open Opportunities that were created in the last month, and would like to make this list view visible to certain groups of users. Which two options are available to the Architect for sharing the List View?

- A. Public Groups
- B. Profiles
- C. Roles and Subordinates
- D. Manual Sharing

Answer: AC

NEW QUESTION 3

Universal container (UC) use External Object to retrieve Invoice data from a Legacy ERP. A finance team requested to have access to the Invoice records in the account page.

In addition to objects access in the finance users profile, what other feature should a Sales Architect recommend?

- A. Create a criteria-based sharing rule to grant access to the records.
- B. Include the Invoice Related List On Account Page layout.
- C. Create an owner-based sharing rule to grant access to the records.
- D. Use APEX managed sharing to grant access to the records.

Answer: D

NEW QUESTION 4

Universal Containers (UC) implemented Sales Cloud and requested that sales agents have access to products the company sells and be able to create opportunities for its customers.

What should the Organization-Wide Defaults (OWD) be for pricebook?

- A. Public Read Only
- B. Public Read Write
- C. View
- D. Use

Answer: D

NEW QUESTION 5

What advanced tool can Salesforce enable for Large-scale role hierarchy realignments?

- A. Set external organization-wide default to public read only
- B. Skinny Table Indexing
- C. Granular locking
- D. Partitioning by Divisions

Answer: C

NEW QUESTION 6

Universal containers (UC) service reps are assigned to a profile which has "View All" in Case object.. To make sure service reps have access to all relevant information to attend to customer requests, which Architect consider? Choose 2 answers

- A. Service reps will be able to access to Contact records if they are Controlled by Parent.
- B. Service reps will be able to access to Contact records due to Implicit Sharing.
- C. Service reps will NOT able to access to Contact records because Account OWD is private
- D. Service reps will NOT able to access to Contact records if they are controlled by Parent.

Answer: A

NEW QUESTION 7

The sales manager in Japan have asked the sales manager in Australia to assist them with closing the .. How are these requirements achieved?

- A. Use sharing set to give the sales manager access to the deals.
- B. Create ownership-based sharing rule.
- C. Use opportunity teams to automatically add the sales manager as a team member.
- D. Assign the sales manager View All on the opportunity object.

Answer: B

NEW QUESTION 8

Universal Containers has a large network of partners, who each have seasonal workers that need .. How might the Architect design the solution to federate user setup to the Partners?

Choose 2 answers

- A. Assign delegated external administrators at each partner.
- B. Grant the Modify Users permission to the partner managers.
- C. Allow external users to self register.
- D. Create a permission set giving Read/Write to the User object to partner manager.

Answer: AC

NEW QUESTION 9

Universal Containers uses the Case object to track service tickets. They have implemented Case teams to allow multiple support representatives to manage the Cases. Which two "Filter by owner" options would the user see while creating a list view on the Case object? Choose 2 answers

- A. Public Groups
- B. Roles
- C. Queue
- D. My Case Teams

Answer: CD

NEW QUESTION 10

Universal Containers uses 75,000 distributors that have close to 1 million total users. Distributors need opportunities assigned to the distributor for delivery. What license recommendation will meet distributor needs?

- A. Sales Cloud
- B. Customer Community Plus
- C. Partner Community
- D. Customer Community

Answer: C

NEW QUESTION 10

Universal Containers, a global corporation of 50,000 users, has a 24x7 call center operated by 20,000 users that includes employees and contractors. Their sales organization is 10,000 strong and they started processing about 100,000 updates to opportunity custom fields called Priority and NextStep. They also started processing 20,000 updates to a highly nested territory hierarchy. There was a third mass update on a Next Step field on the Action Plan custom object that has Case as a lookup field. Users started seeing a Group membership lock error in the system. What is a probable cause for this error?

- A. Lock contention due to system-initiated sharing rule recalculation
- B. Lock contention on Case records because of Action Plan custom object updates.
- C. Lock contention on Territory object because of Territory object updates.
- D. Lock contention on Account records because of Opportunity object updates.

Answer: A

NEW QUESTION 14

How would you make sure Visualforce page is security proof? Choose 3 answers

- A. Manually check for cross site
- B. Manually check for sql injection
- C. Submit to force security scanner
- D. Use web application tool for security
- E. Use debug to check hijacked requests

Answer: CDE

NEW QUESTION 15

Universal Containers has a set of Account Management users that should only see Accounts once the Account becomes a customer. The Type field on the Account identifies whether the Account is a Prospect, Customer, Partner or Other. Which two methods could an Architect use to enable this sharing requirement, assuming a private sharing model for Accounts?

Choose 2 answers.

- A. Institute a process that calls for the Account Manager to be added to the Account Team once the Account becomes a customer.
- B. Create an Account Sharing Rule that shares all Accounts owned by Sales to be shared with Account Management roles and subordinates.
- C. Create a Public List View, where Accounts of Type Customer are included and share the List view with the Account Management public group.
- D. Create a Criteria-based Sharing rule that shares the Account to the Account Management Group when the Type is Customer.

Answer: AD

NEW QUESTION 16

Universal Containers has created a custom object to store highly confidential client relationship data with Private sharing settings. Which two options would an

Architect choose to ensure access only to the record owner and the administrator?
Choose 2 answers.

- A. Disable "Grant Access Using Hierarchies."
- B. Disable the "Create" permission on all other profiles.
- C. Disable the "Read" permission on all other profiles.
- D. Disable the "View All" permission on all other profiles.

Answer: AD

NEW QUESTION 19

Which two options provide implicit record access to users? Choose 2 answers

- A. Read-only access to parent account for a user, based on a criteria-based sharing rule
- B. Read-only access to parent account for a user with access to a child case
- C. Access to child opportunities for the owner of the parent account
- D. Access to related leads for the owner of the parent campaign

Answer: BC

NEW QUESTION 23

Universal Containers (UC) is implementing Sales Cloud. During the last quarter of the financial of the financial year, .. They requested a solution in Salesforce to allow them to specify an assistance agent on the opportunity.. the assistance field. The system should automatically remove access from the previous assistant and ..

What is the optimum solution to meet the requirements?

- A. Use share group to share opportunities with the assistant agent.
- B. Use opportunity team and create an assistant field, use apex to share opportunities with the assistant
- C. Use sharing rule to share opportunities with the assistant agent.
- D. Use apex sharing to share and unicast opportunities with the assistant agent.

Answer: D

NEW QUESTION 25

Universal Containers has a strict security model enforced through object, field, and row-based security mechanisms. The Architect would like to ensure the security model is being thoroughly tested using Apex automated tests. Which three considerations should be made when using the runAs() method to design Apex until tests?

- A. runAs() does not enforce user permissions or field-level permissions in test classes
- B. runAs() can be used inside of test classes to validate record-level security
- C. runAs() can be used inside of test classes to validate field-level permissions
- D. runAs() can be used outside of test classes to bypass record-level security
- E. runAs () counts towards total DML statements issued within transaction

Answer: ABE

NEW QUESTION 26

What is required to implement Filter-Based Opportunity Territory Assignment?

- A. Define an account assignment with a filter criteria rule for Filter-Based Opportunity Territory Assignment.
- B. Define a Territory assignment rule with filter criteria for Filter-Based Opportunity Territory Assignment.
- C. Define a custom Apex class for Filter-Based Opportunity Territory Assignment in the system.
- D. Define an Opportunity assignment rule with filter criteria for Filter-Based Opportunity Territory Assignment.

Answer: C

NEW QUESTION 28

Universal Containers (UC) has a custom Apex class that enforces a business process and updates opportunities. UC has noticed that fields with field level security permission of read only on certain users' profiles are being updated by this class.

How should the architect fix this problem?

- A. Add With Sharing keyword to the class,
- B. Put the code in an inner class that uses the With Sharing keyword.
- C. Use the IsUpdateable() Apex method to test each field prior to allowing update.
- D. Use the WITH SECURITY_ENFORCED keyword in the SOQL statement.

Answer: D

NEW QUESTION 29

Universal Containers (UC) has a custom Apex class that enforces a business process and updates opportunity field-level security permissions of read only certain user's profiles are being updated by their class.

How should the architect fix this problem?

- A. Put the code in an class that uses the With Sharing keyword.
- B. Use the IsUpdateable() Apex method to test each field prior to allowing updates.
- C. Use the With SECURITY_ENFORCED keyword in the SOQL statement.
- D. Add With Sharing keyword to the class.

Answer: C

NEW QUESTION 30

Which two capabilities does the delegated administrator permission provide? Choose 2 answers

- A. Assign users profiles
- B. Unlock users
- C. Set OWD
- D. Create profiles

Answer: AB

NEW QUESTION 31

To grant Universal Containers sales manager access to shipment records properly, it was necessary to leverage Apex managed sharing. The IT team is worried about improper access to records.

Which two features and best practices should a Salesforce architect recommend to mitigate this risk?

- A. Use runAs system method in test classes to test using different users and profiles.
- B. Use with Sharing keyword in Apex classes to assure record visibility will be followed.
- C. Use isShareable in Apex classes to assure record visibility will be followed.
- D. Use isAccessible keyword in Apex classes to assure record visibility will be followed

Answer: BD

NEW QUESTION 34

Sales managers want their team members to help each other close Opportunities. The Opportunity and Account organization-wide defaults are private. To grant Opportunity access to sales reps on the same team, owner ship-based sharing rules were created for each team.

What is the side effect of this approach?

- A. All sales reps will have Read access to Accounts for all Opportunities.
- B. Sales Reps on the same team will have Edit access to the Accounts for Opportunities owned by then team members.
- C. Sales reps on the same team will have Read access to the Accounts for Opportunities owned by their team members.
- D. All sales reps will have Read access to all Accounts.

Answer: A

NEW QUESTION 36

Universal Containers has implemented a strict software architecture for their custom Apex code. One of the requirements is that all SOQL queries are contained within reusable classes. Depending on the context of the Apex transaction, the queries should be able to run either "With Sharing" or "Without Sharing". Which two ways allow the Architect to meet these requirements?

Choose 2 answers.

- A. Create a reusable SOQLQueries class; do not specify "With" or "Without Sharing" on the SOQLQueries class.
- B. Create a reusable SOQLQueries class; do not specify "With" or "Without Sharing" on the SOQLQueries class and use the runAs() method to dynamically set the context.
- C. Create a reusable SOQLQueries class; specify "With Sharing" on the methods that require user context and "Without Sharing" on the methods requiring system context.
- D. Create a SystemSOQLQueries class and a UserSOQLQueries class; set the "With Sharing" keyword on the User SOQLQueries class and "Without Sharing" on the SystemSOQLQueries class.

Answer: CD

NEW QUESTION 38

Universal Containers keeps product brochures in Salesforce as files. Sarah shares a public Unit to a product brochure with potential customers during a meeting. She wants to ensure they do not have access to the file after the meeting.

How should Sarah accomplish this?

- A. Rename the file.
- B. Delete the public link.
- C. Delete the file.
- D. Move the file to another folder

Answer: B

NEW QUESTION 40

Universal Containers (UC) uses a custom Visualforce page to display shipment tracking information (custom object, private OWD) to field manager and agents. The IT team wants to make sure that users have access to only the information that is allowed.

Which Apex method must be used to make sure only allowed fields are shown to the users'

- A. isReadable()
- B. isShowable()
- C. isAccessible()
- D. isVisibleable()

Answer: C

NEW QUESTION 44

After setting up Customer Community and enable collaboration, the architect realizes that customers are only Chatter posts from other customers in their account. What should the architect do to allow viewing chatter posts from all customers?

- A. Enable Community User Visibility.
- B. Set View All for Chatter posts.
- C. Enable Chatter Super User.
- D. Enable Internal Users Visibility.

Answer: B

NEW QUESTION 49

Universal Containers would like to create a custom team solution that can be used on a custom Loan object. The following requirements must be met:
The Loan custom object should be set to Private in the Org-Wide Defaults.

Any user added to the Custom Team object should have Read Only access to the corresponding Loan record. If the Custom Team record is marked as "Primary" then the corresponding user should have Read/Edit access to the corresponding Loan record.

Which two methods will allow the Architect to meet the requirements? Choose 2 answers.

- A. Create a custom trigger on the Custom Team object that inserts or updates records in the Loan_share object.
- B. Create a criteria-based sharing rule on the Loan object that will share the Loan record with the appropriate user in the Custom Team object.
- C. Create Apex Sharing Reasons on the Loan object to identify the reason the Loan record was share.
- D. Create an owner-based sharing rule on the Custom Team object that will share the Loan record to the owner of the Custom Team record.

Answer: BD

NEW QUESTION 52

Universal Containers has just deployed a change to its role hierarchy. A manager is reporting that their staff can now see Accounts that they do not own and should not have access to. How should the Architect troubleshoot?

- A. While logged in as the System Administrator, use the Field Accessibility Viewer to view a matrix of who has access to Accounts.
- B. While logged in as the one of the Staff members, navigate to a sample account and use the Sharing button to determine who has access.
- C. While logged in as the one of the Staff members, navigate to their user record and inspect their profile and role membership.
- D. While logged in as the System Administrator, use the Field Accessibility Viewer to view a matrix of who has access to Accounts.

Answer: B

NEW QUESTION 57

Universal Containers (UC) has a custom object to track the internal net promoter score (NPS) for all .. How can UC ensure that NPS records cannot be accessed by an individual employee's manager?

- A. Create a criteria-based sharing rule to remove access to Manager role and above in the Role ..
- B. Remove Create, Read, Edit and Delete from Manager Profiles and Permission sets.
- C. Use Apex Sharing to remove NPS object share records for Manager profiles.
- D. Set organization-wide default to Private and uncheck the Access Using Hierarchies Option for ..

Answer: D

NEW QUESTION 61

Universal Container has a set of Account management users that should only see accounts once the account becomes a customer. The type field on the Account identifies whether the account is a prospect, customer, partner, or other. Which two methods could an Architect use to enable this sharing requirement, assuming a private sharing model for accounts? Choose two:

- A. Create a public list view, where accounts of type customer are included and share the list view with account management public group
- B. Institute a business process that calls for the account manager to be added to the account team once the account becomes a customer
- C. Create an account sharing rule that shares all accounts owned by sales to be shared with account management roles and subordinates
- D. Create a criteria-based sharing rule that shares the account to the account management group when the type is customer

Answer: BD

NEW QUESTION 63

Universal Containers has junction object called "Job Production Facility", with 2 master-detail relationships to the Job and Production Facility custom objects. Both master records have a private sharing model.

What statement is true if a user's profile allows access (Create/Read) to the Job, but no access to the Production Facility Object?

- A. The user will be granted read access to the Production Facility record
- B. The user will see the junction object and the link to the Production Facility.
- C. The user will see the junction object but not the link to the Production Facility.
- D. The user will not be able to see the junction object records or the field values.

Answer: D

NEW QUESTION 64

Universal Containers has created a custom Sales Operations profile with read and edit access to the Category field on a custom object. There is a new requirement that 3 of the 100 users assigned to the Sales Operations Profile should have read-only access to the Category field.

How can the Architect support this request? Choose one

- A. Create a permission set in the Category field to read-only and assign it to the users.

- B. Create a new profile without edit access to Category and assign it to the users.
- C. Create a new page layout with the Category Field set to read-only for these users.
- D. Create a custom permission to grant read-only access to Category and assign it to the users.

Answer: B

NEW QUESTION 66

When writing test methods, what functionality is verified by the system method "runAs()?"

- A. Enforcement of a user's record sharing.
- B. Enforcement of user permissions.
- C. Enforcement of a user's field-level security.
- D. Enforcement of user's public group assignments.

Answer: A

NEW QUESTION 69

Universal Containers has created a Reimbursement Custom Object to capture requests for reimbursement of expenses related to office supplies. The Reimbursement requests are sometimes sensitive and the Team Leads should not have access to the Reimbursement records submitted by the Users in the Call Center Agent role. The Director of Support will require access to all Reimbursement records. The role hierarchy is set as follows: Call Center Agent role reports to Team Lead role, which Reports to the Director of Support. Which steps would the Architect take to ensure proper sharing in this Role Hierarchy structure assuming Private Sharing Setting for the Reimbursement Object?

- A. Leave the Reimbursement Object in "Deployed" Status and set the Director of Supports Profile to "View All" in the object permissions.
- B. Use an Approval Process to change the owner of the Reimbursement record upon submission to the Director of Support
- C. Disable Grant Access Using Hierarchies for the Object and create a Sharing Rule to enable sharing to the Director of Support
- D. The sharing scenario described will occur without any special configuration choices being made by the Architect

Answer: C

NEW QUESTION 73

Which two are potential vulnerabilities in the following code snippet? <apex:page> <apex:form>

```
<apex:outputText value="Enter Name"/> <apex:inputText value="{!name}" /> <apex:commandButton value="Query" action="{!query}" /> </apex:form>
```

```
</apex:page> public class SOQLController { public String name { get { return name;} set {name=value;} } public PageReference query() { String qryString='SELECT Id FROM Contact WHERE '+ '(IsDeleted = false and Name like \'' + name + '%\''; queryResult = Database.query(qryString); return null; } }
```

Choose 2 answers

- A. FLS check
- B. SOQL Injection
- C. Data Access Control
- D. Arbitrary Redirects

Answer: BC

NEW QUESTION 76

Universal Containers would like to customize the security and sharing features of Salesforce Account Teams. They have decided to implement a Custom Account Team object. They would like the new enhancement to include all of the features of the existing account team, but also utilize Apex and Visualforce on the custom Account Team object.

Which two different approaches should the Architect consider when designing this enhancement? Choose 2 answers

- A. The need to synchronize the AccountTeamMember object with the Custom Account Team object data.
- B. The need to maintain the Account_share object based upon the Custom Account Team object data.
- C. The need to dynamically create Criteria-Based Sharing rules with Custom Account Team object data.
- D. The need to customize Account screens in Visualforce, as the Account_share object cannot be maintained programmatically.

Answer: AB

NEW QUESTION 77

Universal Containers has a requirement to share Accounts automatically to the users at a field office. They currently have the following setup in their environment:

- Accounts are set to Private in the Org-Wide Default.
- The field office is specified by a lookup in the Account object.
- There are 400 field offices.
- The users in each field office are managed using public groups.

Based upon a lookup relationship field on the Account, how should the Architect meet this requirement?

- A. Use Manual Sharing to share the Account with the appropriate field office.
- B. Use Account Teams to share the Account with the appropriate field office.
- C. Use Programmatic Sharing to share the Account with the appropriate field office.
- D. Use Criteria-Based Sharing to share the Account with the appropriate field office.

Answer: C

NEW QUESTION 79

What is the security vulnerability in the following code snippet? <apex:form>

```
<apex:commandButtonrerender="outputIt" value="Update It"/> <apex:inputText value="{!myTextField}"/>
```

```
<apex:form> <apex:outputPanel id="outputIt"> Value of my Textfield is <apex:outputText Value="{!myTextField}" escape="false"/> </apex:outputPanel>
```

- A. SOQL Injection
- B. Arbitrary Redirects
- C. Cross-Site Scripting
- D. Access Control

Answer: C

NEW QUESTION 82

Universal Container (UC) is in a legal dispute regarding several orders. UC has found out these records VP of Sales has asked to ensure this cannot happen in the future.

What approach would meet this requirement?

- A. Remove Order delete Permission from Profiles and Permission Sets
- B. Implement a Sharing Rule that changes access for order to Read.
- C. Remove the Delete button from the Order Page Layout.
- D. Change the Record Type/Page Layout assignment for orders to be Read Only.

Answer: AD

NEW QUESTION 83

In order to comply with Regulatory Requirements, Universal Containers must store sensitive customer information on-premise. Universal Containers would like this on-premise information to be accessible from Salesforce. What technology can Universal Containers use to achieve this?

- A. Implement a third-party tokenization service.
- B. Implement an on-premise database.
- C. Implement a third-party proxy server.
- D. Implement the Salesforce Shield toolkit.

Answer: C

NEW QUESTION 87

Universal Containers regularly uploads large amounts of parent and child records into Salesforce to maintain integrations with other systems that update their data in scheduled batches or continuously in real time. Which two situations may pose a risk of producing locking errors? Choose 2 answers.

- A. Updates to child records that have the same parent records are being processed simultaneously in separate transactions.
- B. Updates to parent and child records are being processed in the same batch.
- C. Updates to parent records and their child records being processed simultaneously in separate threads.
- D. Updates to parent and child records are being processed synchronously in the same threads.

Answer: AC

NEW QUESTION 91

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Sharing-and-Visibility-Designer Practice Exam Features:

- * Sharing-and-Visibility-Designer Questions and Answers Updated Frequently
- * Sharing-and-Visibility-Designer Practice Questions Verified by Expert Senior Certified Staff
- * Sharing-and-Visibility-Designer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Sharing-and-Visibility-Designer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Sharing-and-Visibility-Designer Practice Test Here](#)